

Intercepts:

| Hole ID | Comment | From (m) | To (m) | Length ¹ (m) | Au (g/t) | Ag (g/t) | AuEq ² (g/t) |
|-------------|-------------------------|--------------|--------------|-------------------------|-------------|---------------|-------------------------|
| LRGG-19-001 | Main | 71.0 | 106.5 | 35.5 | 1.24 | 284.7 | 5.04 |
| | HW zone | 71.0 | 81.0 | 10.0 | 1.27 | 249.1 | 4.59 |
| | Open Stope ³ | 81.0 | 82.5 | 1.5 | * | * | * |
| | FW zone | 82.5 | 106.5 | 24.0 | 1.31 | 317.3 | 5.54 |
| | including | 91.5 | 98.0 | 6.5 | 3.32 | 905.8 | 15.39 |
| LRGG-19-002 | Main | 26.5 | 54.1 | 27.6 | 1.56 | 159.0 | 3.68 |
| | including | 28.4 | 34.0 | 5.6 | 5.52 | 525.0 | 12.52 |
| LRGG-19-003 | Main | 145.0 | 165.4 | 20.4 | 2.21 | 318.7 | 6.45 |
| | including | 145.0 | 155.5 | 10.5 | 4.26 | 608.0 | 12.36 |
| | including | 146.0 | 153.2 | 7.2 | 6.17 | 869.5 | 17.77 |
| LRGG-19-004 | Main | 96.5 | 99.0 | 2.5 | 0.04 | 27.2 | 0.40 |
| LRGG-19-005 | Main | 121.0 | 131.8 | 10.8 | 0.19 | 53.8 | 0.91 |
| LRGG-19-006 | Main | 107.1 | 132.0 | 25.0 | 0.33 | 35.7 | 0.81 |
| | including | 119.7 | 122.5 | 2.8 | 1.41 | 52.6 | 2.11 |
| LRGG-19-007 | Main | 149.5 | 161.2 | 11.7 | 0.68 | 88.8 | 1.87 |
| | including | 163.0 | 169.1 | 6.1 | 0.58 | 141.9 | 2.47 |
| LRGG-19-008 | Main | 109.4 | 131.7 | 22.4 | 4.13 | 182.1 | 6.55 |
| | including | 127.5 | 130.5 | 3.0 | 25.08 | 533.9 | 32.20 |
| | and | 134.7 | 147.6 | 12.9 | 0.17 | 31.5 | 0.59 |
| LRGG-19-009 | Main | 34.5 | 55.7 | 21.2 | 7.66 | 1270.2 | 24.60 |
| | including | 37.8 | 44.7 | 6.9 | 21.97 | 3717.6 | 71.54 |
| LRGG-19-010 | Open Stope ³ | 97.5 | 99.0 | 1.5 | - | - | - |
| | Main | 99.0 | 117.8 | 18.8 | 0.37 | 67.9 | 1.27 |
| | including | 102.2 | 106.7 | 4.5 | 0.96 | 119.5 | 2.55 |
| LRGG-19-011 | Main | 253.0 | 271.5 | 18.5 | 1.20 | 140.3 | 3.07 |
| | including | 261.8 | 270.3 | 8.4 | 2.16 | 227.8 | 5.19 |
| LRGG-19-012 | Main | 220.3 | 238.0 | 17.8 | 0.59 | 82.7 | 1.69 |
| | including | 224.5 | 238.0 | 13.5 | 0.77 | 100.4 | 2.11 |
| | including | 228.5 | 235.5 | 7.0 | 1.16 | 131.9 | 2.92 |
| LRGG-19-013 | Main | 163.9 | 179.5 | 15.6 | 0.78 | 194.7 | 3.38 |
| | including | 166.0 | 174.8 | 8.8 | 1.30 | 296.5 | 5.25 |
| | including | 166.0 | 168.2 | 2.2 | 2.09 | 331.7 | 6.52 |
| LRGG-19-014 | Main | 204.3 | 218.5 | 14.2 | 1.10 | 126.8 | 2.79 |
| | including | 208.3 | 216.0 | 7.7 | 1.94 | 209.3 | 4.73 |
| | and | 224.5 | 228.0 | 3.5 | 0.16 | 26.5 | 0.51 |
| LRGG-19-015 | Main | 23.4 | 40.5 | 17.1 | 0.71 | 67.9 | 1.62 |
| | including | 27.0 | 32.6 | 5.6 | 1.68 | 137.2 | 3.51 |
| | Open Stope ³ | 40.5 | 43.7 | 3.2 | * | * | * |
| | Main | 43.7 | 54.0 | 10.3 | 1.19 | 85.0 | 2.33 |
| | including | 43.7 | 49.0 | 5.3 | 2.02 | 138.1 | 3.87 |

| Hole ID | Comment | From (m) | To (m) | Length ¹ (m) | Au (g/t) | Ag (g/t) | AuEq ² (g/t) |
|-------------|--------------------------|--------------|--------------|-------------------------|-------------|--------------|-------------------------|
| LRGG-19-016 | Main | 80.8 | 85.8 | 5.0 | 0.52 | 160.6 | 2.66 |
| | Open Stope ³ | 85.8 | 88.3 | 2.5 | * | * | * |
| | including | 91.7 | 98.1 | 6.3 | 2.14 | 336.7 | 6.63 |
| LRGG-19-017 | Main | 83.2 | 115.2 | 32.0 | 0.80 | 178.8 | 3.18 |
| | including | 83.2 | 94.5 | 11.3 | 1.46 | 347.8 | 6.10 |
| LRGG-19-018 | Main | 258.5 | 279.9 | 21.4 | 0.81 | 170.1 | 3.08 |
| | including | 263.2 | 276.0 | 12.9 | 1.24 | 262.4 | 4.74 |
| | including | 268.5 | 276.0 | 7.5 | 1.78 | 342.4 | 6.35 |
| LRGG-19-019 | Main | 23.0 | 27.5 | 4.5 | 1.50 | 196.6 | 4.13 |
| | Open Stope ³ | 27.5 | 29.7 | 2.2 | * | * | * |
| | Main | 29.7 | 43.5 | 13.8 | 0.63 | 86.0 | 1.78 |
| LRGG-19-020 | including | 29.7 | 33.9 | 4.2 | 1.52 | 198.3 | 4.17 |
| | Main | 43.8 | 58.7 | 14.9 | 1.78 | 106.4 | 3.20 |
| LRGG-19-021 | including | 45.0 | 52.0 | 7.0 | 3.48 | 155.6 | 5.55 |
| | Main | 9.0 | 16.5 | 7.5 | 0.09 | 18.1 | 0.33 |
| LRGG-19-022 | Open Stope ³ | 16.5 | 22.5 | 6.0 | * | * | * |
| | Main | 22.5 | 38.1 | 15.6 | 1.15 | 113.5 | 2.67 |
| | including | 22.5 | 29.0 | 6.5 | 2.38 | 236.5 | 5.54 |
| LRGG-19-023 | Main | 170.4 | 193.7 | 23.3 | 1.78 | 201.5 | 4.47 |
| | including | 171.5 | 181.5 | 10.0 | 3.58 | 389.6 | 8.78 |
| LRGG-19-024 | Main | 34.0 | 58.0 | 24.0 | 0.61 | 126.0 | 2.29 |
| | including | 34.0 | 48.7 | 14.7 | 0.93 | 200.8 | 3.61 |
| LRGG-19-025 | Main | 25.0 | 30.0 | 5.0 | 0.36 | 30.8 | 0.77 |
| | including | 34.9 | 50.4 | 15.5 | 2.00 | 203.3 | 4.71 |
| LRGG-19-026 | Main | 34.9 | 59.5 | 24.6 | 1.30 | 135.0 | 3.10 |
| | Open Stope ³ | 9.7 | 11.3 | 1.6 | * | * | * |
| | Main | 11.3 | 29.5 | 18.2 | 0.16 | 34.5 | 0.62 |
| LRGG-19-027 | Main | 38.3 | 51.0 | 12.7 | 1.08 | 169.8 | 3.34 |
| | including | 38.3 | 45.0 | 6.7 | 1.83 | 268.1 | 5.40 |
| | and | 60.0 | 65.0 | 5.1 | 0.28 | 23.4 | 0.59 |
| LRGG-19-028 | Main | 34.5 | 62.0 | 27.5 | 1.21 | 133.5 | 2.99 |
| | including | 35.1 | 46.0 | 11.0 | 2.93 | 293.9 | 6.85 |
| LRGG-19-029 | Main | 28.5 | 31.5 | 3.0 | 0.99 | 157.1 | 3.09 |
| | Open Stope ³ | 31.5 | 34.1 | 2.6 | * | * | * |
| | Main | 34.1 | 34.7 | 0.6 | 1.64 | 300.3 | 5.64 |
| | Open Stope ³ | 34.7 | 39.0 | 4.3 | * | * | * |
| LRGG-19-030 | Main | 39.0 | 41.0 | 2.0 | 0.12 | 19.4 | 0.38 |
| | San Juan | 128.7 | 145.5 | 16.9 | 0.54 | 67.8 | 1.45 |
| LRGG-19-031 | including | 138.0 | 143.0 | 5.0 | 1.46 | 147.9 | 3.43 |
| | Main | 25.5 | 31.7 | 6.2 | 1.17 | 157.8 | 3.27 |
| LRGG-19-032 | Main ⁴ | 38.5 | 56.0 | 15.5 | 0.53 | 84.2 | 1.66 |

| Hole ID | Comment | From (m) | To (m) | Length ¹ (m) | Au (g/t) | Ag (g/t) | AuEq ² (g/t) |
|-------------|-------------------------|--------------|--------------|-------------------------|-------------|--------------|-------------------------|
| | including | 38.5 | 47.2 | 8.7 | 0.75 | 94.3 | 2.01 |
| | including | 42.3 | 45.0 | 2.7 | 2.04 | 216.6 | 4.93 |
| LRGG-19-033 | Main⁵ | 31.0 | 53.5 | 17.1 | 1.59 | 364.2 | 6.45 |
| | including | 31.0 | 36.6 | 5.6 | 3.81 | 818.1 | 14.72 |
| | including | 43.0 | 53.5 | 10.5 | 0.52 | 142.5 | 2.42 |
| LRGG-19-034 | Main⁶ | 103.5 | 126.0 | 20.1 | 0.92 | 177.2 | 3.28 |
| | Including | 105.0 | 109.9 | 4.9 | 3.41 | 620.7 | 11.68 |
| LRGG-19-035 | Main | 119.9 | 144.3 | 24.4 | 1.29 | 127.4 | 2.99 |
| | including | 124.7 | 134.5 | 9.8 | 3.00 | 258.0 | 6.44 |
| LRGG-19-036 | Main | 78.0 | 98.0 | 20.0 | 0.28 | 102.9 | 1.65 |
| LRGG-19-037 | Main | 73.0 | 91.6 | 18.6 | 0.33 | 53.7 | 1.05 |
| | including | 76.0 | 80.8 | 4.8 | 0.77 | 117.8 | 2.34 |
| LRGC-19-001 | Cerro Colorado | 23.3 | 27.2 | 3.9 | 1.59 | 177.3 | 3.95 |
| LRGC-19-002 | Cerro Colorado | 0.0 | 3.5 | 3.5 | 3.27 | 90.4 | 4.47 |
| LRGC-19-003 | Cerro Colorado | 2.0 | 8.5 | 6.5 | 1.38 | 39.0 | 1.90 |
| LRGC-19-004 | Cerro Colorado | 6.5 | 18.0 | 11.5 | 1.28 | 107.2 | 2.71 |
| | including | 7.3 | 11.0 | 3.7 | 3.36 | 294.6 | 7.29 |
| LRGC-19-005 | Cerro Colorado | 30.0 | 37.0 | 7.0 | 0.18 | 11.5 | 0.33 |
| | and | 43.5 | 56.5 | 13.0 | 0.12 | 16.4 | 0.34 |
| LRGC-19-006 | Cerro Colorado | 0.0 | 11.5 | 11.5 | 0.56 | 10.3 | 0.70 |
| LRGC-19-007 | Cerro Colorado | 53.8 | 56.0 | 2.2 | 0.28 | 27.3 | 0.64 |
| | and | 68.5 | 77.0 | 8.5 | 0.06 | 15.7 | 0.27 |

1. Not true width
2. AuEq converted using a silver to gold ratio of 75:1
3. Voids from historical underground workings, no sample
4. Excludes 2.0m of open stopes from historical underground workings
5. Excludes 5.4m of open stopes from historical underground workings
6. Excludes 2.4m of open stopes from historical underground workings

Locations:

| Hole ID | Easting | Northing | Elev | Azimuth | Dip | Length |
|-------------|---------|----------|--------|---------|-----|--------|
| LRGG-19-001 | 610679 | 2327607 | 1448 | 50 | -78 | 195.50 |
| LRGG-19-002 | 610824 | 2327502 | 1435 | 50 | -50 | 150.00 |
| LRGG-19-003 | 610595 | 2327525 | 1421.9 | 50 | -50 | 177.00 |
| LRGG-19-004 | 610786 | 2327429 | 1392.9 | 50 | -60 | 160.50 |
| LRGG-19-005 | 610730 | 2327445 | 1402.9 | 50 | -60 | 180.00 |
| LRGG-19-006 | 610707 | 2327493 | 1419.9 | 50 | -50 | 201.00 |
| LRGG-19-007 | 610624 | 2327483 | 1411.9 | 50 | -50 | 210.00 |
| LRGG-19-008 | 610527 | 2327666 | 1461.9 | 50 | -45 | 172.50 |
| LRGG-19-009 | 610835 | 2327486 | 1433.6 | 50 | -50 | 81.00 |

| Hole ID | Easting | Northing | Elev | Azimuth | Dip | Length |
|------------------------|---------|----------|--------|---------|-------|--------|
| LRGG-19-010 | 610485 | 2327764 | 1473.9 | 50 | -50 | 160.50 |
| LRGG-19-011 | 610393 | 2327553 | 1429.0 | 50.0 | -50.0 | 312.0 |
| LRGG-19-012 | 610463 | 2327543 | 1483.0 | 50.0 | -50.0 | 273.0 |
| LRGG-19-013 | 610509 | 2327581 | 1445.0 | 50.0 | -50.0 | 211.5 |
| LRGG-19-014 | 610506 | 2527514 | 1428.0 | 50.0 | -50.0 | 267.0 |
| LRGG-19-015 | 610811 | 2327508 | 1450.0 | 50.0 | -50.0 | 72.0 |
| LRGG-19-016 | 610672 | 2327555 | 1436 | 50 | -50 | 150.00 |
| LRGG-19-017 | 610706 | 2327519 | 1427 | 50 | -60 | 130.50 |
| LRGG-19-018 | 610424 | 2327510 | 1422 | 50 | -50 | 321.0 |
| LRGG-19-019 | 610846 | 2327506 | 1440 | 50 | -45 | 63.0 |
| LRGG-19-020 | 610809 | 2327472 | 1423 | 50 | -45 | 90.0 |
| LRGG-19-021 | 610828 | 2327523 | 1438 | 50 | -45 | 66.0 |
| LRGG-19-022 | 610446 | 2327659 | 1462 | 50 | -50 | 145.4 |
| LRGG-19-023 | 610792 | 2327525 | 1436 | 50 | -45 | 76.5 |
| LRGG-19-024 | 610814 | 2327544 | 1432 | 50 | -45 | 60.0 |
| LRGG-19-025 | 610770 | 2327540 | 1434 | 50 | -45 | 81.0 |
| LRGG-19-026 | 610786 | 5357567 | 1432 | 50 | -45 | 51.0 |
| LRGG-19-027 | 610748 | 2327553 | 1432 | 50 | -45 | 90.0 |
| LRGG-19-028 | 610729 | 2327570 | 1436 | 50 | -45 | 90.0 |
| LRGG-19-029 | 610715 | 2327591 | 1439 | 50 | -45 | 70.5 |
| LRGG-19-030 | 610196 | 2327906 | 1434 | 50 | -45 | 222.0 |
| LRGG-19-031 | 610697 | 2327608 | 1445 | 50 | -45 | 76.5 |
| LRGG-19-032 | 610674 | 2327622 | 1449 | 50 | -45 | 70.5 |
| LRGG-19-033 | 610657 | 2327641 | 1449 | 50 | -45 | 60.0 |
| LRGG-19-034 | 610604 | 2327596 | 1451 | 50 | -45 | 130.5 |
| LRGG-19-035 | 610440 | 2327419 | 1467 | 50 | -45 | 156.0 |
| LRGG-19-036 | 610611 | 2327635 | 1456 | 50 | -45 | 123.0 |
| LRGG-19-037 | 610466 | 2327807 | 1475 | 50 | -45 | 119.0 |
| Cerro Colorado: | | | | | | |
| LRGC-19-001 | 611799 | 2326380 | 1298 | 53 | -50 | 75.0 |
| LRGC-19-002 | 612055 | 2326190 | 1240 | 29 | -45 | 30.0 |
| LRGC-19-003 | 612051 | 2326191 | 1240 | 39 | -50 | 42.0 |
| LRGC-19-004 | 611828 | 2326394 | 1299 | 48 | -45 | 61.5 |
| LRGC-19-005 | 611684 | 2326494 | 1259 | 30 | -45 | 79.5 |
| LRGC-19-006 | 612032 | 2326174 | 1235 | 50 | -50 | 91.5 |
| LRGC-19-007 | 611665 | 2326480 | 1261 | 50 | -50 | 97.5 |