

## Intercepts:

Hole ID	Comment	From (m)	To (m)	Length <sup>1</sup> (m)	Au (g/t)	Ag (g/t)	AuEq <sup>2</sup> (g/t)	AgEq <sup>3</sup> (g/t)
LRGG-19-001	<b>Main</b>	<b>71</b>	<b>106.5</b>	<b>35.5</b>	<b>1.24</b>	<b>284.7</b>	<b>5.04</b>	<b>378</b>
	HW zone	71	81	10	1.27	249.1	4.59	344.3
	Open Stope <sup>4</sup>	81	82.5	1.5	*	*	*	*
	FW zone	82.5	106.5	24	1.31	317.3	5.54	415.5
	including	91.5	98	6.5	3.32	905.8	15.39	1154.3
LRGG-19-002	<b>Main</b>	<b>26.5</b>	<b>54.1</b>	<b>27.6</b>	<b>1.56</b>	<b>159</b>	<b>3.68</b>	<b>276.0</b>
	including	28.4	34	5.6	5.52	525	12.52	939.0
LRGG-19-003	<b>Main</b>	<b>145</b>	<b>165.4</b>	<b>20.4</b>	<b>2.21</b>	<b>318.7</b>	<b>6.45</b>	<b>483.8</b>
	including	145	155.5	10.5	4.26	608	12.36	927.0
	including	146	153.2	7.2	6.17	869.5	17.77	1332.8
LRGG-19-004	<b>Main</b>	<b>96.5</b>	<b>99</b>	<b>2.5</b>	<b>0.04</b>	<b>27.2</b>	<b>0.4</b>	<b>30.0</b>
LRGG-19-005	<b>Main</b>	<b>121</b>	<b>131.8</b>	<b>10.8</b>	<b>0.19</b>	<b>53.8</b>	<b>0.91</b>	<b>68.3</b>
LRGG-19-006	<b>Main</b>	<b>107.1</b>	<b>132</b>	<b>25</b>	<b>0.33</b>	<b>35.7</b>	<b>0.81</b>	<b>60.8</b>
	including	119.7	122.5	2.8	1.41	52.6	2.11	158.3
LRGG-19-007	<b>Main</b>	<b>149.5</b>	<b>161.2</b>	<b>11.7</b>	<b>0.68</b>	<b>88.8</b>	<b>1.87</b>	<b>140.3</b>
	including	163	169.1	6.1	0.58	141.9	2.47	185.3
LRGG-19-008	<b>Main</b>	<b>109.4</b>	<b>131.7</b>	<b>22.4</b>	<b>4.13</b>	<b>182.1</b>	<b>6.55</b>	<b>491.3</b>
	including	127.5	130.5	3	25.08	533.9	32.2	2415.0
	and	134.7	147.6	12.9	0.17	31.5	0.59	44.3
LRGG-19-009	<b>Main</b>	<b>34.5</b>	<b>55.7</b>	<b>21.2</b>	<b>7.66</b>	<b>1270.2</b>	<b>24.6</b>	<b>1845.0</b>
	including	37.8	44.7	6.9	21.97	3717.6	71.54	5365.5
LRGG-19-010	Open Stope <sup>4</sup>	97.5	99	1.5	*	*	*	*
	<b>Main</b>	<b>99</b>	<b>117.8</b>	<b>18.8</b>	<b>0.37</b>	<b>67.9</b>	<b>1.27</b>	<b>95.3</b>
	including	102.2	106.7	4.5	0.96	119.5	2.55	191.3
LRGG-19-011	<b>Main</b>	<b>253</b>	<b>271.5</b>	<b>18.5</b>	<b>1.2</b>	<b>140.3</b>	<b>3.07</b>	<b>230.3</b>
	including	261.8	270.3	8.4	2.16	227.8	5.19	389.3
LRGG-19-012	<b>Main</b>	<b>220.3</b>	<b>238</b>	<b>17.8</b>	<b>0.59</b>	<b>82.7</b>	<b>1.69</b>	<b>126.8</b>
	including	224.5	238	13.5	0.77	100.4	2.11	158.3
	including	228.5	235.5	7	1.16	131.9	2.92	219.0
LRGG-19-013	<b>Main</b>	<b>163.9</b>	<b>179.5</b>	<b>15.6</b>	<b>0.78</b>	<b>194.7</b>	<b>3.38</b>	<b>253.5</b>
	including	166	174.8	8.8	1.3	296.5	5.25	393.8
	including	166	168.2	2.2	2.09	331.7	6.52	489.0
LRGG-19-014	<b>Main</b>	<b>204.3</b>	<b>218.5</b>	<b>14.2</b>	<b>1.1</b>	<b>126.8</b>	<b>2.79</b>	<b>209.3</b>
	including	208.3	216	7.7	1.94	209.3	4.73	354.8
	and	224.5	228	3.5	0.16	26.5	0.51	38.3
LRGG-19-015	<b>Main</b>	<b>23.4</b>	<b>40.5</b>	<b>17.1</b>	<b>0.71</b>	<b>67.9</b>	<b>1.62</b>	<b>121.5</b>
	including	27	32.6	5.6	1.68	137.2	3.51	263.3
	Open Stope <sup>4</sup>	40.5	43.7	3.2	*	*	*	*
	<b>Main</b>	<b>43.7</b>	<b>54</b>	<b>10.3</b>	<b>1.19</b>	<b>85</b>	<b>2.33</b>	<b>174.8</b>
	including	43.7	49	5.3	2.02	138.1	3.87	290.3

Hole ID	Comment	From (m)	To (m)	Length <sup>1</sup> (m)	Au (g/t)	Ag (g/t)	AuEq <sup>2</sup> (g/t)	AgEq <sup>3</sup> (g/t)
LRGG-19-016	<b>Main</b>	<b>80.8</b>	<b>85.8</b>	<b>5</b>	<b>0.52</b>	<b>160.6</b>	<b>2.66</b>	<b>199.5</b>
	Open Stope <sup>4</sup>	85.8	88.3	2.5	*	*	*	*
	including	91.7	98.1	6.3	2.14	336.7	6.63	497.3
LRGG-19-017	<b>Main</b>	<b>83.2</b>	<b>115.2</b>	<b>32</b>	<b>0.8</b>	<b>178.8</b>	<b>3.18</b>	<b>238.5</b>
	including	83.2	94.5	11.3	1.46	347.8	6.1	457.5
LRGG-19-018	<b>Main</b>	<b>258.5</b>	<b>279.9</b>	<b>21.4</b>	<b>0.81</b>	<b>170.1</b>	<b>3.08</b>	<b>231.0</b>
	including	263.2	276	12.9	1.24	262.4	4.74	355.5
	including	268.5	276	7.5	1.78	342.4	6.35	476.3
LRGG-19-019	<b>Main</b>	<b>23</b>	<b>27.5</b>	<b>4.5</b>	<b>1.5</b>	<b>196.6</b>	<b>4.13</b>	<b>309.8</b>
	Open Stope <sup>4</sup>	27.5	29.7	2.2	*	*	*	*
	including	29.7	33.9	4.2	1.52	198.3	4.17	312.8
LRGG-19-020	<b>Main</b>	<b>43.8</b>	<b>58.7</b>	<b>14.9</b>	<b>1.78</b>	<b>106.4</b>	<b>3.2</b>	<b>240.0</b>
	including	45	52	7	3.48	155.6	5.55	416.3
LRGG-19-021	<b>Main</b>	<b>9</b>	<b>16.5</b>	<b>7.5</b>	<b>0.09</b>	<b>18.1</b>	<b>0.33</b>	<b>24.8</b>
	Open Stope <sup>4</sup>	16.5	22.5	6	*	*	*	*
	including	22.5	29	6.5	2.38	236.5	5.54	415.5
LRGG-19-022	<b>Main</b>	<b>170.4</b>	<b>193.7</b>	<b>23.3</b>	<b>1.78</b>	<b>201.5</b>	<b>4.47</b>	<b>335.3</b>
	including	171.5	181.5	10	3.58	389.6	8.78	658.5
LRGG-19-023	<b>Main</b>	<b>34</b>	<b>58</b>	<b>24</b>	<b>0.61</b>	<b>126</b>	<b>2.29</b>	<b>171.8</b>
	including	34	48.7	14.7	0.93	200.8	3.61	270.8
LRGG-19-024	<b>Main</b>	<b>25</b>	<b>30</b>	<b>5</b>	<b>0.36</b>	<b>30.8</b>	<b>0.77</b>	<b>57.8</b>
LRGG-19-025	<b>Main</b>	<b>34.9</b>	<b>59.5</b>	<b>24.6</b>	<b>1.3</b>	<b>135</b>	<b>3.1</b>	<b>232.5</b>
	including	34.9	50.4	15.5	2	203.3	4.71	353.3
LRGG-19-026	<b>Main</b>	<b>4</b>	<b>9.7</b>	<b>5.7</b>	<b>1.29</b>	<b>201.1</b>	<b>3.98</b>	<b>298.5</b>
	Open Stope <sup>4</sup>	9.7	11.3	1.6	*	*	*	*
	including	11.3	29.5	18.2	0.16	34.5	0.62	46.5
LRGG-19-027	<b>Main</b>	<b>38.3</b>	<b>51</b>	<b>12.7</b>	<b>1.08</b>	<b>169.8</b>	<b>3.34</b>	<b>250.5</b>
	including	38.3	45	6.7	1.83	268.1	5.4	405.0
	and	60	65	5.1	0.28	23.4	0.59	44.3
LRGG-19-028	<b>Main</b>	<b>34.5</b>	<b>62</b>	<b>27.5</b>	<b>1.21</b>	<b>133.5</b>	<b>2.99</b>	<b>224.3</b>
	including	35.1	46	11	2.93	293.9	6.85	513.8
LRGG-19-029	<b>Main</b>	<b>28.5</b>	<b>31.5</b>	<b>3</b>	<b>0.99</b>	<b>157.1</b>	<b>3.09</b>	<b>231.8</b>
	Open Stope <sup>4</sup>	31.5	34.1	2.6	*	*	*	*
	including	34.1	34.7	0.6	1.64	300.3	5.64	423.0
	Open Stope <sup>4</sup>	34.7	39	4.3	*	*	*	*
LRGG-19-030	<b>Main</b>	<b>39</b>	<b>41</b>	<b>2</b>	<b>0.12</b>	<b>19.4</b>	<b>0.38</b>	<b>28.5</b>
	<b>San Juan</b>	<b>128.7</b>	<b>145.5</b>	<b>16.9</b>	<b>0.54</b>	<b>67.8</b>	<b>1.45</b>	<b>108.8</b>
LRGG-19-031	including	138	143	5	1.46	147.9	3.43	257.3
	<b>Main</b>	<b>25.5</b>	<b>31.7</b>	<b>6.2</b>	<b>1.17</b>	<b>157.8</b>	<b>3.27</b>	<b>245.3</b>
LRGG-19-032	<b>Main</b> <sup>5</sup>	<b>38.5</b>	<b>56</b>	<b>15.5</b>	<b>0.53</b>	<b>84.2</b>	<b>1.66</b>	<b>124.5</b>

Hole ID	Comment	From (m)	To (m)	Length <sup>1</sup> (m)	Au (g/t)	Ag (g/t)	AuEq <sup>2</sup> (g/t)	AgEq <sup>3</sup> (g/t)
	including	38.5	47.2	8.7	0.75	94.3	2.01	150.8
	including	42.3	45	2.7	2.04	216.6	4.93	369.8
LRGG-19-033	<b>Main<sup>6</sup></b>	<b>31</b>	<b>53.5</b>	<b>17.1</b>	<b>1.59</b>	<b>364.2</b>	<b>6.45</b>	<b>483.8</b>
	including	31	36.6	5.6	3.81	818.1	14.72	1104.0
	including	43	53.5	10.5	0.52	142.5	2.42	181.5
LRGG-19-034	<b>Main<sup>7</sup></b>	<b>103.5</b>	<b>126</b>	<b>20.1</b>	<b>0.92</b>	<b>177.2</b>	<b>3.28</b>	<b>246.0</b>
	Including	105	109.9	4.9	3.41	620.7	11.68	876.0
LRGG-19-035	Main	119.9	144.3	24.4	1.29	127.4	2.99	224.3
	including	124.7	134.5	9.8	3	258	6.44	483.0
LRGG-19-036	<b>Main</b>	<b>78</b>	<b>98</b>	<b>20</b>	<b>0.28</b>	<b>102.9</b>	<b>1.65</b>	<b>123.8</b>
LRGG-19-037	<b>Main</b>	<b>73</b>	<b>91.6</b>	<b>18.6</b>	<b>0.33</b>	<b>53.7</b>	<b>1.05</b>	<b>78.8</b>
	including	76	80.8	4.8	0.77	117.8	2.34	175.5
LRGC-19-001	<b>Cerro Colorado</b>	<b>23.3</b>	<b>27.2</b>	<b>3.9</b>	<b>1.59</b>	<b>177.3</b>	<b>3.95</b>	<b>296.3</b>
LRGC-19-002	<b>Cerro Colorado</b>	<b>0</b>	<b>3.5</b>	<b>3.5</b>	<b>3.27</b>	<b>90.4</b>	<b>4.47</b>	<b>335.3</b>
LRGC-19-003	<b>Cerro Colorado</b>	<b>2</b>	<b>8.5</b>	<b>6.5</b>	<b>1.38</b>	<b>39</b>	<b>1.9</b>	<b>142.5</b>
LRGC-19-004	<b>Cerro Colorado</b>	<b>6.5</b>	<b>18</b>	<b>11.5</b>	<b>1.28</b>	<b>107.2</b>	<b>2.71</b>	<b>203.3</b>
	including	7.3	11	3.7	3.36	294.6	7.29	546.8
LRGC-19-005	<b>Cerro Colorado</b>	<b>30</b>	<b>37</b>	<b>7</b>	<b>0.18</b>	<b>11.5</b>	<b>0.33</b>	<b>24.8</b>
	and	43.5	56.5	13	0.12	16.4	0.34	25.5
LRGC-19-006	<b>Cerro Colorado</b>	<b>0</b>	<b>11.5</b>	<b>11.5</b>	<b>0.56</b>	<b>10.3</b>	<b>0.7</b>	<b>52.5</b>
LRGC-19-007	<b>Cerro Colorado</b>	<b>53.8</b>	<b>56</b>	<b>2.2</b>	<b>0.28</b>	<b>27.3</b>	<b>0.64</b>	<b>48.0</b>
	and	68.5	77	8.5	0.06	15.7	0.27	20.3

1. Not true width
2. AuEq converted using a silver to gold ratio of 75:1
3. AgEq converted using a gold to silver ratio of 75:1
4. Voids from historical underground workings, no sample
5. Excludes 2.0m of open stopes from historical underground workings
6. Excludes 5.4m of open stopes from historical underground workings
7. Excludes 2.4m of open stopes from historical underground workings

#### Locations:

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGG-19-001	610679	2327607	1448	50	-78	195.50
LRGG-19-002	610824	2327502	1435	50	-50	150.00
LRGG-19-003	610595	2327525	1421.9	50	-50	177.00
LRGG-19-004	610786	2327429	1392.9	50	-60	160.50
LRGG-19-005	610730	2327445	1402.9	50	-60	180.00
LRGG-19-006	610707	2327493	1419.9	50	-50	201.00
LRGG-19-007	610624	2327483	1411.9	50	-50	210.00
LRGG-19-008	610527	2327666	1461.9	50	-45	172.50

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGG-19-009	610835	2327486	1433.6	50	-50	81.00
LRGG-19-010	610485	2327764	1473.9	50	-50	160.50
LRGG-19-011	610393	2327553	1429.0	50.0	-50.0	312.0
LRGG-19-012	610463	2327543	1483.0	50.0	-50.0	273.0
LRGG-19-013	610509	2327581	1445.0	50.0	-50.0	211.5
LRGG-19-014	610506	2527514	1428.0	50.0	-50.0	267.0
LRGG-19-015	610811	2327508	1450.0	50.0	-50.0	72.0
LRGG-19-016	610672	2327555	1436	50	-50	150.00
LRGG-19-017	610706	2327519	1427	50	-60	130.50
LRGG-19-018	610424	2327510	1422	50	-50	321.0
LRGG-19-019	610846	2327506	1440	50	-45	63.0
LRGG-19-020	610809	2327472	1423	50	-45	90.0
LRGG-19-021	610828	2327523	1438	50	-45	66.0
LRGG-19-022	610446	2327659	1462	50	-50	145.4
LRGG-19-023	610792	2327525	1436	50	-45	76.5
LRGG-19-024	610814	2327544	1432	50	-45	60.0
LRGG-19-025	610770	2327540	1434	50	-45	81.0
LRGG-19-026	610786	5357567	1432	50	-45	51.0
LRGG-19-027	610748	2327553	1432	50	-45	90.0
LRGG-19-028	610729	2327570	1436	50	-45	90.0
LRGG-19-029	610715	2327591	1439	50	-45	70.5
LRGG-19-030	610196	2327906	1434	50	-45	222.0
LRGG-19-031	610697	2327608	1445	50	-45	76.5
LRGG-19-032	610674	2327622	1449	50	-45	70.5
LRGG-19-033	610657	2327641	1449	50	-45	60.0
LRGG-19-034	610604	2327596	1451	50	-45	130.5
LRGG-19-035	610440	2327419	1467	50	-45	156.0
LRGG-19-036	610611	2327635	1456	50	-45	123.0
LRGG-19-037	610466	2327807	1475	50	-45	119.0
<b>Cerro Colorado:</b>						
LRGC-19-001	611799	2326380	1298	53	-50	75.0
LRGC-19-002	612055	2326190	1240	29	-45	30.0
LRGC-19-003	612051	2326191	1240	39	-50	42.0
LRGC-19-004	611828	2326394	1299	48	-45	61.5
LRGC-19-005	611684	2326494	1259	30	-45	79.5
LRGC-19-006	612032	2326174	1235	50	-50	91.5
LRGC-19-007	611665	2326480	1261	50	-50	97.5