

Intercepts:

Hole ID	Comment	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ³ (g/t)
LRGG-19-001	Main	71	106.5	35.5	1.24	284.7	5.04	378
	HW zone	71	81	10	1.27	249.1	4.59	344.3
	Open Stope ⁴	81	82.5	1.5	*	*	*	*
	FW zone	82.5	106.5	24	1.31	317.3	5.54	415.5
	including	91.5	98	6.5	3.32	905.8	15.39	1154.3
LRGG-19-002	Main	26.5	54.1	27.6	1.56	159	3.68	276.0
	including	28.4	34	5.6	5.52	525	12.52	939.0
LRGG-19-003	Main	145	165.4	20.4	2.21	318.7	6.45	483.8
	including	145	155.5	10.5	4.26	608	12.36	927.0
	including	146	153.2	7.2	6.17	869.5	17.77	1332.8
LRGG-19-004	Main	96.5	99	2.5	0.04	27.2	0.4	30.0
LRGG-19-005	Main	121	131.8	10.8	0.19	53.8	0.91	68.3
LRGG-19-006	Main	107.1	132	25	0.33	35.7	0.81	60.8
	including	119.7	122.5	2.8	1.41	52.6	2.11	158.3
LRGG-19-007	Main	149.5	161.2	11.7	0.68	88.8	1.87	140.3
	including	163	169.1	6.1	0.58	141.9	2.47	185.3
LRGG-19-008	Main	109.4	131.7	22.4	4.13	182.1	6.55	491.3
	including	127.5	130.5	3	25.08	533.9	32.2	2415.0
	and	134.7	147.6	12.9	0.17	31.5	0.59	44.3
LRGG-19-009	Main	34.5	55.7	21.2	7.66	1270.2	24.6	1845.0
	including	37.8	44.7	6.9	21.97	3717.6	71.54	5365.5
LRGG-19-010	Open Stope ⁴	97.5	99	1.5	*	*	*	*
	Main	99	117.8	18.8	0.37	67.9	1.27	95.3
	including	102.2	106.7	4.5	0.96	119.5	2.55	191.3
LRGG-19-011	Main	253	271.5	18.5	1.2	140.3	3.07	230.3
	including	261.8	270.3	8.4	2.16	227.8	5.19	389.3
LRGG-19-012	Main	220.3	238	17.8	0.59	82.7	1.69	126.8
	including	224.5	238	13.5	0.77	100.4	2.11	158.3
	including	228.5	235.5	7	1.16	131.9	2.92	219.0
LRGG-19-013	Main	163.9	179.5	15.6	0.78	194.7	3.38	253.5
	including	166	174.8	8.8	1.3	296.5	5.25	393.8
	including	166	168.2	2.2	2.09	331.7	6.52	489.0
LRGG-19-014	Main	204.3	218.5	14.2	1.1	126.8	2.79	209.3
	including	208.3	216	7.7	1.94	209.3	4.73	354.8
	and	224.5	228	3.5	0.16	26.5	0.51	38.3
LRGG-19-015	Main	23.4	40.5	17.1	0.71	67.9	1.62	121.5
	including	27	32.6	5.6	1.68	137.2	3.51	263.3
	Open Stope ⁴	40.5	43.7	3.2	*	*	*	*
	Main	43.7	54	10.3	1.19	85	2.33	174.8
	including	43.7	49	5.3	2.02	138.1	3.87	290.3

Hole ID	Comment	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ³ (g/t)
LRGG-19-016	Main	80.8	85.8	5	0.52	160.6	2.66	199.5
	Open Stope ⁴	85.8	88.3	2.5	*	*	*	*
	including	91.7	98.1	6.3	2.14	336.7	6.63	497.3
LRGG-19-017	Main	83.2	115.2	32	0.8	178.8	3.18	238.5
	including	83.2	94.5	11.3	1.46	347.8	6.1	457.5
LRGG-19-018	Main	258.5	279.9	21.4	0.81	170.1	3.08	231.0
	including	263.2	276	12.9	1.24	262.4	4.74	355.5
	including	268.5	276	7.5	1.78	342.4	6.35	476.3
LRGG-19-019	Main	23	27.5	4.5	1.5	196.6	4.13	309.8
	Open Stope ⁴	27.5	29.7	2.2	*	*	*	*
	including	29.7	33.9	4.2	1.52	198.3	4.17	312.8
LRGG-19-020	Main	43.8	58.7	14.9	1.78	106.4	3.2	240.0
	including	45	52	7	3.48	155.6	5.55	416.3
LRGG-19-021	Main	9	16.5	7.5	0.09	18.1	0.33	24.8
	Open Stope ⁴	16.5	22.5	6	*	*	*	*
	including	22.5	29	6.5	2.38	236.5	5.54	415.5
LRGG-19-022	Main	170.4	193.7	23.3	1.78	201.5	4.47	335.3
	including	171.5	181.5	10	3.58	389.6	8.78	658.5
LRGG-19-023	Main	34	58	24	0.61	126	2.29	171.8
	including	34	48.7	14.7	0.93	200.8	3.61	270.8
LRGG-19-024	Main	25	30	5	0.36	30.8	0.77	57.8
LRGG-19-025	Main	34.9	59.5	24.6	1.3	135	3.1	232.5
	including	34.9	50.4	15.5	2	203.3	4.71	353.3
LRGG-19-026	Main	4	9.7	5.7	1.29	201.1	3.98	298.5
	Open Stope ⁴	9.7	11.3	1.6	*	*	*	*
	including	11.3	29.5	18.2	0.16	34.5	0.62	46.5
LRGG-19-027	Main	38.3	51	12.7	1.08	169.8	3.34	250.5
	including	38.3	45	6.7	1.83	268.1	5.4	405.0
	and	60	65	5.1	0.28	23.4	0.59	44.3
LRGG-19-028	Main	34.5	62	27.5	1.21	133.5	2.99	224.3
	including	35.1	46	11	2.93	293.9	6.85	513.8
LRGG-19-029	Main	28.5	31.5	3	0.99	157.1	3.09	231.8
	Open Stope ⁴	31.5	34.1	2.6	*	*	*	*
	including	34.1	34.7	0.6	1.64	300.3	5.64	423.0
	Open Stope ⁴	34.7	39	4.3	*	*	*	*
LRGG-19-030	Main	39	41	2	0.12	19.4	0.38	28.5
	San Juan	128.7	145.5	16.9	0.54	67.8	1.45	108.8
LRGG-19-031	including	138	143	5	1.46	147.9	3.43	257.3
	Main	25.5	31.7	6.2	1.17	157.8	3.27	245.3
LRGG-19-032	Main ⁵	38.5	56	15.5	0.53	84.2	1.66	124.5

Hole ID	Comment	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ³ (g/t)
	including	38.5	47.2	8.7	0.75	94.3	2.01	150.8
	including	42.3	45	2.7	2.04	216.6	4.93	369.8
LRGG-19-033	Main⁶	31	53.5	17.1	1.59	364.2	6.45	483.8
	including	31	36.6	5.6	3.81	818.1	14.72	1104.0
	including	43	53.5	10.5	0.52	142.5	2.42	181.5
LRGG-19-034	Main⁷	103.5	126	20.1	0.92	177.2	3.28	246.0
	Including	105	109.9	4.9	3.41	620.7	11.68	876.0
LRGG-19-035	Main	119.9	144.3	24.4	1.29	127.4	2.99	224.3
	including	124.7	134.5	9.8	3	258	6.44	483.0
LRGG-19-036	Main	78	98	20	0.28	102.9	1.65	123.8
LRGG-19-037	Main	73	91.6	18.6	0.33	53.7	1.05	78.8
	including	76	80.8	4.8	0.77	117.8	2.34	175.5
LRGG-19-038	Main⁸	99.0	124.5	21.2*	0.72	164.7	2.92	219.0
	Including	100.5	110.7	10.2	1.33	302.2	5.36	402.0
LRGG-19-040	Main⁹	42.0	63.6	17.5*	0.40	115.0	1.93	144.8
	including	42.0	46.5	4.5	0.89	281.5	4.64	348.0
LRGG-19-041	Main¹⁰	97.5	126.0	23.3	1.14	115.5	2.68	201.0
	including	99.8	105.2	5.5	4.60	398.0	9.91	743.3
LRGG-19-042	Main¹¹	28.0	58.5	29.2*	0.47	69.5	1.40	105.0
	including	31.0	37.7	6.7	1.65	223.9	4.63	347.3
LRGG-19-044	San Juan	31.8	50.5	18.8	0.29	33.4	0.73	54.8
	including	35.5	39.0	4.5	0.50	27.4	0.86	64.5
LRGG-19-045	San Juan	61.0	81.0	20.0	0.59	33.7	1.04	78.0
	including	67.5	71.0	3.5	2.92	90.9	4.13	309.8
LRGG-19-046	San Juan	99.5	135.5	36.0	0.36	62.2	1.19	89.3
	including	129.0	134.5	5.5	1.30	220.5	4.24	318.0
LRGG 19-047	San Juan	83.5	97.5	14	0.16	23.5	0.47	35.3
	San Juan	89.1	110.1	21	1.38	145.9	3.33	249.8
LRGG 19-047	including	89.1	99	9.9	2.76	258.6	6.21	465.8
	including	91	96	5	4.36	436.2	10.17	762.8
LRGG 19-048	Main	7.9	20.1	12.2	0.1	47.3	0.73	54.8
	Main	39.0	51.0	12.0	0.76	108.4	2.21	165.8
	including	40.2	47.5	7.3	1.02	155.6	3.10	232.5
LRGG-19-050	San Juan	15.0	60.3	45.3	0.39	76.3	1.41	105.8
	including	37.5	54.2	16.7	0.84	147.4	2.81	210.8
	including	48.0	54.2	6.2	1.01	241.7	4.23	317.3
LRGG-19-051	San Juan	0.0	24.0	24.0	0.40	86.4	1.55	116.3
	San Juan	45.7	70.0	24.3	0.58	51.0	1.26	94.5
	including	47.8	54.0	6.2	1.67	86.2	2.82	211.5
LRGG-19-052	San Juan¹²	83.5	108.0	22.5	0.32	64.4	1.18	88.5
	Including ¹²	84.5	94.0	7.5	0.87	125.8	2.55	191.3
	Including	91.0	94.0	3.0	0.68	226.6	3.70	277.5

Hole ID	Comment	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ³ (g/t)
LRGG-19-053	El Troce	130.9	141.0	10.1	1.53	164.3	3.72	279.0
	Including	135.0	137.8	2.8	5.22	489.5	11.75	881.3
LRGG-19-054	San Juan¹³	25.0	43.0	16.5	0.74	93.5	1.98	148.5
	Including	37.5	41.6	4.1	2.78	233.1	5.89	441.8
LRGG-19-055	Main¹⁴	290.1	307.5	14.4	0.58	75.1	1.59	119.3
LRGG-19-057	Main	230.4	244.5	14.1	0.91	130.6	2.65	199.1
	including	237.8	243.0	5.3	2.14	252.5	5.50	412.8
LRGG-19-058	El Troce	32.3	45.0	12.8	0.16	35.7	0.64	47.8
LRGG-19-059	El Troce¹⁵	10.5	24.6	11.0	0.94	133.7	2.72	204.2
	Including ¹⁶	14.3	19.0	3.5	1.95	277.2	5.65	423.4
LRGG-19-060	El Troce	0.0	16.0	16.0	0.32	65.5	1.19	89.5
	Including	9.0	12.0	3.0	0.83	161.8	2.98	223.8
LRGC-19-001	Cerro Colorado	23.3	27.2	3.9	1.59	177.3	3.95	296.3
LRGC-19-001	Cerro Colorado	23.3	27.2	3.9	1.59	177.3	3.95	296.3
LRGC-19-002	Cerro Colorado	0	3.5	3.5	3.27	90.4	4.47	335.3
LRGC-19-003	Cerro Colorado	2	8.5	6.5	1.38	39	1.9	142.5
LRGC-19-004	Cerro Colorado	6.5	18	11.5	1.28	107.2	2.71	203.3
	including	7.3	11	3.7	3.36	294.6	7.29	546.8
LRGC-19-005	Cerro Colorado	30	37	7	0.18	11.5	0.33	24.8
	and	43.5	56.5	13	0.12	16.4	0.34	25.5
LRGC-19-006	Cerro Colorado	0	11.5	11.5	0.56	10.3	0.7	52.5
LRGC-19-007	Cerro Colorado	53.8	56	2.2	0.28	27.3	0.64	48.0
	and	68.5	77	8.5	0.06	15.7	0.27	20.3

1. Not true width
2. AuEq converted using a silver to gold ratio of 75:1
3. AgEq converted using a gold to silver ratio of 75:1
4. Voids from historical underground workings, no sample
5. Excludes 2.0m of open stopes from historical underground workings
6. Excludes 5.4m of open stopes from historical underground workings
7. Excludes 2.4m of open stopes from historical underground workings
8. Excludes 4.3m of open stopes from historical underground workings
9. Excludes 4.1m of open stopes from historical underground workings
10. Excludes 5.2m of open stopes from historical underground workings
11. Excludes 1.4m of open stopes from historical underground workings
12. Excludes 2.0m of open stopes from historical underground workings
13. Excludes 1.5m of open stopes from historical underground workings
14. Excludes 3.0m of open stopes from historical underground workings
15. Excludes 3.1m of open stopes from historical underground workings
16. Excludes 1.8m of open stopes from historical underground workings

Locations:

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGG-19-001	610679	2327607	1448	50	-78	195.50
LRGG-19-002	610824	2327502	1435	50	-50	150.00
LRGG-19-003	610595	2327525	1421.9	50	-50	177.00
LRGG-19-004	610786	2327429	1392.9	50	-60	160.50
LRGG-19-005	610730	2327445	1402.9	50	-60	180.00
LRGG-19-006	610707	2327493	1419.9	50	-50	201.00
LRGG-19-007	610624	2327483	1411.9	50	-50	210.00
LRGG-19-008	610527	2327666	1461.9	50	-45	172.50
LRGG-19-009	610835	2327486	1433.6	50	-50	81.00
LRGG-19-010	610485	2327764	1473.9	50	-50	160.50
LRGG-19-011	610393	2327553	1429.0	50.0	-50.0	312.0
LRGG-19-012	610463	2327543	1483.0	50.0	-50.0	273.0
LRGG-19-013	610509	2327581	1445.0	50.0	-50.0	211.5
LRGG-19-014	610506	2527514	1428.0	50.0	-50.0	267.0
LRGG-19-015	610811	2327508	1450.0	50.0	-50.0	72.0
LRGG-19-016	610672	2327555	1436	50	-50	150.00
LRGG-19-017	610706	2327519	1427	50	-60	130.50
LRGG-19-018	610424	2327510	1422	50	-50	321.0
LRGG-19-019	610846	2327506	1440	50	-45	63.0
LRGG-19-020	610809	2327472	1423	50	-45	90.0
LRGG-19-021	610828	2327523	1438	50	-45	66.0
LRGG-19-022	610446	2327659	1462	50	-50	145.4
LRGG-19-023	610792	2327525	1436	50	-45	76.5
LRGG-19-024	610814	2327544	1432	50	-45	60.0
LRGG-19-025	610770	2327540	1434	50	-45	81.0
LRGG-19-026	610786	5357567	1432	50	-45	51.0
LRGG-19-027	610748	2327553	1432	50	-45	90.0
LRGG-19-028	610729	2327570	1436	50	-45	90.0
LRGG-19-029	610715	2327591	1439	50	-45	70.5
LRGG-19-030	610196	2327906	1434	50	-45	222.0
LRGG-19-031	610697	2327608	1445	50	-45	76.5
LRGG-19-032	610674	2327622	1449	50	-45	70.5
LRGG-19-033	610657	2327641	1449	50	-45	60.0
LRGG-19-034	610604	2327596	1451	50	-45	130.5
LRGG-19-035	610440	2327419	1467	50	-45	156.0
LRGG-19-036	610611	2327635	1456	50	-45	123.0
LRGG-19-037	610466	2327807	1475	50	-45	119.0

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGG-19-038	610622	2327578	1449	50	-45	165.0
LRGG-19-040	610636	2327655	1457	50	-45	81.0
LRGG-19-041	610572	2327634	1454	50	-45	132.0
LRGG-19-042	610636	2327688	1466	50	-45	70.5
LRGG-19-044	610340	2327962	1471	50	-45	201.0
LRGG-19-045	610442	2327852	1477	50	-45	102.0
LRGG-19-046	610287	2327889	1429	50	-45	168.0
LRGG-19-047	610241	2327994	1435	50	-45	250.5
LRGG-19-048	610266	2327933	1450	50	-45	147.0
LRGG-19-049	610506	2327840	1492	50	-45	81.0
LRGG-19-050	610426	2327903	1481	50	-45	84.0
LRGG-19-051	610367	2327919	1471	50	-45	99.0
LRGG-19-052	610383	2327867	1464	50	-45	130.5
LRGG-19-053	610228	2328138	1534	50	-45	183.0
LRGG-19-054	610285	2328082	1510	50	-45	191.5
LRGG-19-055	610366	2327592	1423	50	-45	351.0
LRGG-19-057	610407	2327627	1447	50	-65	270.0
LRGG-19-058	610278	2328234	1537	50	-45	75.0
LRGG-19-059	610275	2328274	1535	50	-45	46.5
LRGG-19-060	610256	2328304	1520	50	-45	52.5
Cerro Colorado:						
LRGC-19-001	611799	2326380	1298	53	-50	75.0
LRGC-19-002	612055	2326190	1240	29	-45	30.0
LRGC-19-003	612051	2326191	1240	39	-50	42.0
LRGC-19-004	611828	2326394	1299	48	-45	61.5
LRGC-19-005	611684	2326494	1259	30	-45	79.5
LRGC-19-006	612032	2326174	1235	50	-50	91.5
LRGC-19-007	611665	2326480	1261	50	-50	97.5