

## Intercepts:

Hole ID	Comment	From (m)	To (m)	Length <sup>1</sup> (m)	Au (g/t)	Ag (g/t)	AuEq <sup>2</sup> (g/t)	AgEq <sup>3</sup> (g/t)
LRGG-19-001	<b>Main</b>	<b>71</b>	<b>106.5</b>	<b>35.5</b>	<b>1.24</b>	<b>284.7</b>	<b>5.04</b>	<b>378</b>
	HW zone	71	81	10	1.27	249.1	4.59	344.3
	Open Stope <sup>4</sup>	81	82.5	1.5	*	*	*	*
	FW zone	82.5	106.5	24	1.31	317.3	5.54	415.5
	including	91.5	98	6.5	3.32	905.8	15.39	1154.3
LRGG-19-002	<b>Main</b>	<b>26.5</b>	<b>54.1</b>	<b>27.6</b>	<b>1.56</b>	<b>159</b>	<b>3.68</b>	<b>276.0</b>
	including	28.4	34	5.6	5.52	525	12.52	939.0
LRGG-19-003	<b>Main</b>	<b>145</b>	<b>165.4</b>	<b>20.4</b>	<b>2.21</b>	<b>318.7</b>	<b>6.45</b>	<b>483.8</b>
	including	145	155.5	10.5	4.26	608	12.36	927.0
	including	146	153.2	7.2	6.17	869.5	17.77	1332.8
LRGG-19-004	<b>Main</b>	<b>96.5</b>	<b>99</b>	<b>2.5</b>	<b>0.04</b>	<b>27.2</b>	<b>0.4</b>	<b>30.0</b>
LRGG-19-005	<b>Main</b>	<b>121</b>	<b>131.8</b>	<b>10.8</b>	<b>0.19</b>	<b>53.8</b>	<b>0.91</b>	<b>68.3</b>
LRGG-19-006	<b>Main</b>	<b>107.1</b>	<b>132</b>	<b>25</b>	<b>0.33</b>	<b>35.7</b>	<b>0.81</b>	<b>60.8</b>
	including	119.7	122.5	2.8	1.41	52.6	2.11	158.3
LRGG-19-007	<b>Main</b>	<b>149.5</b>	<b>161.2</b>	<b>11.7</b>	<b>0.68</b>	<b>88.8</b>	<b>1.87</b>	<b>140.3</b>
	including	163	169.1	6.1	0.58	141.9	2.47	185.3
LRGG-19-008	<b>Main</b>	<b>109.4</b>	<b>131.7</b>	<b>22.4</b>	<b>4.13</b>	<b>182.1</b>	<b>6.55</b>	<b>491.3</b>
	including	127.5	130.5	3	25.08	533.9	32.2	2415.0
	and	134.7	147.6	12.9	0.17	31.5	0.59	44.3
LRGG-19-009	<b>Main</b>	<b>34.5</b>	<b>55.7</b>	<b>21.2</b>	<b>7.66</b>	<b>1270.2</b>	<b>24.6</b>	<b>1845.0</b>
	including	37.8	44.7	6.9	21.97	3717.6	71.54	5365.5
LRGG-19-010	Open Stope <sup>4</sup>	97.5	99	1.5	*	*	*	*
	<b>Main</b>	<b>99</b>	<b>117.8</b>	<b>18.8</b>	<b>0.37</b>	<b>67.9</b>	<b>1.27</b>	<b>95.3</b>
	including	102.2	106.7	4.5	0.96	119.5	2.55	191.3
LRGG-19-011	<b>Main</b>	<b>253</b>	<b>271.5</b>	<b>18.5</b>	<b>1.2</b>	<b>140.3</b>	<b>3.07</b>	<b>230.3</b>
	including	261.8	270.3	8.4	2.16	227.8	5.19	389.3
LRGG-19-012	<b>Main</b>	<b>220.3</b>	<b>238</b>	<b>17.8</b>	<b>0.59</b>	<b>82.7</b>	<b>1.69</b>	<b>126.8</b>
	including	224.5	238	13.5	0.77	100.4	2.11	158.3
	including	228.5	235.5	7	1.16	131.9	2.92	219.0
LRGG-19-013	<b>Main</b>	<b>163.9</b>	<b>179.5</b>	<b>15.6</b>	<b>0.78</b>	<b>194.7</b>	<b>3.38</b>	<b>253.5</b>
	including	166	174.8	8.8	1.3	296.5	5.25	393.8
	including	166	168.2	2.2	2.09	331.7	6.52	489.0
LRGG-19-014	<b>Main</b>	<b>204.3</b>	<b>218.5</b>	<b>14.2</b>	<b>1.1</b>	<b>126.8</b>	<b>2.79</b>	<b>209.3</b>
	including	208.3	216	7.7	1.94	209.3	4.73	354.8
	and	224.5	228	3.5	0.16	26.5	0.51	38.3
LRGG-19-015	<b>Main</b>	<b>23.4</b>	<b>40.5</b>	<b>17.1</b>	<b>0.71</b>	<b>67.9</b>	<b>1.62</b>	<b>121.5</b>
	including	27	32.6	5.6	1.68	137.2	3.51	263.3
	Open Stope <sup>4</sup>	40.5	43.7	3.2	*	*	*	*
	<b>Main</b>	<b>43.7</b>	<b>54</b>	<b>10.3</b>	<b>1.19</b>	<b>85</b>	<b>2.33</b>	<b>174.8</b>
	including	43.7	49	5.3	2.02	138.1	3.87	290.3

Hole ID	Comment	From (m)	To (m)	Length <sup>1</sup> (m)	Au (g/t)	Ag (g/t)	AuEq <sup>2</sup> (g/t)	AgEq <sup>3</sup> (g/t)
LRGG-19-016	<b>Main</b>	<b>80.8</b>	<b>85.8</b>	<b>5</b>	<b>0.52</b>	<b>160.6</b>	<b>2.66</b>	<b>199.5</b>
	Open Stope <sup>4</sup>	85.8	88.3	2.5	*	*	*	*
	including	91.7	98.1	6.3	2.14	336.7	6.63	497.3
LRGG-19-017	<b>Main</b>	<b>83.2</b>	<b>115.2</b>	<b>32</b>	<b>0.8</b>	<b>178.8</b>	<b>3.18</b>	<b>238.5</b>
	including	83.2	94.5	11.3	1.46	347.8	6.1	457.5
LRGG-19-018	<b>Main</b>	<b>258.5</b>	<b>279.9</b>	<b>21.4</b>	<b>0.81</b>	<b>170.1</b>	<b>3.08</b>	<b>231.0</b>
	including	263.2	276	12.9	1.24	262.4	4.74	355.5
	including	268.5	276	7.5	1.78	342.4	6.35	476.3
LRGG-19-019	<b>Main</b>	<b>23</b>	<b>27.5</b>	<b>4.5</b>	<b>1.5</b>	<b>196.6</b>	<b>4.13</b>	<b>309.8</b>
	Open Stope <sup>4</sup>	27.5	29.7	2.2	*	*	*	*
	including	29.7	33.9	4.2	1.52	198.3	4.17	312.8
LRGG-19-020	<b>Main</b>	<b>43.8</b>	<b>58.7</b>	<b>14.9</b>	<b>1.78</b>	<b>106.4</b>	<b>3.2</b>	<b>240.0</b>
	including	45	52	7	3.48	155.6	5.55	416.3
LRGG-19-021	<b>Main</b>	<b>9</b>	<b>16.5</b>	<b>7.5</b>	<b>0.09</b>	<b>18.1</b>	<b>0.33</b>	<b>24.8</b>
	Open Stope <sup>4</sup>	16.5	22.5	6	*	*	*	*
	including	22.5	29	6.5	2.38	236.5	5.54	415.5
LRGG-19-022	<b>Main</b>	<b>170.4</b>	<b>193.7</b>	<b>23.3</b>	<b>1.78</b>	<b>201.5</b>	<b>4.47</b>	<b>335.3</b>
	including	171.5	181.5	10	3.58	389.6	8.78	658.5
LRGG-19-023	<b>Main</b>	<b>34</b>	<b>58</b>	<b>24</b>	<b>0.61</b>	<b>126</b>	<b>2.29</b>	<b>171.8</b>
	including	34	48.7	14.7	0.93	200.8	3.61	270.8
LRGG-19-024	<b>Main</b>	<b>25</b>	<b>30</b>	<b>5</b>	<b>0.36</b>	<b>30.8</b>	<b>0.77</b>	<b>57.8</b>
LRGG-19-025	<b>Main</b>	<b>34.9</b>	<b>59.5</b>	<b>24.6</b>	<b>1.3</b>	<b>135</b>	<b>3.1</b>	<b>232.5</b>
	including	34.9	50.4	15.5	2	203.3	4.71	353.3
LRGG-19-026	<b>Main</b>	<b>4</b>	<b>9.7</b>	<b>5.7</b>	<b>1.29</b>	<b>201.1</b>	<b>3.98</b>	<b>298.5</b>
	Open Stope <sup>4</sup>	9.7	11.3	1.6	*	*	*	*
	including	11.3	29.5	18.2	0.16	34.5	0.62	46.5
LRGG-19-027	<b>Main</b>	<b>38.3</b>	<b>51</b>	<b>12.7</b>	<b>1.08</b>	<b>169.8</b>	<b>3.34</b>	<b>250.5</b>
	including	38.3	45	6.7	1.83	268.1	5.4	405.0
	and	60	65	5.1	0.28	23.4	0.59	44.3
LRGG-19-028	<b>Main</b>	<b>34.5</b>	<b>62</b>	<b>27.5</b>	<b>1.21</b>	<b>133.5</b>	<b>2.99</b>	<b>224.3</b>
	including	35.1	46	11	2.93	293.9	6.85	513.8
LRGG-19-029	<b>Main</b>	<b>28.5</b>	<b>31.5</b>	<b>3</b>	<b>0.99</b>	<b>157.1</b>	<b>3.09</b>	<b>231.8</b>
	Open Stope <sup>4</sup>	31.5	34.1	2.6	*	*	*	*
	including	34.1	34.7	0.6	1.64	300.3	5.64	423.0
	Open Stope <sup>4</sup>	34.7	39	4.3	*	*	*	*
LRGG-19-030	<b>Main</b>	<b>39</b>	<b>41</b>	<b>2</b>	<b>0.12</b>	<b>19.4</b>	<b>0.38</b>	<b>28.5</b>
	<b>San Juan</b>	<b>128.7</b>	<b>145.5</b>	<b>16.9</b>	<b>0.54</b>	<b>67.8</b>	<b>1.45</b>	<b>108.8</b>
LRGG-19-031	including	138	143	5	1.46	147.9	3.43	257.3
	<b>Main</b>	<b>25.5</b>	<b>31.7</b>	<b>6.2</b>	<b>1.17</b>	<b>157.8</b>	<b>3.27</b>	<b>245.3</b>
LRGG-19-032	<b>Main</b> <sup>5</sup>	<b>38.5</b>	<b>56</b>	<b>15.5</b>	<b>0.53</b>	<b>84.2</b>	<b>1.66</b>	<b>124.5</b>

Hole ID	Comment	From (m)	To (m)	Length <sup>1</sup> (m)	Au (g/t)	Ag (g/t)	AuEq <sup>2</sup> (g/t)	AgEq <sup>3</sup> (g/t)
	including	38.5	47.2	8.7	0.75	94.3	2.01	150.8
	including	42.3	45	2.7	2.04	216.6	4.93	369.8
LRGG-19-033	<b>Main<sup>6</sup></b>	<b>31</b>	<b>53.5</b>	<b>17.1</b>	<b>1.59</b>	<b>364.2</b>	<b>6.45</b>	<b>483.8</b>
	including	31	36.6	5.6	3.81	818.1	14.72	1104.0
	including	43	53.5	10.5	0.52	142.5	2.42	181.5
LRGG-19-034	<b>Main<sup>7</sup></b>	<b>103.5</b>	<b>126</b>	<b>20.1</b>	<b>0.92</b>	<b>177.2</b>	<b>3.28</b>	<b>246.0</b>
	Including	105	109.9	4.9	3.41	620.7	11.68	876.0
LRGG-19-035	<b>Main</b>	<b>119.9</b>	<b>144.3</b>	<b>24.4</b>	<b>1.29</b>	<b>127.4</b>	<b>2.99</b>	<b>224.3</b>
	including	124.7	134.5	9.8	3	258	6.44	483.0
LRGG-19-036	<b>Main</b>	<b>78</b>	<b>98</b>	<b>20</b>	<b>0.28</b>	<b>102.9</b>	<b>1.65</b>	<b>123.8</b>
LRGG-19-037	<b>Main</b>	<b>73</b>	<b>91.6</b>	<b>18.6</b>	<b>0.33</b>	<b>53.7</b>	<b>1.05</b>	<b>78.8</b>
	including	76	80.8	4.8	0.77	117.8	2.34	175.5
LRGG-19-038	<b>Main<sup>8</sup></b>	<b>99.0</b>	<b>124.5</b>	<b>21.2*</b>	<b>0.72</b>	<b>164.7</b>	<b>2.92</b>	<b>219.0</b>
	Including	100.5	110.7	10.2	1.33	302.2	5.36	402.0
LRGG-19-040	<b>Main<sup>9</sup></b>	<b>42.0</b>	<b>63.6</b>	<b>17.5*</b>	<b>0.40</b>	<b>115.0</b>	<b>1.93</b>	<b>144.8</b>
	including	42.0	46.5	4.5	0.89	281.5	4.64	348.0
LRGG-19-041	<b>Main<sup>10</sup></b>	<b>97.5</b>	<b>126.0</b>	<b>23.3</b>	<b>1.14</b>	<b>115.5</b>	<b>2.68</b>	<b>201.0</b>
	including	99.8	105.2	5.5	4.60	398.0	9.91	743.3
LRGG-19-042	<b>Main<sup>11</sup></b>	<b>28.0</b>	<b>58.5</b>	<b>29.2*</b>	<b>0.47</b>	<b>69.5</b>	<b>1.40</b>	<b>105.0</b>
	including	31.0	37.7	6.7	1.65	223.9	4.63	347.3
LRGG-19-044	<b>San Juan</b>	<b>31.8</b>	<b>50.5</b>	<b>18.8</b>	<b>0.29</b>	<b>33.4</b>	<b>0.73</b>	<b>54.8</b>
	including	35.5	39.0	4.5	0.50	27.4	0.86	64.5
LRGG-19-045	<b>San Juan</b>	<b>61.0</b>	<b>81.0</b>	<b>20.0</b>	<b>0.59</b>	<b>33.7</b>	<b>1.04</b>	<b>78.0</b>
	including	67.5	71.0	3.5	2.92	90.9	4.13	309.8
LRGG-19-046	<b>San Juan</b>	<b>99.5</b>	<b>135.5</b>	<b>36.0</b>	<b>0.36</b>	<b>62.2</b>	<b>1.19</b>	<b>89.3</b>
	including	129.0	134.5	5.5	1.30	220.5	4.24	318.0
LRGG 19-047	<b>San Juan</b>	<b>83.5</b>	<b>97.5</b>	<b>14</b>	<b>0.16</b>	<b>23.5</b>	<b>0.47</b>	<b>35.3</b>
	<b>San Juan</b>	<b>89.1</b>	<b>110.1</b>	<b>21</b>	<b>1.38</b>	<b>145.9</b>	<b>3.33</b>	<b>249.8</b>
LRGG 19-047	including	89.1	99	9.9	2.76	258.6	6.21	465.8
	including	91	96	5	4.36	436.2	10.17	762.8
LRGG 19-048	<b>Main</b>	<b>7.9</b>	<b>20.1</b>	<b>12.2</b>	<b>0.1</b>	<b>47.3</b>	<b>0.73</b>	<b>54.8</b>
	<b>Main</b>	<b>39.0</b>	<b>51.0</b>	<b>12.0</b>	<b>0.76</b>	<b>108.4</b>	<b>2.21</b>	<b>165.8</b>
	including	40.2	47.5	7.3	1.02	155.6	3.10	232.5
LRGG-19-050	<b>San Juan</b>	<b>15.0</b>	<b>60.3</b>	<b>45.3</b>	<b>0.39</b>	<b>76.3</b>	<b>1.41</b>	<b>105.8</b>
	including	37.5	54.2	16.7	0.84	147.4	2.81	210.8
	including	48.0	54.2	6.2	1.01	241.7	4.23	317.3
LRGG-19-051	<b>San Juan</b>	<b>0.0</b>	<b>24.0</b>	<b>24.0</b>	<b>0.40</b>	<b>86.4</b>	<b>1.55</b>	<b>116.3</b>
	<b>San Juan</b>	<b>45.7</b>	<b>70.0</b>	<b>24.3</b>	<b>0.58</b>	<b>51.0</b>	<b>1.26</b>	<b>94.5</b>
	including	47.8	54.0	6.2	1.67	86.2	2.82	211.5
LRGG-19-052	<b>San Juan<sup>12</sup></b>	<b>83.5</b>	<b>108.0</b>	<b>22.5</b>	<b>0.32</b>	<b>64.4</b>	<b>1.18</b>	<b>88.5</b>
	Including <sup>12</sup>	84.5	94.0	7.5	0.87	125.8	2.55	191.3
	Including	91.0	94.0	3.0	0.68	226.6	3.70	277.5

Hole ID	Comment	From (m)	To (m)	Length <sup>1</sup> (m)	Au (g/t)	Ag (g/t)	AuEq <sup>2</sup> (g/t)	AgEq <sup>3</sup> (g/t)
LRGG-19-053	<b>El Troce</b> Including	<b>130.9</b> 135.0	<b>141.0</b> 137.8	<b>10.1</b> 2.8	<b>1.53</b> 5.22	<b>164.3</b> 489.5	<b>3.72</b> 11.75	<b>279.0</b> 881.3
LRGG-19-054	<b>San Juan<sup>13</sup></b> Including	<b>25.0</b> 37.5	<b>43.0</b> 41.6	<b>16.5</b> 4.1	<b>0.74</b> 2.78	<b>93.5</b> 233.1	<b>1.98</b> 5.89	<b>148.5</b> 441.8
LRGG-19-055	<b>Main<sup>14</sup></b>	<b>290.1</b>	<b>307.5</b>	<b>14.4</b>	<b>0.58</b>	<b>75.1</b>	<b>1.59</b>	<b>119.3</b>
LRGG-19-056	<b>Main<sup>15</sup></b> including	<b>296.0</b> 312.0	<b>325.0</b> 316.0	<b>26.0</b> 4.0	<b>0.50</b> 1.89	<b>185.5</b> 920.0	<b>2.97</b> 14.16	<b>222.8</b> 1,062.1
LRGG-19-057	<b>Main</b> including	<b>230.4</b> 237.8	<b>244.5</b> 243.0	<b>14.1</b> 5.3	<b>0.91</b> 2.14	<b>130.6</b> 252.5	<b>2.65</b> 5.50	<b>199.1</b> 412.8
LRGG-19-058	<b>El Troce</b>	<b>32.3</b>	<b>45.0</b>	<b>12.8</b>	<b>0.16</b>	<b>35.7</b>	<b>0.64</b>	<b>47.8</b>
LRGG-19-059	<b>El Troce<sup>16</sup></b> Including <sup>17</sup>	<b>10.5</b> 14.3	<b>24.6</b> 19.0	<b>11.0</b> 3.5	<b>0.94</b> 1.95	<b>133.7</b> 277.2	<b>2.72</b> 5.65	<b>204.2</b> 423.4
LRGG-19-060	<b>El Troce</b> Including	<b>0.0</b> 9.0	<b>16.0</b> 12.0	<b>16.0</b> 3.0	<b>0.32</b> 0.83	<b>65.5</b> 161.8	<b>1.19</b> 2.98	<b>89.5</b> 223.8
LRGG-19-061	<b>Main<sup>18</sup></b> including	<b>324.4</b> 337.7	<b>349.2</b> 340.8	<b>18.0</b> 3.1	<b>0.08</b> 0.04	<b>54.2</b> 108.5	<b>0.80</b> 1.49	<b>60.3</b> 111.9
LRGG-19-062	<b>San Juan</b> including	<b>88.5</b> 90.0	<b>106.5</b> 93.0	<b>18.0</b> 3.0	<b>0.20</b> 0.63	<b>45.1</b> 118.0	<b>0.80</b> 2.20	<b>59.7</b> 165.3
LRGG-19-063	<b>Main</b> including	<b>98.0</b> 103.5	<b>122.5</b> 108.9	<b>24.5</b> 5.3	<b>0.53</b> 1.90	<b>85.3</b> 228.8	<b>1.67</b> 4.96	<b>125.1</b> 371.6
LRGG-19-064	<b>Main</b>	<b>112.0</b>	<b>127.5</b>	<b>15.5</b>	<b>0.25</b>	<b>52.4</b>	<b>0.95</b>	<b>71.2</b>
LRGG-19-065	<b>Main<sup>19</sup></b> including	276.0 281.0	291.0 286.4	13.1 5.4	0.23 0.50	83.9 154.7	1.35 2.57	101.1 192.4
LRGG-19-066	<b>San Juan</b>	<b>140.5</b>	<b>155.5</b>	<b>15.0</b>	<b>0.32</b>	<b>44.8</b>	<b>0.91</b>	<b>68.5</b>
LRGG-19-067	<b>San Juan</b>	<b>88.5</b>	<b>101.5</b>	<b>13.0</b>	<b>0.15</b>	<b>30.7</b>	<b>0.56</b>	<b>41.9</b>
LRGG-19-068	<b>Main South</b> including	<b>161.9</b> 162.8	<b>169.7</b> 166.0	<b>7.8</b> 3.2	<b>0.92</b> 2.14	<b>161.1</b> 361.4	<b>3.07</b> 6.96	<b>230.1</b> 521.7
LRGG-19-069	<b>San Juan<sup>20</sup></b> including	<b>107.0</b> 120.8	<b>128.5</b> 123.8	<b>16.3</b> 3.0	<b>1.11</b> 3.56	<b>103.0</b> 351.2	<b>2.48</b> 8.24	<b>186.1</b> 618.0
LRGG-19-070	<b>Main South</b>	<b>119.1</b>	<b>128.7</b>	<b>9.6</b>	<b>0.02</b>	<b>14.3</b>	<b>0.21</b>	<b>15.6</b>
LRGG-19-071	<b>San Juan</b>	101.6	120.8	19.2	0.28	53.8	1.00	75.0
LRGG-19-072	<b>Main South</b>	101.6	120.8	19.2	0.28	53.8	1.00	75.0
LRGG-19-073	<b>San Juan<sup>21</sup></b>	59.8	96.5	33.5	1.12	116.7	2.67	200.4
	Including	64.5	74.0	9.5	3.01	183.9	5.47	409.9
LRGG-19-074	Including	86.0	89.0	3.0	1.81	291.4	5.70	427.4
	<b>Main<sup>22</sup></b>	346.2	383.9	34.3	0.23	62.6	1.06	79.8
LRGG-19-075	<b>Main South</b>	153.8	160.0	6.2	0.23	15.3	0.43	32.4
LRGG-19-076	<b>San Juan</b>	106.5	145.0	38.5	0.73	123.4	2.38	178.2
	including	122.4	128.2	5.8	1.70	260.3	5.17	387.5
	including	136.0	142.0	6.0	1.58	220.0	4.51	338.5
LRGG-19-077	<b>San Juan</b>	112.5	138.5	26.0	1.03	94.5	2.29	171.7

Hole ID	Comment	From (m)	To (m)	Length <sup>1</sup> (m)	Au (g/t)	Ag (g/t)	AuEq <sup>2</sup> (g/t)	AgEq <sup>3</sup> (g/t)
	including	115.5	119.8	4.3	4.28	241.1	7.49	561.9
LRGC-19-001	<b>Cerro Colorado</b>	<b>23.3</b>	<b>27.2</b>	<b>3.9</b>	<b>1.59</b>	<b>177.3</b>	<b>3.95</b>	<b>296.3</b>
LRGC-19-001	<b>Cerro Colorado</b>	<b>23.3</b>	<b>27.2</b>	<b>3.9</b>	<b>1.59</b>	<b>177.3</b>	<b>3.95</b>	<b>296.3</b>
LRGC-19-002	<b>Cerro Colorado</b>	<b>0</b>	<b>3.5</b>	<b>3.5</b>	<b>3.27</b>	<b>90.4</b>	<b>4.47</b>	<b>335.3</b>
LRGC-19-003	<b>Cerro Colorado</b>	<b>2</b>	<b>8.5</b>	<b>6.5</b>	<b>1.38</b>	<b>39</b>	<b>1.9</b>	<b>142.5</b>
LRGC-19-004	<b>Cerro Colorado</b>	<b>6.5</b>	<b>18</b>	<b>11.5</b>	<b>1.28</b>	<b>107.2</b>	<b>2.71</b>	<b>203.3</b>
	including	7.3	11	3.7	3.36	294.6	7.29	546.8
LRGC-19-005	<b>Cerro Colorado</b>	<b>30</b>	<b>37</b>	<b>7</b>	<b>0.18</b>	<b>11.5</b>	<b>0.33</b>	<b>24.8</b>
	and	43.5	56.5	13	0.12	16.4	0.34	25.5
LRGC-19-006	<b>Cerro Colorado</b>	<b>0</b>	<b>11.5</b>	<b>11.5</b>	<b>0.56</b>	<b>10.3</b>	<b>0.7</b>	<b>52.5</b>
LRGC-19-007	<b>Cerro Colorado</b>	<b>53.8</b>	<b>56</b>	<b>2.2</b>	<b>0.28</b>	<b>27.3</b>	<b>0.64</b>	<b>48.0</b>
	and	68.5	77	8.5	0.06	15.7	0.27	20.3

1. Not true width
2. AuEq converted using a silver to gold ratio of 75:1
3. AgEq converted using a gold to silver ratio of 75:1
4. Voids from historical underground workings, no sample
5. Excludes 2.0m of open stopes from historical underground workings
6. Excludes 5.4m of open stopes from historical underground workings
7. Excludes 2.4m of open stopes from historical underground workings
8. Excludes 4.3m of open stopes from historical underground workings
9. Excludes 4.1m of open stopes from historical underground workings
10. Excludes 5.2m of open stopes from historical underground workings
11. Excludes 1.4m of open stopes from historical underground workings
12. Excludes 2.0m of open stopes from historical underground workings
13. Excludes 1.5m of open stopes from historical underground workings
14. Excludes 3.0m of open stopes from historical underground workings
15. Excludes 3.0m of open stopes from historical underground workings
16. Excludes 3.1m of open stopes from historical underground workings
17. Excludes 1.8m of open stopes from historical underground workings
18. Excludes 6.8m of open stopes from historical underground workings
19. Excludes 1.9m of open stopes from historical underground workings
20. Excludes 5.3m of open stopes from historical underground workings
21. Excludes 3.3m of open stopes from historical underground workings
22. Excludes 3.5m of open stopes from historical underground workings

## Locations:

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGG-19-001	610679	2327607	1448	50	-78	195.50
LRGG-19-002	610824	2327502	1435	50	-50	150.00
LRGG-19-003	610595	2327525	1421.9	50	-50	177.00
LRGG-19-004	610786	2327429	1392.9	50	-60	160.50
LRGG-19-005	610730	2327445	1402.9	50	-60	180.00
LRGG-19-006	610707	2327493	1419.9	50	-50	201.00
LRGG-19-007	610624	2327483	1411.9	50	-50	210.00
LRGG-19-008	610527	2327666	1461.9	50	-45	172.50
LRGG-19-009	610835	2327486	1433.6	50	-50	81.00
LRGG-19-010	610485	2327764	1473.9	50	-50	160.50
LRGG-19-011	610393	2327553	1429.0	50	-50	312.0
LRGG-19-012	610463	2327543	1483.0	50	-50	273.0
LRGG-19-013	610509	2327581	1445.0	50	-50	211.5
LRGG-19-014	610506	2527514	1428.0	50	-50	267.0
LRGG-19-015	610811	2327508	1450.0	50	-50	72.0
LRGG-19-016	610672	2327555	1436	50	-50	150.00
LRGG-19-017	610706	2327519	1427	50	-60	130.50
LRGG-19-018	610424	2327510	1422	50	-50	321.0
LRGG-19-019	610846	2327506	1440	50	-45	63.0
LRGG-19-020	610809	2327472	1423	50	-45	90.0
LRGG-19-021	610828	2327523	1438	50	-45	66.0
LRGG-19-022	610446	2327659	1462	50	-50	145.4
LRGG-19-023	610792	2327525	1436	50	-45	76.5
LRGG-19-024	610814	2327544	1432	50	-45	60.0
LRGG-19-025	610770	2327540	1434	50	-45	81.0
LRGG-19-026	610786	5357567	1432	50	-45	51.0
LRGG-19-027	610748	2327553	1432	50	-45	90.0
LRGG-19-028	610729	2327570	1436	50	-45	90.0
LRGG-19-029	610715	2327591	1439	50	-45	70.5
LRGG-19-030	610196	2327906	1434	50	-45	222.0
LRGG-19-031	610697	2327608	1445	50	-45	76.5
LRGG-19-032	610674	2327622	1449	50	-45	70.5
LRGG-19-033	610657	2327641	1449	50	-45	60.0
LRGG-19-034	610604	2327596	1451	50	-45	130.5
LRGG-19-035	610440	2327419	1467	50	-45	156.0
LRGG-19-036	610611	2327635	1456	50	-45	123.0
LRGG-19-037	610466	2327807	1475	50	-45	119.0

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGG-19-038	610622	2327578	1449	50	-45	165.0
LRGG-19-040	610636	2327655	1457	50	-45	81.0
LRGG-19-041	610572	2327634	1454	50	-45	132.0
LRGG-19-042	610636	2327688	1466	50	-45	70.5
LRGG-19-044	610340	2327962	1471	50	-45	201.0
LRGG-19-045	610442	2327852	1477	50	-45	102.0
LRGG-19-046	610287	2327889	1429	50	-45	168.0
LRGG-19-047	610241	2327994	1435	50	-45	250.5
LRGG-19-048	610266	2327933	1450	50	-45	147.0
LRGG-19-049	610506	2327840	1492	50	-45	81.0
LRGG-19-050	610426	2327903	1481	50	-45	84.0
LRGG-19-051	610367	2327919	1471	50	-45	99.0
LRGG-19-052	610383	2327867	1464	50	-45	130.5
LRGG-19-053	610228	2328138	1534	50	-45	183.0
LRGG-19-054	610285	2328082	1510	50	-45	191.5
LRGG-19-055	610366	2327592	1423	50	-45	351.0
LRGG-19-056	610392	2327556	1432	50	-65	340.0
LRGG-19-057	610407	2327627	1447	50	-65	270.0
LRGG-19-058	610278	2328234	1537	50	-45	75.0
LRGG-19-059	610275	2328274	1535	50	-45	46.5
LRGG-19-060	610256	2328304	1520	50	-45	52.5
LRGG-19-061	610447	2327464	1413	50	-65	375.0
LRGG-19-062	610396	2327813	1463	50	-45	129.0
LRGG-19-063	610422	2327770	1458	50	-45	171.0
LRGG-19-064	610422	2327770	1458	50	-65	163.5
LRGG-19-066	610360	2327783	1447	50	-65	180.0
LRGG-19-065	610499	2327508	1425	50	-65	335.0
LRGG-19-067	610367	2327854	1463	50	-65	127.5
LRGG-19-068	310718	2327398	1401	50	-65	199.0
LRGG-19-069	610337	2327829	1453	50	-65	160.5
LRGG-19-070	610765	2327437	1410	50	-65	180.0
LRGG-19-071	610310	2327871	1453	50	-65	144.0
LRGG-19-072	610737	2327479	1414	50	-65	150.0
LRGG-19-073	610318	2327943	1464	50	-65	132.0
LRGG-19-074	610361	2327522	1408	50	-65	417.0
LRGG-19-075	610701	2327449	1409	50	-65	180.0
LRGG-19-076	610284	2327915	1451	50	-65	175.5
LRGG-19-077	610256	2327889	1438	50	-65	190.5

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
<b><i>Cerro Colorado:</i></b>						
LRGC-19-001	611799	2326380	1298	53	-50	75.0
LRGC-19-002	612055	2326190	1240	29	-45	30.0
LRGC-19-003	612051	2326191	1240	39	-50	42.0
LRGC-19-004	611828	2326394	1299	48	-45	61.5
LRGC-19-005	611684	2326494	1259	30	-45	79.5
LRGC-19-006	612032	2326174	1235	50	-50	91.5
LRGC-19-007	611665	2326480	1261	50	-50	97.5