

Intercepts:

Hole ID	Comment	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ³ (g/t)
LRGG-19-001	Main	71	106.5	35.5	1.24	284.7	5.04	378
	HW zone	71	81	10	1.27	249.1	4.59	344.3
	Open Stope ⁴	81	82.5	1.5	*	*	*	*
	FW zone	82.5	106.5	24	1.31	317.3	5.54	415.5
	including	91.5	98	6.5	3.32	905.8	15.39	1154.3
LRGG-19-002	Main	26.5	54.1	27.6	1.56	159	3.68	276.0
	including	28.4	34	5.6	5.52	525	12.52	939.0
LRGG-19-003	Main	145	165.4	20.4	2.21	318.7	6.45	483.8
	including	145	155.5	10.5	4.26	608	12.36	927.0
	including	146	153.2	7.2	6.17	869.5	17.77	1332.8
LRGG-19-004	Main	96.5	99	2.5	0.04	27.2	0.4	30.0
LRGG-19-005	Main	121	131.8	10.8	0.19	53.8	0.91	68.3
LRGG-19-006	Main	107.1	132	25	0.33	35.7	0.81	60.8
	including	119.7	122.5	2.8	1.41	52.6	2.11	158.3
LRGG-19-007	Main	149.5	161.2	11.7	0.68	88.8	1.87	140.3
	including	163	169.1	6.1	0.58	141.9	2.47	185.3
LRGG-19-008	Main	109.4	131.7	22.4	4.13	182.1	6.55	491.3
	including	127.5	130.5	3	25.08	533.9	32.2	2415.0
	and	134.7	147.6	12.9	0.17	31.5	0.59	44.3
LRGG-19-009	Main	34.5	55.7	21.2	7.66	1270.2	24.6	1845.0
	including	37.8	44.7	6.9	21.97	3717.6	71.54	5365.5
LRGG-19-010	Open Stope ⁴	97.5	99	1.5	*	*	*	*
	Main	99	117.8	18.8	0.37	67.9	1.27	95.3
	including	102.2	106.7	4.5	0.96	119.5	2.55	191.3
LRGG-19-011	Main	253	271.5	18.5	1.2	140.3	3.07	230.3
	including	261.8	270.3	8.4	2.16	227.8	5.19	389.3
LRGG-19-012	Main	220.3	238	17.8	0.59	82.7	1.69	126.8
	including	224.5	238	13.5	0.77	100.4	2.11	158.3
	including	228.5	235.5	7	1.16	131.9	2.92	219.0
LRGG-19-013	Main	163.9	179.5	15.6	0.78	194.7	3.38	253.5
	including	166	174.8	8.8	1.3	296.5	5.25	393.8
	including	166	168.2	2.2	2.09	331.7	6.52	489.0
LRGG-19-014	Main	204.3	218.5	14.2	1.1	126.8	2.79	209.3
	including	208.3	216	7.7	1.94	209.3	4.73	354.8
	and	224.5	228	3.5	0.16	26.5	0.51	38.3
LRGG-19-015	Main	23.4	40.5	17.1	0.71	67.9	1.62	121.5
	including	27	32.6	5.6	1.68	137.2	3.51	263.3
	Open Stope ⁴	40.5	43.7	3.2	*	*	*	*
	Main	43.7	54	10.3	1.19	85	2.33	174.8
	including	43.7	49	5.3	2.02	138.1	3.87	290.3

Hole ID	Comment	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ³ (g/t)
LRGG-19-016	Main	80.8	85.8	5	0.52	160.6	2.66	199.5
	Open Stope ⁴	85.8	88.3	2.5	*	*	*	*
	including	91.7	98.1	6.3	2.14	336.7	6.63	497.3
LRGG-19-017	Main	83.2	115.2	32	0.8	178.8	3.18	238.5
	including	83.2	94.5	11.3	1.46	347.8	6.1	457.5
LRGG-19-018	Main	258.5	279.9	21.4	0.81	170.1	3.08	231.0
	including	263.2	276	12.9	1.24	262.4	4.74	355.5
	including	268.5	276	7.5	1.78	342.4	6.35	476.3
LRGG-19-019	Main	23	27.5	4.5	1.5	196.6	4.13	309.8
	Open Stope ⁴	27.5	29.7	2.2	*	*	*	*
	including	29.7	33.9	4.2	1.52	198.3	4.17	312.8
LRGG-19-020	Main	43.8	58.7	14.9	1.78	106.4	3.2	240.0
	including	45	52	7	3.48	155.6	5.55	416.3
LRGG-19-021	Main	9	16.5	7.5	0.09	18.1	0.33	24.8
	Open Stope ⁴	16.5	22.5	6	*	*	*	*
	including	22.5	29	6.5	2.38	236.5	5.54	415.5
LRGG-19-022	Main	170.4	193.7	23.3	1.78	201.5	4.47	335.3
	including	171.5	181.5	10	3.58	389.6	8.78	658.5
LRGG-19-023	Main	34	58	24	0.61	126	2.29	171.8
	including	34	48.7	14.7	0.93	200.8	3.61	270.8
LRGG-19-024	Main	25	30	5	0.36	30.8	0.77	57.8
LRGG-19-025	Main	34.9	59.5	24.6	1.3	135	3.1	232.5
	including	34.9	50.4	15.5	2	203.3	4.71	353.3
LRGG-19-026	Main	4	9.7	5.7	1.29	201.1	3.98	298.5
	Open Stope ⁴	9.7	11.3	1.6	*	*	*	*
	including	11.3	29.5	18.2	0.16	34.5	0.62	46.5
LRGG-19-027	Main	38.3	51	12.7	1.08	169.8	3.34	250.5
	including	38.3	45	6.7	1.83	268.1	5.4	405.0
	and	60	65	5.1	0.28	23.4	0.59	44.3
LRGG-19-028	Main	34.5	62	27.5	1.21	133.5	2.99	224.3
	including	35.1	46	11	2.93	293.9	6.85	513.8
LRGG-19-029	Main	28.5	31.5	3	0.99	157.1	3.09	231.8
	Open Stope ⁴	31.5	34.1	2.6	*	*	*	*
	including	34.1	34.7	0.6	1.64	300.3	5.64	423.0
	Open Stope ⁴	34.7	39	4.3	*	*	*	*
LRGG-19-030	Main	39	41	2	0.12	19.4	0.38	28.5
	San Juan	128.7	145.5	16.9	0.54	67.8	1.45	108.8
LRGG-19-031	including	138	143	5	1.46	147.9	3.43	257.3
	Main	25.5	31.7	6.2	1.17	157.8	3.27	245.3
LRGG-19-032	Main ⁵	38.5	56	15.5	0.53	84.2	1.66	124.5

Hole ID	Comment	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ³ (g/t)
	including	38.5	47.2	8.7	0.75	94.3	2.01	150.8
	including	42.3	45	2.7	2.04	216.6	4.93	369.8
LRGG-19-033	Main⁶	31	53.5	17.1	1.59	364.2	6.45	483.8
	including	31	36.6	5.6	3.81	818.1	14.72	1104.0
	including	43	53.5	10.5	0.52	142.5	2.42	181.5
LRGG-19-034	Main⁷	103.5	126	20.1	0.92	177.2	3.28	246.0
	Including	105	109.9	4.9	3.41	620.7	11.68	876.0
LRGG-19-035	Main	119.9	144.3	24.4	1.29	127.4	2.99	224.3
	including	124.7	134.5	9.8	3	258	6.44	483.0
LRGG-19-036	Main	78	98	20	0.28	102.9	1.65	123.8
LRGG-19-037	Main	73	91.6	18.6	0.33	53.7	1.05	78.8
	including	76	80.8	4.8	0.77	117.8	2.34	175.5
LRGG-19-038	Main⁸	99.0	124.5	21.2*	0.72	164.7	2.92	219.0
	Including	100.5	110.7	10.2	1.33	302.2	5.36	402.0
LRGG-19-040	Main⁹	42.0	63.6	17.5*	0.40	115.0	1.93	144.8
	including	42.0	46.5	4.5	0.89	281.5	4.64	348.0
LRGG-19-041	Main¹⁰	97.5	126.0	23.3	1.14	115.5	2.68	201.0
	including	99.8	105.2	5.5	4.60	398.0	9.91	743.3
LRGG-19-042	Main¹¹	28.0	58.5	29.2*	0.47	69.5	1.40	105.0
	including	31.0	37.7	6.7	1.65	223.9	4.63	347.3
LRGG-19-044	San Juan	31.8	50.5	18.8	0.29	33.4	0.73	54.8
	including	35.5	39.0	4.5	0.50	27.4	0.86	64.5
LRGG-19-045	San Juan	61.0	81.0	20.0	0.59	33.7	1.04	78.0
	including	67.5	71.0	3.5	2.92	90.9	4.13	309.8
LRGG-19-046	San Juan	99.5	135.5	36.0	0.36	62.2	1.19	89.3
	including	129.0	134.5	5.5	1.30	220.5	4.24	318.0
LRGG 19-047	San Juan	83.5	97.5	14	0.16	23.5	0.47	35.3
LRGG 19-047	San Juan	89.1	110.1	21	1.38	145.9	3.33	249.8
	including	89.1	99	9.9	2.76	258.6	6.21	465.8
	including	91	96	5	4.36	436.2	10.17	762.8
LRGG 19-048	Main	7.9	20.1	12.2	0.1	47.3	0.73	54.8
	Main	39.0	51.0	12.0	0.76	108.4	2.21	165.8
	including	40.2	47.5	7.3	1.02	155.6	3.10	232.5
LRGG-19-050	San Juan	15.0	60.3	45.3	0.39	76.3	1.41	105.8
	including	37.5	54.2	16.7	0.84	147.4	2.81	210.8
	including	48.0	54.2	6.2	1.01	241.7	4.23	317.3
LRGG-19-051	San Juan	0.0	24.0	24.0	0.40	86.4	1.55	116.3
	San Juan	45.7	70.0	24.3	0.58	51.0	1.26	94.5
	including	47.8	54.0	6.2	1.67	86.2	2.82	211.5
LRGG-19-052	San Juan¹²	83.5	108.0	22.5	0.32	64.4	1.18	88.5
	Including ¹²	84.5	94.0	7.5	0.87	125.8	2.55	191.3
	Including	91.0	94.0	3.0	0.68	226.6	3.70	277.5

Hole ID	Comment	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ³ (g/t)
LRGG-19-053	El Troce Including	130.9 135.0	141.0 137.8	10.1 2.8	1.53 5.22	164.3 489.5	3.72 11.75	279.0 881.3
LRGG-19-054	San Juan¹³ Including	25.0 37.5	43.0 41.6	16.5 4.1	0.74 2.78	93.5 233.1	1.98 5.89	148.5 441.8
LRGG-19-055	Main¹⁴	290.1	307.5	14.4	0.58	75.1	1.59	119.3
LRGG-19-056	Main¹⁵ including	296.0 312.0	325.0 316.0	26.0 4.0	0.50 1.89	185.5 920.0	2.97 14.16	222.8 1,062.1
LRGG-19-057	Main including	230.4 237.8	244.5 243.0	14.1 5.3	0.91 2.14	130.6 252.5	2.65 5.50	199.1 412.8
LRGG-19-058	El Troce	32.3	45.0	12.8	0.16	35.7	0.64	47.8
LRGG-19-059	El Troce¹⁶ Including ¹⁷	10.5 14.3	24.6 19.0	11.0 3.5	0.94 1.95	133.7 277.2	2.72 5.65	204.2 423.4
LRGG-19-060	El Troce Including	0.0 9.0	16.0 12.0	16.0 3.0	0.32 0.83	65.5 161.8	1.19 2.98	89.5 223.8
LRGG-19-061	Main¹⁸ including	324.4 337.7	349.2 340.8	18.0 3.1	0.08 0.04	54.2 108.5	0.80 1.49	60.3 111.9
LRGG-19-062	San Juan including	88.5 90.0	106.5 93.0	18.0 3.0	0.20 0.63	45.1 118.0	0.80 2.20	59.7 165.3
LRGG-19-063	Main including	98.0 103.5	122.5 108.9	24.5 5.3	0.53 1.90	85.3 228.8	1.67 4.96	125.1 371.6
LRGG-19-064	Main	112.0	127.5	15.5	0.25	52.4	0.95	71.2
LRGG-19-065	Main¹⁹ including	276.0 281.0	291.0 286.4	13.1 5.4	0.23 0.50	83.9 154.7	1.35 2.57	101.1 192.4
LRGG-19-066	San Juan	140.5	155.5	15.0	0.32	44.8	0.91	68.5
LRGG-19-067	San Juan	88.5	101.5	13.0	0.15	30.7	0.56	41.9
LRGG-19-068	Main South including	161.9 162.8	169.7 166.0	7.8 3.2	0.92 2.14	161.1 361.4	3.07 6.96	230.1 521.7
LRGG-19-069	San Juan²⁰ including	107.0 120.8	128.5 123.8	16.3 3.0	1.11 3.56	103.0 351.2	2.48 8.24	186.1 618.0
LRGG-19-070	Main South	119.1	128.7	9.6	0.02	14.3	0.21	15.6
LRGG-19-071	San Juan	101.6	120.8	19.2	0.28	53.8	1.00	75.0
LRGG-19-072	Main South	101.6	120.8	19.2	0.28	53.8	1.00	75.0
LRGG-19-073	San Juan²¹ Including Including	59.8 64.5 86.0	96.5 74.0 89.0	33.5 9.5 3.0	1.12 3.01 1.81	116.7 183.9 291.4	2.67 5.47 5.70	200.4 409.9 427.4
LRGG-19-074	Main²²	346.2	383.9	34.3	0.23	62.6	1.06	79.8
LRGG-19-075	Main South	153.8	160.0	6.2	0.23	15.3	0.43	32.4
LRGG-19-076	San Juan including including	106.5 122.4 136.0	145.0 128.2 142.0	38.5 5.8 6.0	0.73 1.70 1.58	123.4 260.3 220.0	2.38 5.17 4.51	178.2 387.5 338.5
LRGG-19-077	San Juan	112.5	138.5	26.0	1.03	94.5	2.29	171.7

Hole ID	Comment	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ³ (g/t)
	including	115.5	119.8	4.3	4.28	241.1	7.49	561.9
LRGG-19-078	Main South	178.2	200.1	22.0	0.22	59.9	1.01	76.6
LRGG-19-079	Main	128.2	144.7	16.5	4.29	335.8	8.77	657.8
	including	129.2	134.0	4.8	3.90	782.0	14.32	1,074.4
	including	137.5	143.7	6.2	8.16	212.5	11.00	824.2
	and	150.8	161.5	10.7	0.08	22.7	0.38	28.7
LRGG-19-080	Main	274.3	279.5	5.2	1.10	68.6	2.01	151.0
	and ²³	325.5	342.0	13.5	0.87	214.8	3.73	279.8
LRGG-19-081	Main	189.7	207.1	17.4	0.77	152.4	2.80	209.8
	including	201.0	207.1	6.1	2.07	373.0	7.05	528.6
LRGG-19-082	Main South²⁴	169.7	196.5	23.5	0.17	43.5	0.75	56.5
	including	180.0	183.0	3.0	0.79	137.8	2.63	197.0
LRGG-19-083	Main	Abandoned in Hanging Wall above Los Ricos Vein						
LRGG-19-084	Main	218.0	225.5	7.5	0.29	29.3	0.68	51.1
LRGG-19-085	Stope	342.0	354.0	12.0	Historical working – backfilled stope			
	Main	354.0	370.8	16.8	0.36	86.1	1.51	113.1
LRGG-19-086	El Troce	194.6	209.9	15.3	0.06	12.1	0.22	16.6
	Including	195.2	196.5	1.3	0.27	44.4	0.86	64.8
LRGG-19-087	Main	219.4	236.4	17.1	0.21	60.0	1.01	76.0
	including	220.5	225.0	4.5	0.60	103.8	1.99	148.9
LRGG-19-088	Main	218.1	237.0	18.9	2.01	496.4	8.63	647.0
	including	227.3	232.3	5.0	7.30	1833.4	31.74	2,380.8
LRGG-19-089	Main	168.4	191.0	22.7	0.63	64.9	1.49	112.0
	including	171.2	177.9	6.7	1.76	113.8	3.28	245.7
LRGG-19-090	Main	194.4	207.3	12.9	0.57	96.5	1.86	139.4
	including	195.4	202.0	6.5	1.08	174.9	3.41	256.0
LRGG-19-091	Main	185.9	199.8	13.9	0.62	80.1	1.69	126.8
	including	185.9	191.7	5.8	1.34	141.2	3.23	242.1
LRGG-19-092	Main	147.0	166.0	19.0	1.27	113.4	2.78	208.4
	including	147.0	159.2	12.2	1.94	172.6	4.25	318.4
	including	149.0	155.5	6.5	3.39	299.2	7.38	553.7
LRGG-20-093	Main	36.7	45.5	8.8	0.41	75.7	1.42	106.6
LRGG-20-094	Main	61.5	65.4	3.8	0.66	173.9	2.97	223.1
LRGG-20-095	Main	30.9	48.0	17.1	0.61	121.4	2.23	167.1
	including	34.1	41.3	7.2	1.20	207.5	3.97	297.6
LRGG-20-096	Main	30.9	47.5	16.6	1.40	62.8	2.24	167.9
LRGG-20-097	Main	72.4	78.9	6.4	0.23	81.2	1.31	98.6
LRGG-20-098	Main²⁵	62.0	66.0	4.0	1.78	318.6	6.03	452.2
	and	79.0	93.5	14.5	0.12	31.1	0.53	39.9
LRGG-20-099	Main	53.4	72.7	19.4	0.49	68.1	1.39	104.5
	including	54.5	60.8	6.3	1.08	108.8	2.53	190.1

Hole ID	Comment	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ³ (g/t)
LRGG-20-100	Main ²⁶ including	9.9 11.1	29.1 18.0	17.3 6.9	1.51 2.92	204.3 272.7	4.23 6.56	317.2 492.1
LRGG-20-101	San Juan including	120.8 146.5	154.5 151.5	33.8 5.0	0.54 2.00	115.9 466.9	2.08 8.22	156.0 616.6
LRGG-20-102	Main	0.0	10.7	10.7	1.05	156.2	3.13	234.8
LRGG-20-103	Main	0.0	17.0	17.0	0.28	93.1	1.53	114.4
LRGG-20-104	Main	0.0	20.0	20.0	0.44	88.3	1.61	120.9
LRGG-20-105	Main including	2.2 15.4	24.6 21.8	22.4 6.4	0.39 0.81	75.8 134.8	1.40 2.60	105.3 195.3
LRGG-20-106	San Juan including	101.1 101.1	122.0 110.6	21.0 9.5	1.35 2.83	117.9 217.0	2.92 5.73	219.4 429.5
LRGG-20-107	Main	6.0	34.0	28.0	0.20	40.6	0.75	55.9
LRGG-20-108	Main stope	20.9 33.8	33.8 38.0	12.9 4.2	0.79	96.9	2.08	155.8
LRGG-20-109	Main including and	5.2 9.0 27.0	21.0 12.0 29.6	15.8 3.0 2.6	0.69 2.61 0.39	79.5 225.0 92.5	1.75 5.61 1.63	131.4 420.6 122.0
LRGG-20-110	Main including	0.0 0.0	22.0 6.0	22.0 6.0	0.38 0.62	102.0 191.6	1.74 3.17	130.3 238.0
LRGG-20-111	Main	226.0	232.9	6.9	0.31	49.5	0.97	72.6
LRGG-20-112	San Juan and	130.9 144.1	136.3 153.8	5.3 9.8	0.19 0.33	39.9 52.7	0.73 1.03	54.5 77.4
LRGG-20-113	Main	4.0	21.3	17.3	0.47	54.7	1.20	90.1
LRGG-20-114	Main	Abandoned in Hanging Wall above Los Ricos Vein						
LRGG-20-115	Main including	4.5 4.5	24.0 14.1	19.5 9.6	0.61 1.17	152.8 281.3	2.65 4.93	198.7 369.5
LRGG-20-116	San Juan	26.0	36.6	10.6	0.37	52.6	1.07	80.2
LRGG-20-117	Main	3.0	21.8	18.8	1.68	128.5	3.39	254.5
LRGG-20-118	San Juan including	97.0 107.6	116.8 110.3	19.8 2.7	0.38 1.66	58.2 142.1	1.16 3.56	86.9 266.7
LRGG-20-119	Main including	0.0 8.4	26.4 21.0	26.4 12.6	0.91 1.60	135.0 196.0	2.71 4.21	203.2 315.7
LRGC-19-001	Cerro Colorado	23.3	27.2	3.9	1.59	177.3	3.95	296.3
LRGC-19-002	Cerro Colorado	0	3.5	3.5	3.27	90.4	4.47	335.3
LRGC-19-003	Cerro Colorado	2	8.5	6.5	1.38	39	1.9	142.5
LRGC-19-004	Cerro Colorado including	6.5 7.3	18 11	11.5 3.7	1.28 3.36	107.2 294.6	2.71 7.29	203.3 546.8
LRGC-19-005	Cerro Colorado and	30 43.5	37 56.5	7 13	0.18 0.12	11.5 16.4	0.33 0.34	24.8 25.5
LRGC-19-006	Cerro Colorado	0	11.5	11.5	0.56	10.3	0.7	52.5
LRGC-19-007	Cerro Colorado	53.8	56	2.2	0.28	27.3	0.64	48.0

Hole ID	Comment	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ³ (g/t)
	and	68.5	77	8.5	0.06	15.7	0.27	20.3

1. Not true width
2. AuEq converted using a silver to gold ratio of 75:1
3. AgEq converted using a gold to silver ratio of 75:1
4. Voids from historical underground workings, no sample
5. Excludes 2.0m of open stopes from historical underground workings
6. Excludes 5.4m of open stopes from historical underground workings
7. Excludes 2.4m of open stopes from historical underground workings
8. Excludes 4.3m of open stopes from historical underground workings
9. Excludes 4.1m of open stopes from historical underground workings
10. Excludes 5.2m of open stopes from historical underground workings
11. Excludes 1.4m of open stopes from historical underground workings
12. Excludes 2.0m of open stopes from historical underground workings
13. Excludes 1.5m of open stopes from historical underground workings
14. Excludes 3.0m of open stopes from historical underground workings
15. Excludes 3.0m of open stopes from historical underground workings
16. Excludes 3.1m of open stopes from historical underground workings
17. Excludes 1.8m of open stopes from historical underground workings
18. Excludes 6.8m of open stopes from historical underground workings
19. Excludes 1.9m of open stopes from historical underground workings
20. Excludes 5.3m of open stopes from historical underground workings
21. Excludes 3.3m of open stopes from historical underground workings
22. Excludes 3.5m of open stopes from historical underground workings
23. Excludes 3.0m of open stopes from historical underground workings
24. Excludes 3.4m of open stopes from historical underground workings
25. Hanging portion of vein above a 7.5m wide mined void
26. Excludes 1.9m of open stopes from historical underground workings

Locations:

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGG-19-001	610679	2327607	1448	50	-78	195.50
LRGG-19-002	610824	2327502	1435	50	-50	150.00
LRGG-19-003	610595	2327525	1421.9	50	-50	177.00
LRGG-19-004	610786	2327429	1392.9	50	-60	160.50
LRGG-19-005	610730	2327445	1402.9	50	-60	180.00
LRGG-19-006	610707	2327493	1419.9	50	-50	201.00
LRGG-19-007	610624	2327483	1411.9	50	-50	210.00
LRGG-19-008	610527	2327666	1461.9	50	-45	172.50
LRGG-19-009	610835	2327486	1433.6	50	-50	81.00
LRGG-19-010	610485	2327764	1473.9	50	-50	160.50
LRGG-19-011	610393	2327553	1429.0	50	-50	312.0
LRGG-19-012	610463	2327543	1483.0	50	-50	273.0
LRGG-19-013	610509	2327581	1445.0	50	-50	211.5
LRGG-19-014	610506	2527514	1428.0	50	-50	267.0

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGG-19-015	610811	2327508	1450.0	50	-50	72.0
LRGG-19-016	610672	2327555	1436	50	-50	150.00
LRGG-19-017	610706	2327519	1427	50	-60	130.50
LRGG-19-018	610424	2327510	1422	50	-50	321.0
LRGG-19-019	610846	2327506	1440	50	-45	63.0
LRGG-19-020	610809	2327472	1423	50	-45	90.0
LRGG-19-021	610828	2327523	1438	50	-45	66.0
LRGG-19-022	610446	2327659	1462	50	-50	145.4
LRGG-19-023	610792	2327525	1436	50	-45	76.5
LRGG-19-024	610814	2327544	1432	50	-45	60.0
LRGG-19-025	610770	2327540	1434	50	-45	81.0
LRGG-19-026	610786	5357567	1432	50	-45	51.0
LRGG-19-027	610748	2327553	1432	50	-45	90.0
LRGG-19-028	610729	2327570	1436	50	-45	90.0
LRGG-19-029	610715	2327591	1439	50	-45	70.5
LRGG-19-030	610196	2327906	1434	50	-45	222.0
LRGG-19-031	610697	2327608	1445	50	-45	76.5
LRGG-19-032	610674	2327622	1449	50	-45	70.5
LRGG-19-033	610657	2327641	1449	50	-45	60.0
LRGG-19-034	610604	2327596	1451	50	-45	130.5
LRGG-19-035	610440	2327419	1467	50	-45	156.0
LRGG-19-036	610611	2327635	1456	50	-45	123.0
LRGG-19-037	610466	2327807	1475	50	-45	119.0
LRGG-19-038	610622	2327578	1449	50	-45	165.0
LRGG-19-040	610636	2327655	1457	50	-45	81.0
LRGG-19-041	610572	2327634	1454	50	-45	132.0
LRGG-19-042	610636	2327688	1466	50	-45	70.5
LRGG-19-044	610340	2327962	1471	50	-45	201.0
LRGG-19-045	610442	2327852	1477	50	-45	102.0
LRGG-19-046	610287	2327889	1429	50	-45	168.0
LRGG-19-047	610241	2327994	1435	50	-45	250.5
LRGG-19-048	610266	2327933	1450	50	-45	147.0
LRGG-19-049	610506	2327840	1492	50	-45	81.0
LRGG-19-050	610426	2327903	1481	50	-45	84.0
LRGG-19-051	610367	2327919	1471	50	-45	99.0
LRGG-19-052	610383	2327867	1464	50	-45	130.5
LRGG-19-053	610228	2328138	1534	50	-45	183.0
LRGG-19-054	610285	2328082	1510	50	-45	191.5

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGG-19-055	610366	2327592	1423	50	-45	351.0
LRGG-19-056	610392	2327556	1432	50	-65	340.0
LRGG-19-057	610407	2327627	1447	50	-65	270.0
LRGG-19-058	610278	2328234	1537	50	-45	75.0
LRGG-19-059	610275	2328274	1535	50	-45	46.5
LRGG-19-060	610256	2328304	1520	50	-45	52.5
LRGG-19-061	610447	2327464	1413	50	-65	375.0
LRGG-19-062	610396	2327813	1463	50	-45	129.0
LRGG-19-063	610422	2327770	1458	50	-45	171.0
LRGG-19-064	610422	2327770	1458	50	-65	163.5
LRGG-19-066	610360	2327783	1447	50	-65	180.0
LRGG-19-065	610499	2327508	1425	50	-65	335.0
LRGG-19-067	610367	2327854	1463	50	-65	127.5
LRGG-19-068	310718	2327398	1401	50	-65	199.0
LRGG-19-069	610337	2327829	1453	50	-65	160.5
LRGG-19-070	610765	2327437	1410	50	-65	180.0
LRGG-19-071	610310	2327871	1453	50	-65	144.0
LRGG-19-072	610737	2327479	1414	50	-65	150.0
LRGG-19-073	610318	2327943	1464	50	-65	132.0
LRGG-19-074	610361	2327522	1408	50	-65	417.0
LRGG-19-075	610701	2327449	1409	50	-65	180.0
LRGG-19-076	610284	2327915	1451	50	-65	175.5
LRGG-19-077	610256	2327889	1438	50	-65	190.5
LRGG-19-078	610580	2327511	1429	50	-65	238.2
LRGG-19-079	610441	2327719	1451	50	-65	172.5
LRGG-19-080	610320	2327618	1429	50	-65	375.0
LRGG-19-081	610405	2327690	1410	50	-65	241.5
LRGG-19-082	610623	2327481	1421	50	-65	245.0
LRGG-19-083	610371	2327662	1440	50	-65	183.0
LRGG-19-084	610587	2327454	1220.5	50	-65	280.4
LRGG-19-085	610323	2327556	1229	50	-65	402.0
LRGG-19-086	610076	2328075	1303.9	50	-65	275.6
LRGG-19-087	610346	2327704	1250.1	50	-65	283.5
LRGG-19-088	610296	2327729	1421	50	-65	260.6
LRGG-19-089	610377	2327735	1262.8	50	-65	240.0
LRGG-19-090	610273	2327775	1427	50	-65	254.4
LRGG-19-091	610326	2327754	1434	50	-65	231.0
LRGG-19-092	610304	2327801	1440	50	-65	201.0

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGG-20-093	610459	2327873	1304	50	-45	57.0
LRGG-20-094	610515	2327784	1297	50	-45	120.0
LRGG-20-095	610537	2327806	1312	50	-45	90.0
LRGG-20-096	610592	2327724	1281	50	-45	70.5
LRGG-20-097	610585	2327678	1283	50	-45	115.5
LRGG-20-098	610554	2327717	1294	50	-45	120.0
LRGG-20-099	610301	2327962	1281	50	-45	99.0
LRGG-20-100	610695	2327640	1267	50	-20	57.0
LRGG-20-101	610271	2327937	1276	50	-75	190.5
LRGG-20-102	610663	2327678	1276	50	-20	60.0
LRGG-20-103	610716	2327624	1266	50	-20	42.0
LRGG-20-104	610736	2327608	1265	50	-20	51.0
LRGG-20-105	610792	2327558	1252	50	-20	54.0
LRGG-20-106	610271	2327937	1276	50	-60	150.0
LRGG-20-107	610815	2327544	1252	50	-20	60.0
LRGG-20-108	610845	2327505	1263	50	-20	38.8
LRGG-20-109	610643	2327694	1283	50	-20	51.0
LRGG-20-110	610623	2327709	1278	50	-20	27.0
LRGG-20-111	610216	2327695	1224	50	-65	351.0
LRGG-20-112	610210	2327887	1248	50	-65	183.0
LRGG-20-113	610866	2327502	1278	50	-20	42.0
LRGG-20-114	610828	2327523	1259	50	-20	15.0
LRGG-20-115	610828	2327523	1259	50	-20	40.5
LRGG-20-116	610333	2327989	1290	50	-45	63.0
LRGG-20-117	610598	2327754	1290	50	-20	49.5
LRGG-20-118	610322	2327882	1273	50	-45	130.5
LRGG-20-119	610582	2327773	1303	50	-20	60.0
Cerro Colorado:						
LRGC-19-001	611799	2326380	1298	53	-50	75.0
LRGC-19-002	612055	2326190	1240	29	-45	30.0
LRGC-19-003	612051	2326191	1240	39	-50	42.0
LRGC-19-004	611828	2326394	1299	48	-45	61.5
LRGC-19-005	611684	2326494	1259	30	-45	79.5
LRGC-19-006	612032	2326174	1235	50	-50	91.5
LRGC-19-007	611665	2326480	1261	50	-50	97.5