

## Intercepts:

Hole ID	Area	From (m)	To (m)	Length <sup>1</sup> (m)	Au (g/t)	Ag (g/t)	AuEq <sup>2</sup> (g/t)	AgEq <sup>3</sup> (g/t)
LRGG-19-001	<b>Main</b>	<b>71</b>	<b>106.5</b>	<b>35.5</b>	<b>1.24</b>	<b>284.7</b>	<b>5.04</b>	<b>378</b>
	HW zone	71	81	10	1.27	249.1	4.59	344.3
	Open Stope <sup>4</sup>	81	82.5	1.5	*	*	*	*
	FW zone	82.5	106.5	24	1.31	317.3	5.54	415.5
	including	91.5	98	6.5	3.32	905.8	15.39	1154.3
LRGG-19-002	<b>Main</b>	<b>26.5</b>	<b>54.1</b>	<b>27.6</b>	<b>1.56</b>	<b>159</b>	<b>3.68</b>	<b>276.0</b>
	including	28.4	34	5.6	5.52	525	12.52	939.0
LRGG-19-003	<b>Main</b>	<b>145</b>	<b>165.4</b>	<b>20.4</b>	<b>2.21</b>	<b>318.7</b>	<b>6.45</b>	<b>483.8</b>
	including	145	155.5	10.5	4.26	608	12.36	927.0
	including	146	153.2	7.2	6.17	869.5	17.77	1332.8
LRGG-19-004	<b>Main</b>	<b>96.5</b>	<b>99</b>	<b>2.5</b>	<b>0.04</b>	<b>27.2</b>	<b>0.4</b>	<b>30.0</b>
LRGG-19-005	<b>Main</b>	<b>121</b>	<b>131.8</b>	<b>10.8</b>	<b>0.19</b>	<b>53.8</b>	<b>0.91</b>	<b>68.3</b>
LRGG-19-006	<b>Main</b>	<b>107.1</b>	<b>132</b>	<b>25</b>	<b>0.33</b>	<b>35.7</b>	<b>0.81</b>	<b>60.8</b>
	including	119.7	122.5	2.8	1.41	52.6	2.11	158.3
LRGG-19-007	<b>Main</b>	<b>149.5</b>	<b>161.2</b>	<b>11.7</b>	<b>0.68</b>	<b>88.8</b>	<b>1.87</b>	<b>140.3</b>
	including	163	169.1	6.1	0.58	141.9	2.47	185.3
LRGG-19-008	<b>Main</b>	<b>109.4</b>	<b>131.7</b>	<b>22.4</b>	<b>4.13</b>	<b>182.1</b>	<b>6.55</b>	<b>491.3</b>
	including	127.5	130.5	3	25.08	533.9	32.2	2415.0
	and	134.7	147.6	12.9	0.17	31.5	0.59	44.3
LRGG-19-009	<b>Main</b>	<b>34.5</b>	<b>55.7</b>	<b>21.2</b>	<b>7.66</b>	<b>1270.2</b>	<b>24.6</b>	<b>1845.0</b>
	including	37.8	44.7	6.9	21.97	3717.6	71.54	5365.5
LRGG-19-010	Open Stope <sup>4</sup>	97.5	99	1.5	*	*	*	*
	<b>Main</b>	<b>99</b>	<b>117.8</b>	<b>18.8</b>	<b>0.37</b>	<b>67.9</b>	<b>1.27</b>	<b>95.3</b>
	including	102.2	106.7	4.5	0.96	119.5	2.55	191.3
LRGG-19-011	<b>Main</b>	<b>253</b>	<b>271.5</b>	<b>18.5</b>	<b>1.2</b>	<b>140.3</b>	<b>3.07</b>	<b>230.3</b>
	including	261.8	270.3	8.4	2.16	227.8	5.19	389.3
LRGG-19-012	<b>Main</b>	<b>220.3</b>	<b>238</b>	<b>17.8</b>	<b>0.59</b>	<b>82.7</b>	<b>1.69</b>	<b>126.8</b>
	including	224.5	238	13.5	0.77	100.4	2.11	158.3
	including	228.5	235.5	7	1.16	131.9	2.92	219.0
LRGG-19-013	<b>Main</b>	<b>163.9</b>	<b>179.5</b>	<b>15.6</b>	<b>0.78</b>	<b>194.7</b>	<b>3.38</b>	<b>253.5</b>
	including	166	174.8	8.8	1.3	296.5	5.25	393.8
	including	166	168.2	2.2	2.09	331.7	6.52	489.0
LRGG-19-014	<b>Main</b>	<b>204.3</b>	<b>218.5</b>	<b>14.2</b>	<b>1.1</b>	<b>126.8</b>	<b>2.79</b>	<b>209.3</b>
	including	208.3	216	7.7	1.94	209.3	4.73	354.8
	and	224.5	228	3.5	0.16	26.5	0.51	38.3
LRGG-19-015	<b>Main</b>	<b>23.4</b>	<b>40.5</b>	<b>17.1</b>	<b>0.71</b>	<b>67.9</b>	<b>1.62</b>	<b>121.5</b>
	including	27	32.6	5.6	1.68	137.2	3.51	263.3
	Open Stope <sup>4</sup>	40.5	43.7	3.2	*	*	*	*
	<b>Main</b>	<b>43.7</b>	<b>54</b>	<b>10.3</b>	<b>1.19</b>	<b>85</b>	<b>2.33</b>	<b>174.8</b>
	including	43.7	49	5.3	2.02	138.1	3.87	290.3

Hole ID	Area	From (m)	To (m)	Length <sup>1</sup> (m)	Au (g/t)	Ag (g/t)	AuEq <sup>2</sup> (g/t)	AgEq <sup>3</sup> (g/t)
LRGG-19-016	<b>Main</b>	<b>80.8</b>	<b>85.8</b>	<b>5</b>	<b>0.52</b>	<b>160.6</b>	<b>2.66</b>	<b>199.5</b>
	Open Stope <sup>4</sup>	85.8	88.3	2.5	*	*	*	*
	including	91.7	98.1	6.3	2.14	336.7	6.63	497.3
LRGG-19-017	<b>Main</b>	<b>83.2</b>	<b>115.2</b>	<b>32</b>	<b>0.8</b>	<b>178.8</b>	<b>3.18</b>	<b>238.5</b>
	including	83.2	94.5	11.3	1.46	347.8	6.1	457.5
LRGG-19-018	<b>Main</b>	<b>258.5</b>	<b>279.9</b>	<b>21.4</b>	<b>0.81</b>	<b>170.1</b>	<b>3.08</b>	<b>231.0</b>
	including	263.2	276	12.9	1.24	262.4	4.74	355.5
	including	268.5	276	7.5	1.78	342.4	6.35	476.3
LRGG-19-019	<b>Main</b>	<b>23</b>	<b>27.5</b>	<b>4.5</b>	<b>1.5</b>	<b>196.6</b>	<b>4.13</b>	<b>309.8</b>
	Open Stope <sup>4</sup>	27.5	29.7	2.2	*	*	*	*
	including	29.7	33.9	4.2	1.52	198.3	4.17	312.8
LRGG-19-020	<b>Main</b>	<b>43.8</b>	<b>58.7</b>	<b>14.9</b>	<b>1.78</b>	<b>106.4</b>	<b>3.2</b>	<b>240.0</b>
	including	45	52	7	3.48	155.6	5.55	416.3
LRGG-19-021	<b>Main</b>	<b>9</b>	<b>16.5</b>	<b>7.5</b>	<b>0.09</b>	<b>18.1</b>	<b>0.33</b>	<b>24.8</b>
	Open Stope <sup>4</sup>	16.5	22.5	6	*	*	*	*
	including	22.5	29	6.5	2.38	236.5	5.54	415.5
LRGG-19-022	<b>Main</b>	<b>170.4</b>	<b>193.7</b>	<b>23.3</b>	<b>1.78</b>	<b>201.5</b>	<b>4.47</b>	<b>335.3</b>
	including	171.5	181.5	10	3.58	389.6	8.78	658.5
LRGG-19-023	<b>Main</b>	<b>34</b>	<b>58</b>	<b>24</b>	<b>0.61</b>	<b>126</b>	<b>2.29</b>	<b>171.8</b>
	including	34	48.7	14.7	0.93	200.8	3.61	270.8
LRGG-19-024	<b>Main</b>	<b>25</b>	<b>30</b>	<b>5</b>	<b>0.36</b>	<b>30.8</b>	<b>0.77</b>	<b>57.8</b>
LRGG-19-025	<b>Main</b>	<b>34.9</b>	<b>59.5</b>	<b>24.6</b>	<b>1.3</b>	<b>135</b>	<b>3.1</b>	<b>232.5</b>
	including	34.9	50.4	15.5	2	203.3	4.71	353.3
LRGG-19-026	<b>Main</b>	<b>4</b>	<b>9.7</b>	<b>5.7</b>	<b>1.29</b>	<b>201.1</b>	<b>3.98</b>	<b>298.5</b>
	Open Stope <sup>4</sup>	9.7	11.3	1.6	*	*	*	*
	including	11.3	29.5	18.2	0.16	34.5	0.62	46.5
LRGG-19-027	<b>Main</b>	<b>38.3</b>	<b>51</b>	<b>12.7</b>	<b>1.08</b>	<b>169.8</b>	<b>3.34</b>	<b>250.5</b>
	including	38.3	45	6.7	1.83	268.1	5.4	405.0
	and	60	65	5.1	0.28	23.4	0.59	44.3
LRGG-19-028	<b>Main</b>	<b>34.5</b>	<b>62</b>	<b>27.5</b>	<b>1.21</b>	<b>133.5</b>	<b>2.99</b>	<b>224.3</b>
	including	35.1	46	11	2.93	293.9	6.85	513.8
LRGG-19-029	<b>Main</b>	<b>28.5</b>	<b>31.5</b>	<b>3</b>	<b>0.99</b>	<b>157.1</b>	<b>3.09</b>	<b>231.8</b>
	Open Stope <sup>4</sup>	31.5	34.1	2.6	*	*	*	*
	including	34.1	34.7	0.6	1.64	300.3	5.64	423.0
	Open Stope <sup>4</sup>	34.7	39	4.3	*	*	*	*
LRGG-19-030	<b>Main</b>	<b>39</b>	<b>41</b>	<b>2</b>	<b>0.12</b>	<b>19.4</b>	<b>0.38</b>	<b>28.5</b>
	<b>San Juan</b>	<b>128.7</b>	<b>145.5</b>	<b>16.9</b>	<b>0.54</b>	<b>67.8</b>	<b>1.45</b>	<b>108.8</b>
LRGG-19-031	including	138	143	5	1.46	147.9	3.43	257.3
	<b>Main</b>	<b>25.5</b>	<b>31.7</b>	<b>6.2</b>	<b>1.17</b>	<b>157.8</b>	<b>3.27</b>	<b>245.3</b>
LRGG-19-032	<b>Main</b> <sup>5</sup>	<b>38.5</b>	<b>56</b>	<b>15.5</b>	<b>0.53</b>	<b>84.2</b>	<b>1.66</b>	<b>124.5</b>

Hole ID	Area	From (m)	To (m)	Length <sup>1</sup> (m)	Au (g/t)	Ag (g/t)	AuEq <sup>2</sup> (g/t)	AgEq <sup>3</sup> (g/t)
	including	38.5	47.2	8.7	0.75	94.3	2.01	150.8
	including	42.3	45	2.7	2.04	216.6	4.93	369.8
LRGG-19-033	<b>Main<sup>6</sup></b>	<b>31</b>	<b>53.5</b>	<b>17.1</b>	<b>1.59</b>	<b>364.2</b>	<b>6.45</b>	<b>483.8</b>
	including	31	36.6	5.6	3.81	818.1	14.72	1104.0
	including	43	53.5	10.5	0.52	142.5	2.42	181.5
LRGG-19-034	<b>Main<sup>7</sup></b>	<b>103.5</b>	<b>126</b>	<b>20.1</b>	<b>0.92</b>	<b>177.2</b>	<b>3.28</b>	<b>246.0</b>
	Including	105	109.9	4.9	3.41	620.7	11.68	876.0
LRGG-19-035	<b>Main</b>	<b>119.9</b>	<b>144.3</b>	<b>24.4</b>	<b>1.29</b>	<b>127.4</b>	<b>2.99</b>	<b>224.3</b>
	including	124.7	134.5	9.8	3	258	6.44	483.0
LRGG-19-036	<b>Main</b>	<b>78</b>	<b>98</b>	<b>20</b>	<b>0.28</b>	<b>102.9</b>	<b>1.65</b>	<b>123.8</b>
LRGG-19-037	<b>Main</b>	<b>73</b>	<b>91.6</b>	<b>18.6</b>	<b>0.33</b>	<b>53.7</b>	<b>1.05</b>	<b>78.8</b>
	including	76	80.8	4.8	0.77	117.8	2.34	175.5
LRGG-19-038	<b>Main<sup>8</sup></b>	<b>99.0</b>	<b>124.5</b>	<b>21.2*</b>	<b>0.72</b>	<b>164.7</b>	<b>2.92</b>	<b>219.0</b>
	Including	100.5	110.7	10.2	1.33	302.2	5.36	402.0
LRGG-19-040	<b>Main<sup>9</sup></b>	<b>42.0</b>	<b>63.6</b>	<b>17.5*</b>	<b>0.40</b>	<b>115.0</b>	<b>1.93</b>	<b>144.8</b>
	including	42.0	46.5	4.5	0.89	281.5	4.64	348.0
LRGG-19-041	<b>Main<sup>10</sup></b>	<b>97.5</b>	<b>126.0</b>	<b>23.3</b>	<b>1.14</b>	<b>115.5</b>	<b>2.68</b>	<b>201.0</b>
	including	99.8	105.2	5.5	4.60	398.0	9.91	743.3
LRGG-19-042	<b>Main<sup>11</sup></b>	<b>28.0</b>	<b>58.5</b>	<b>29.2*</b>	<b>0.47</b>	<b>69.5</b>	<b>1.40</b>	<b>105.0</b>
	including	31.0	37.7	6.7	1.65	223.9	4.63	347.3
LRGG-19-044	<b>San Juan</b>	<b>31.8</b>	<b>50.5</b>	<b>18.8</b>	<b>0.29</b>	<b>33.4</b>	<b>0.73</b>	<b>54.8</b>
	including	35.5	39.0	4.5	0.50	27.4	0.86	64.5
LRGG-19-045	<b>San Juan</b>	<b>61.0</b>	<b>81.0</b>	<b>20.0</b>	<b>0.59</b>	<b>33.7</b>	<b>1.04</b>	<b>78.0</b>
	including	67.5	71.0	3.5	2.92	90.9	4.13	309.8
LRGG-19-046	<b>San Juan</b>	<b>99.5</b>	<b>135.5</b>	<b>36.0</b>	<b>0.36</b>	<b>62.2</b>	<b>1.19</b>	<b>89.3</b>
	including	129.0	134.5	5.5	1.30	220.5	4.24	318.0
LRGG 19-047	<b>San Juan</b>	<b>83.5</b>	<b>97.5</b>	<b>14</b>	<b>0.16</b>	<b>23.5</b>	<b>0.47</b>	<b>35.3</b>
LRGG 19-047	<b>San Juan</b>	<b>89.1</b>	<b>110.1</b>	<b>21</b>	<b>1.38</b>	<b>145.9</b>	<b>3.33</b>	<b>249.8</b>
	including	89.1	99	9.9	2.76	258.6	6.21	465.8
	including	91	96	5	4.36	436.2	10.17	762.8
LRGG 19-048	<b>Main</b>	<b>7.9</b>	<b>20.1</b>	<b>12.2</b>	<b>0.1</b>	<b>47.3</b>	<b>0.73</b>	<b>54.8</b>
	<b>Main</b>	<b>39.0</b>	<b>51.0</b>	<b>12.0</b>	<b>0.76</b>	<b>108.4</b>	<b>2.21</b>	<b>165.8</b>
	including	40.2	47.5	7.3	1.02	155.6	3.10	232.5
LRGG-19-050	<b>San Juan</b>	<b>15.0</b>	<b>60.3</b>	<b>45.3</b>	<b>0.39</b>	<b>76.3</b>	<b>1.41</b>	<b>105.8</b>
	including	37.5	54.2	16.7	0.84	147.4	2.81	210.8
	including	48.0	54.2	6.2	1.01	241.7	4.23	317.3
LRGG-19-051	<b>San Juan</b>	<b>0.0</b>	<b>24.0</b>	<b>24.0</b>	<b>0.40</b>	<b>86.4</b>	<b>1.55</b>	<b>116.3</b>
	<b>San Juan</b>	<b>45.7</b>	<b>70.0</b>	<b>24.3</b>	<b>0.58</b>	<b>51.0</b>	<b>1.26</b>	<b>94.5</b>
	including	47.8	54.0	6.2	1.67	86.2	2.82	211.5
LRGG-19-052	<b>San Juan<sup>12</sup></b>	<b>83.5</b>	<b>108.0</b>	<b>22.5</b>	<b>0.32</b>	<b>64.4</b>	<b>1.18</b>	<b>88.5</b>
	Including <sup>12</sup>	84.5	94.0	7.5	0.87	125.8	2.55	191.3
	Including	91.0	94.0	3.0	0.68	226.6	3.70	277.5

Hole ID	Area	From (m)	To (m)	Length <sup>1</sup> (m)	Au (g/t)	Ag (g/t)	AuEq <sup>2</sup> (g/t)	AgEq <sup>3</sup> (g/t)
LRGG-19-053	<b>El Troce</b> Including	<b>130.9</b> 135.0	<b>141.0</b> 137.8	<b>10.1</b> 2.8	<b>1.53</b> 5.22	<b>164.3</b> 489.5	<b>3.72</b> 11.75	<b>279.0</b> 881.3
LRGG-19-054	<b>San Juan<sup>13</sup></b> Including	<b>25.0</b> 37.5	<b>43.0</b> 41.6	<b>16.5</b> 4.1	<b>0.74</b> 2.78	<b>93.5</b> 233.1	<b>1.98</b> 5.89	<b>148.5</b> 441.8
LRGG-19-055	<b>Main<sup>14</sup></b>	<b>290.1</b>	<b>307.5</b>	<b>14.4</b>	<b>0.58</b>	<b>75.1</b>	<b>1.59</b>	<b>119.3</b>
LRGG-19-056	<b>Main<sup>15</sup></b> including	<b>296.0</b> 312.0	<b>325.0</b> 316.0	<b>26.0</b> 4.0	<b>0.50</b> 1.89	<b>185.5</b> 920.0	<b>2.97</b> 14.16	<b>222.8</b> 1,062.1
LRGG-19-057	<b>Main</b> including	<b>230.4</b> 237.8	<b>244.5</b> 243.0	<b>14.1</b> 5.3	<b>0.91</b> 2.14	<b>130.6</b> 252.5	<b>2.65</b> 5.50	<b>199.1</b> 412.8
LRGG-19-058	<b>El Troce</b>	<b>32.3</b>	<b>45.0</b>	<b>12.8</b>	<b>0.16</b>	<b>35.7</b>	<b>0.64</b>	<b>47.8</b>
LRGG-19-059	<b>El Troce<sup>16</sup></b> Including <sup>17</sup>	<b>10.5</b> 14.3	<b>24.6</b> 19.0	<b>11.0</b> 3.5	<b>0.94</b> 1.95	<b>133.7</b> 277.2	<b>2.72</b> 5.65	<b>204.2</b> 423.4
LRGG-19-060	<b>El Troce</b> Including	<b>0.0</b> 9.0	<b>16.0</b> 12.0	<b>16.0</b> 3.0	<b>0.32</b> 0.83	<b>65.5</b> 161.8	<b>1.19</b> 2.98	<b>89.5</b> 223.8
LRGG-19-061	<b>Main<sup>18</sup></b> including	<b>324.4</b> 337.7	<b>349.2</b> 340.8	<b>18.0</b> 3.1	<b>0.08</b> 0.04	<b>54.2</b> 108.5	<b>0.80</b> 1.49	<b>60.3</b> 111.9
LRGG-19-062	<b>San Juan</b> including	<b>88.5</b> 90.0	<b>106.5</b> 93.0	<b>18.0</b> 3.0	<b>0.20</b> 0.63	<b>45.1</b> 118.0	<b>0.80</b> 2.20	<b>59.7</b> 165.3
LRGG-19-063	<b>Main</b> including	<b>98.0</b> 103.5	<b>122.5</b> 108.9	<b>24.5</b> 5.3	<b>0.53</b> 1.90	<b>85.3</b> 228.8	<b>1.67</b> 4.96	<b>125.1</b> 371.6
LRGG-19-064	<b>Main</b>	<b>112.0</b>	<b>127.5</b>	<b>15.5</b>	<b>0.25</b>	<b>52.4</b>	<b>0.95</b>	<b>71.2</b>
LRGG-19-065	<b>Main<sup>19</sup></b> including	276.0 281.0	291.0 286.4	13.1 5.4	0.23 0.50	83.9 154.7	1.35 2.57	101.1 192.4
LRGG-19-066	<b>San Juan</b>	<b>140.5</b>	<b>155.5</b>	<b>15.0</b>	<b>0.32</b>	<b>44.8</b>	<b>0.91</b>	<b>68.5</b>
LRGG-19-067	<b>San Juan</b>	<b>88.5</b>	<b>101.5</b>	<b>13.0</b>	<b>0.15</b>	<b>30.7</b>	<b>0.56</b>	<b>41.9</b>
LRGG-19-068	<b>Main South</b> including	<b>161.9</b> 162.8	<b>169.7</b> 166.0	<b>7.8</b> 3.2	<b>0.92</b> 2.14	<b>161.1</b> 361.4	<b>3.07</b> 6.96	<b>230.1</b> 521.7
LRGG-19-069	<b>San Juan<sup>20</sup></b> including	<b>107.0</b> 120.8	<b>128.5</b> 123.8	<b>16.3</b> 3.0	<b>1.11</b> 3.56	<b>103.0</b> 351.2	<b>2.48</b> 8.24	<b>186.1</b> 618.0
LRGG-19-070	<b>Main South</b>	<b>119.1</b>	<b>128.7</b>	<b>9.6</b>	<b>0.02</b>	<b>14.3</b>	<b>0.21</b>	<b>15.6</b>
LRGG-19-071	<b>San Juan</b>	<b>101.6</b>	<b>120.8</b>	<b>19.2</b>	<b>0.28</b>	<b>53.8</b>	<b>1.00</b>	<b>75.0</b>
LRGG-19-072	<b>Main South</b>	<b>101.6</b>	<b>120.8</b>	<b>19.2</b>	<b>0.28</b>	<b>53.8</b>	<b>1.00</b>	<b>75.0</b>
LRGG-19-073	<b>San Juan<sup>21</sup></b> Including Including	<b>59.8</b> 64.5 86.0	<b>96.5</b> 74.0 89.0	<b>33.5</b> 9.5 3.0	<b>1.12</b> 3.01 1.81	<b>116.7</b> 183.9 291.4	<b>2.67</b> 5.47 5.70	<b>200.4</b> 409.9 427.4
LRGG-19-074	<b>Main<sup>22</sup></b>	<b>346.2</b>	<b>383.9</b>	<b>34.3</b>	<b>0.23</b>	<b>62.6</b>	<b>1.06</b>	<b>79.8</b>
LRGG-19-075	<b>Main South</b>	<b>153.8</b>	<b>160.0</b>	<b>6.2</b>	<b>0.23</b>	<b>15.3</b>	<b>0.43</b>	<b>32.4</b>
LRGG-19-076	<b>San Juan</b> including including	<b>106.5</b> 122.4 136.0	<b>145.0</b> 128.2 142.0	<b>38.5</b> 5.8 6.0	<b>0.73</b> 1.70 1.58	<b>123.4</b> 260.3 220.0	<b>2.38</b> 5.17 4.51	<b>178.2</b> 387.5 338.5
LRGG-19-077	<b>San Juan</b>	<b>112.5</b>	<b>138.5</b>	<b>26.0</b>	<b>1.03</b>	<b>94.5</b>	<b>2.29</b>	<b>171.7</b>

Hole ID	Area	From (m)	To (m)	Length <sup>1</sup> (m)	Au (g/t)	Ag (g/t)	AuEq <sup>2</sup> (g/t)	AgEq <sup>3</sup> (g/t)
	including	115.5	119.8	4.3	4.28	241.1	7.49	561.9
LRGG-19-078	<b>Main South</b>	<b>178.2</b>	<b>200.1</b>	<b>22.0</b>	<b>0.22</b>	<b>59.9</b>	<b>1.01</b>	<b>76.6</b>
LRGG-19-079	<b>Main</b>	<b>128.2</b>	<b>144.7</b>	<b>16.5</b>	<b>4.29</b>	<b>335.8</b>	<b>8.77</b>	<b>657.8</b>
	including	129.2	134.0	4.8	3.90	782.0	14.32	1,074.4
	including	137.5	143.7	6.2	8.16	212.5	11.00	824.2
	and	150.8	161.5	10.7	0.08	22.7	0.38	28.7
LRGG-19-080	<b>Main</b>	<b>274.3</b>	<b>279.5</b>	<b>5.2</b>	<b>1.10</b>	<b>68.6</b>	<b>2.01</b>	<b>151.0</b>
	and <sup>23</sup>	325.5	342.0	13.5	0.87	214.8	3.73	279.8
LRGG-19-081	<b>Main</b>	<b>189.7</b>	<b>207.1</b>	<b>17.4</b>	<b>0.77</b>	<b>152.4</b>	<b>2.80</b>	<b>209.8</b>
	including	201.0	207.1	6.1	2.07	373.0	7.05	528.6
LRGG-19-082	<b>Main South<sup>24</sup></b>	<b>169.7</b>	<b>196.5</b>	<b>23.5</b>	<b>0.17</b>	<b>43.5</b>	<b>0.75</b>	<b>56.5</b>
	including	180.0	183.0	3.0	0.79	137.8	2.63	197.0
LRGG-19-083	<b>Main</b>	Abandoned in Hanging Wall above Los Ricos Vein						
LRGG-19-084	<b>Main</b>	<b>218.0</b>	<b>225.5</b>	<b>7.5</b>	<b>0.29</b>	<b>29.3</b>	<b>0.68</b>	<b>51.1</b>
LRGG-19-085	<b>Stope</b>	342.0	354.0	12.0	Historical working – backfilled stope			
	<b>Main</b>	<b>354.0</b>	<b>370.8</b>	<b>16.8</b>	<b>0.36</b>	<b>86.1</b>	<b>1.51</b>	<b>113.1</b>
LRGG-19-086	<b>El Troce</b>	<b>194.6</b>	<b>209.9</b>	<b>15.3</b>	<b>0.06</b>	<b>12.1</b>	<b>0.22</b>	<b>16.6</b>
	Including	195.2	196.5	1.3	0.27	44.4	0.86	64.8
LRGG-19-087	<b>Main</b>	<b>219.4</b>	<b>236.4</b>	<b>17.1</b>	<b>0.21</b>	<b>60.0</b>	<b>1.01</b>	<b>76.0</b>
	including	220.5	225.0	4.5	0.60	103.8	1.99	148.9
LRGG-19-088	<b>Main</b>	<b>218.1</b>	<b>237.0</b>	<b>18.9</b>	<b>2.01</b>	<b>496.4</b>	<b>8.63</b>	<b>647.0</b>
	including	227.3	232.3	5.0	7.30	1833.4	31.74	2,380.8
LRGG-19-089	<b>Main</b>	<b>168.4</b>	<b>191.0</b>	<b>22.7</b>	<b>0.63</b>	<b>64.9</b>	<b>1.49</b>	<b>112.0</b>
	including	171.2	177.9	6.7	1.76	113.8	3.28	245.7
LRGG-19-090	<b>Main</b>	<b>194.4</b>	<b>207.3</b>	<b>12.9</b>	<b>0.57</b>	<b>96.5</b>	<b>1.86</b>	<b>139.4</b>
	including	195.4	202.0	6.5	1.08	174.9	3.41	256.0
LRGG-19-091	<b>Main</b>	<b>185.9</b>	<b>199.8</b>	<b>13.9</b>	<b>0.62</b>	<b>80.1</b>	<b>1.69</b>	<b>126.8</b>
	including	185.9	191.7	5.8	1.34	141.2	3.23	242.1
LRGG-19-092	<b>Main</b>	<b>147.0</b>	<b>166.0</b>	<b>19.0</b>	<b>1.27</b>	<b>113.4</b>	<b>2.78</b>	<b>208.4</b>
	including	147.0	159.2	12.2	1.94	172.6	4.25	318.4
	including	149.0	155.5	6.5	3.39	299.2	7.38	553.7
LRGG-20-093	<b>Main</b>	<b>36.7</b>	<b>45.5</b>	<b>8.8</b>	<b>0.41</b>	<b>75.7</b>	<b>1.42</b>	<b>106.6</b>
LRGG-20-094	<b>Main</b>	<b>61.5</b>	<b>65.4</b>	<b>3.8</b>	<b>0.66</b>	<b>173.9</b>	<b>2.97</b>	<b>223.1</b>
LRGG-20-095	<b>Main</b>	<b>30.9</b>	<b>48.0</b>	<b>17.1</b>	<b>0.61</b>	<b>121.4</b>	<b>2.23</b>	<b>167.1</b>
	including	34.1	41.3	7.2	1.20	207.5	3.97	297.6
LRGG-20-096	<b>Main</b>	<b>30.9</b>	<b>47.5</b>	<b>16.6</b>	<b>1.40</b>	<b>62.8</b>	<b>2.24</b>	<b>167.9</b>
LRGG-20-097	<b>Main</b>	<b>72.4</b>	<b>78.9</b>	<b>6.4</b>	<b>0.23</b>	<b>81.2</b>	<b>1.31</b>	<b>98.6</b>
LRGG-20-098	<b>Main<sup>25</sup></b>	<b>62.0</b>	<b>66.0</b>	<b>4.0</b>	<b>1.78</b>	<b>318.6</b>	<b>6.03</b>	<b>452.2</b>
	and	79.0	93.5	14.5	0.12	31.1	0.53	39.9
LRGG-20-099	<b>Main</b>	<b>53.4</b>	<b>72.7</b>	<b>19.4</b>	<b>0.49</b>	<b>68.1</b>	<b>1.39</b>	<b>104.5</b>
	including	54.5	60.8	6.3	1.08	108.8	2.53	190.1

Hole ID	Area	From (m)	To (m)	Length <sup>1</sup> (m)	Au (g/t)	Ag (g/t)	AuEq <sup>2</sup> (g/t)	AgEq <sup>3</sup> (g/t)
LRGG-20-100	<b>Main</b> <sup>26</sup> including	<b>9.9</b> 11.1	<b>29.1</b> 18.0	<b>17.3</b> 6.9	<b>1.51</b> 2.92	<b>204.3</b> 272.7	<b>4.23</b> 6.56	<b>317.2</b> 492.1
LRGG-20-101	<b>San Juan</b> including	<b>120.8</b> 146.5	<b>154.5</b> 151.5	<b>33.8</b> 5.0	<b>0.54</b> 2.00	<b>115.9</b> 466.9	<b>2.08</b> 8.22	<b>156.0</b> 616.6
LRGG-20-102	<b>Main</b>	<b>0.0</b>	<b>10.7</b>	<b>10.7</b>	<b>1.05</b>	<b>156.2</b>	<b>3.13</b>	<b>234.8</b>
LRGG-20-103	<b>Main</b>	<b>0.0</b>	<b>17.0</b>	<b>17.0</b>	<b>0.28</b>	<b>93.1</b>	<b>1.53</b>	<b>114.4</b>
LRGG-20-104	<b>Main</b>	<b>0.0</b>	<b>20.0</b>	<b>20.0</b>	<b>0.44</b>	<b>88.3</b>	<b>1.61</b>	<b>120.9</b>
LRGG-20-105	<b>Main</b> including	<b>2.2</b> 15.4	<b>24.6</b> 21.8	<b>22.4</b> 6.4	<b>0.39</b> 0.81	<b>75.8</b> 134.8	<b>1.40</b> 2.60	<b>105.3</b> 195.3
LRGG-20-106	<b>San Juan</b> including	<b>101.1</b> 101.1	<b>122.0</b> 110.6	<b>21.0</b> 9.5	<b>1.35</b> 2.83	<b>117.9</b> 217.0	<b>2.92</b> 5.73	<b>219.4</b> 429.5
LRGG-20-107	<b>Main</b>	<b>6.0</b>	<b>34.0</b>	<b>28.0</b>	<b>0.20</b>	<b>40.6</b>	<b>0.75</b>	<b>55.9</b>
LRGG-20-108	<b>Main</b> stope	<b>20.9</b> 33.8	<b>33.8</b> 38.0	<b>12.9</b> 4.2	<b>0.79</b>	<b>96.9</b>	<b>2.08</b>	<b>155.8</b>
LRGG-20-109	<b>Main</b> including and	<b>5.2</b> 9.0 27.0	<b>21.0</b> 12.0 29.6	<b>15.8</b> 3.0 2.6	<b>0.69</b> 2.61 0.39	<b>79.5</b> 225.0 92.5	<b>1.75</b> 5.61 1.63	<b>131.4</b> 420.6 122.0
LRGG-20-110	<b>Main</b> including	<b>0.0</b> 0.0	<b>22.0</b> 6.0	<b>22.0</b> 6.0	<b>0.38</b> 0.62	<b>102.0</b> 191.6	<b>1.74</b> 3.17	<b>130.3</b> 238.0
LRGG-20-111	<b>Main</b>	<b>226.0</b>	<b>232.9</b>	<b>6.9</b>	<b>0.31</b>	<b>49.5</b>	<b>0.97</b>	<b>72.6</b>
LRGG-20-112	<b>San Juan</b> and	<b>130.9</b> 144.1	<b>136.3</b> 153.8	<b>5.3</b> 9.8	<b>0.19</b> 0.33	<b>39.9</b> 52.7	<b>0.73</b> 1.03	<b>54.5</b> 77.4
LRGG-20-113	<b>Main</b>	<b>4.0</b>	<b>21.3</b>	<b>17.3</b>	<b>0.47</b>	<b>54.7</b>	<b>1.20</b>	<b>90.1</b>
LRGG-20-114	Main	Abandoned in Hanging Wall above Los Ricos Vein						
LRGG-20-115	<b>Main</b> including	<b>4.5</b> 4.5	<b>24.0</b> 14.1	<b>19.5</b> 9.6	<b>0.61</b> 1.17	<b>152.8</b> 281.3	<b>2.65</b> 4.93	<b>198.7</b> 369.5
LRGG-20-116	<b>San Juan</b>	<b>26.0</b>	<b>36.6</b>	<b>10.6</b>	<b>0.37</b>	<b>52.6</b>	<b>1.07</b>	<b>80.2</b>
LRGG-20-117	<b>Main</b>	<b>3.0</b>	<b>21.8</b>	<b>18.8</b>	<b>1.68</b>	<b>128.5</b>	<b>3.39</b>	<b>254.5</b>
LRGG-20-118	<b>San Juan</b> including	<b>97.0</b> 107.6	<b>116.8</b> 110.3	<b>19.8</b> 2.7	<b>0.38</b> 1.66	<b>58.2</b> 142.1	<b>1.16</b> 3.56	<b>86.9</b> 266.7
LRGG-20-119	<b>Main</b> including	<b>0.0</b> 8.4	<b>26.4</b> 21.0	<b>26.4</b> 12.6	<b>0.91</b> 1.60	<b>135.0</b> 196.0	<b>2.71</b> 4.21	<b>203.2</b> 315.7
LRGG-20-120	<b>Main</b>	<b>10.5</b>	<b>15.0</b>	<b>4.5</b>	<b>0.11</b>	<b>37.6</b>	<b>0.61</b>	<b>46.0</b>
LRGG-20-121	<b>San Juan</b> including	<b>152.6</b> 158.1	<b>186.0</b> 163.0	<b>33.5</b> 4.9	<b>0.32</b> 1.58	<b>52.5</b> 211.2	<b>1.02</b> 4.40	<b>76.2</b> 329.9
LRGG-20-122	<b>Main</b> including	<b>37.4</b> 41.2	<b>51.0</b> 47.9	<b>13.6</b> 6.7	<b>0.25</b> 0.41	<b>74.0</b> 114.7	<b>1.24</b> 1.94	<b>92.8</b> 145.5
LRGG-20-123	<b>San Juan</b> <sup>27</sup> including	<b>39.0</b> 41.5	<b>65.4</b> 45.0	<b>22.1</b> 3.5	<b>0.31</b> 0.67	<b>41.8</b> 71.4	<b>0.87</b> 1.62	<b>65.0</b> 121.7
LRGG-20-124	<b>Main</b>	<b>260.4</b>	<b>266.0</b>	<b>5.6</b>	<b>1.41</b>	<b>181.4</b>	<b>3.83</b>	<b>287.1</b>
LRGG-20-125	<b>Main</b>	<b>12.0</b>	<b>39.6</b>	<b>27.6</b>	<b>0.31</b>	<b>63.0</b>	<b>1.15</b>	<b>86.0</b>

Hole ID	Area	From (m)	To (m)	Length <sup>1</sup> (m)	Au (g/t)	Ag (g/t)	AuEq <sup>2</sup> (g/t)	AgEq <sup>3</sup> (g/t)
	including	27.0	32.2	5.2	0.84	125.4	2.51	188.2
LRGG-20-126	<b>San Juan</b>	<b>73.0</b>	<b>98.7</b>	<b>25.7</b>	<b>0.48</b>	<b>56.5</b>	<b>1.23</b>	<b>92.2</b>
	including	74.6	80.8	6.2	0.98	97.0	2.27	170.5
LRGG-20-127	<b>San Juan</b>	<b>228.5</b>	<b>239.0</b>	<b>10.6</b>	<b>1.42</b>	<b>264.0</b>	<b>4.94</b>	<b>370.6</b>
	including	229.5	233.6	4.2	3.54	614.9	11.74	880.2
LRGG-20-128	<b>Main</b>	<b>68.0</b>	<b>99.8</b>	<b>31.8</b>	<b>0.11</b>	<b>36.0</b>	<b>0.59</b>	<b>44.6</b>
LRGG-20-129	<b>Main<sup>28</sup></b>	<b>15.0</b>	<b>51.0</b>	<b>33.0</b>	<b>1.20</b>	<b>193.4</b>	<b>3.78</b>	<b>283.3</b>
	including	33.0	44.6	11.6	2.76	402.7	8.13	609.6
LRGG-20-130	<b>Main</b>	Abandoned in hanging wall above Los Ricos Vein due to fault						
LRGG-20-131	<b>Main</b>	Abandoned due to excessive hole deviation						
LRGG-20-132	<b>Main</b>	<b>321.9</b>	<b>371.2</b>	<b>49.4</b>	<b>0.41</b>	<b>80.3</b>	<b>1.48</b>	<b>111.0</b>
	including	340.4	343.4	3.0	5.42	864.8	16.95	1,270.9
LRGG-20-133	<b>Main<sup>29</sup></b>	<b>230.6</b>	<b>270.0</b>	<b>36.4</b>	<b>0.36</b>	<b>81.6</b>	<b>1.45</b>	<b>108.7</b>
	including	240.0	247.5	7.5	1.15	202.5	3.85	288.4
LRGG-20-134	<b>San Juan</b>	<b>0.0</b>	<b>14.5</b>	<b>14.5</b>	<b>0.30</b>	<b>51.2</b>	<b>0.99</b>	<b>73.9</b>
LRGG-20-135	<b>Main<sup>30</sup></b>	<b>0.0</b>	<b>25.6</b>	<b>22.6</b>	<b>1.06</b>	<b>132.6</b>	<b>2.82</b>	<b>211.8</b>
	including	12.0	23.3	11.3	1.29	200.1	3.96	296.6
LRGG-20-136	<b>Main</b>	<b>162.6</b>	<b>173.8</b>	<b>11.2</b>	<b>3.56</b>	<b>358.4</b>	<b>8.34</b>	<b>625.2</b>
LRGG-20-137	<b>Main</b>	<b>34.25</b>	<b>48.15</b>	<b>13.9</b>	<b>0.91</b>	<b>185.2</b>	<b>3.38</b>	<b>253.6</b>
LRGG-20-138	<b>Main<sup>31</sup></b>	<b>211.9</b>	<b>223.9</b>	<b>9.0</b>	<b>0.13</b>	<b>67.8</b>	<b>1.03</b>	<b>77.5</b>
LRGG-20-139	<b>Main<sup>32</sup></b>	<b>13.5</b>	<b>36.1</b>	<b>21.6</b>	<b>0.20</b>	<b>82.0</b>	<b>1.29</b>	<b>96.9</b>
LRGG-20-140	<b>Main</b>	<b>176.9</b>	<b>198.4</b>	<b>21.5</b>	<b>0.12</b>	<b>25.0</b>	<b>0.45</b>	<b>34.0</b>
LRGG-20-141	<b>Main</b>	<b>222.5</b>	<b>231.0</b>	<b>8.5</b>	<b>0.34</b>	<b>58.9</b>	<b>1.12</b>	<b>84.1</b>
LRGG-20-142	<b>Main<sup>33</sup></b>	<b>136.3</b>	<b>161.4</b>	<b>20.1</b>	<b>0.33</b>	<b>99.8</b>	<b>1.67</b>	<b>124.9</b>
	including	136.3	142.3	6.0	0.97	257.2	4.40	330.1
LRGG-20-143	<b>San Juan</b>	<b>12.5</b>	<b>35.7</b>	<b>23.2</b>	<b>0.68</b>	<b>112.6</b>	<b>2.18</b>	<b>163.4</b>
	including	19.7	31.3	11.7	1.00	149.9	2.99	224.5
LRGG-20-144	<b>Main</b>	<b>47.7</b>	<b>74.3</b>	<b>26.6</b>	<b>0.29</b>	<b>47.5</b>	<b>0.92</b>	<b>69.3</b>
	including	48.8	53.5	4.7	1.24	128.7	2.95	221.4
LRGG-20-145	<b>San Juan</b>	<b>3.8</b>	<b>26.1</b>	<b>22.3</b>	<b>1.01</b>	<b>52.4</b>	<b>1.71</b>	<b>128.2</b>
	including	3.8	13.8	10.0	1.79	63.9	2.64	198.0
LRGG-20-146	<b>Main</b>	<b>249.4</b>	<b>253.5</b>	<b>4.2</b>	<b>2.87</b>	<b>343.8</b>	<b>7.45</b>	<b>558.7</b>
LRGG-20-147	<b>Main</b>	<b>9.0</b>	<b>24.4</b>	<b>15.4</b>	<b>0.79</b>	<b>91.1</b>	<b>2.00</b>	<b>150.0</b>
	including	9.0	14.3	5.3	1.54	135.2	3.35	250.9
LRGG-20-148	<b>Main Deep</b>	<b>507.8</b>	<b>527.0</b>	<b>19.2</b>	<b>0.16</b>	<b>9.1</b>	<b>0.28</b>	<b>21.1</b>
	and	534.0	538.4	4.4	0.26	20.8	0.54	40.5
	and	545.0	549.5	4.5	0.16	31.7	0.59	44.0
	and	562.0	567.0	5.0	0.04	33.8	0.49	36.4
LRGG-20-149	<b>San Juan</b>	<b>194.2</b>	<b>219.7</b>	<b>25.5</b>	<b>0.07</b>	<b>14.4</b>	<b>0.26</b>	<b>19.2</b>
LRGG-20-150	Las Lamas	Abandoned in HW above Los Ricos Vein due to fault						
LRGG-20-151	San Juan	Abandoned in HW above Los Ricos Vein due to fault						

Hole ID	Area	From (m)	To (m)	Length <sup>1</sup> (m)	Au (g/t)	Ag (g/t)	AuEq <sup>2</sup> (g/t)	AgEq <sup>3</sup> (g/t)
LRGG-20-152	<b>San Juan</b>	<b>15.0</b>	<b>29.6</b>	<b>14.6</b>	<b>1.64</b>	<b>136.5</b>	<b>3.46</b>	<b>259.6</b>
	including	18.0	27.0	9.0	2.53	194.4	5.13	384.5
LRGG-20-153	<b>Las Lamas</b>	<b>27.0</b>	<b>42.7</b>	<b>15.7</b>	<b>0.52</b>	<b>22.5</b>	<b>0.82</b>	<b>61.7</b>
	including	40.6	42.7	2.2	3.48	82.3	4.58	343.6
LRGG-20-154	<b>San Juan<sup>34</sup></b>	<b>0.0</b>	<b>21.0</b>	<b>18.0</b>	<b>0.65</b>	<b>85.4</b>	<b>1.53</b>	<b>134.0</b>
	Including	6.4	12.0	5.6	1.52	151.4	3.54	265.5
LRGG-20-155	<b>Main<sup>35</sup></b>	<b>223.7</b>	<b>276.0</b>	<b>19.0</b>	<b>0.89</b>	<b>207.8</b>	<b>3.66</b>	<b>274.8</b>
	Including <sup>35</sup>	243.5	258.5	5.4	2.28	559.2	9.74	730.5
	Including <sup>35</sup>	247.5	256.5	3.2	3.13	858.5	14.58	1,093.6
LRGG-20-156	Main	No Significant Mineralization						
LRGG-20-157	<b>San Juan</b>	<b>154.0</b>	<b>170.0</b>	<b>16.1</b>	<b>0.18</b>	<b>40.9</b>	<b>0.72</b>	<b>54.3</b>
	including	160.0	168.0	8.0	0.29	55.4	1.03	77.1
LRGG-20-158	<b>Las Lamas</b>	<b>6.3</b>	<b>11.3</b>	<b>5.1</b>	<b>0.68</b>	<b>58.0</b>	<b>1.46</b>	<b>109.2</b>
LRGG-20-159	<b>San Juan</b>	<b>71.8</b>	<b>84.5</b>	<b>12.7</b>	<b>0.20</b>	<b>36.0</b>	<b>0.68</b>	<b>51.0</b>
LRGG-20-160	<b>Las Lamas</b>	<b>74.4</b>	<b>77.0</b>	<b>2.7</b>	<b>1.25</b>	<b>13.4</b>	<b>1.43</b>	<b>107.1</b>
LRGG-20-161	<b>San Juan</b>	<b>100.0</b>	<b>111.5</b>	<b>11.5</b>	<b>0.86</b>	<b>60.6</b>	<b>1.66</b>	<b>124.8</b>
	Including	108.0	111.5	3.5	2.58	130.3	4.32	323.7
LRGG-20-162	<b>Main</b>	<b>153.0</b>	<b>181.5</b>	<b>28.5</b>	<b>0.09</b>	<b>20.9</b>	<b>0.37</b>	<b>27.4</b>
LRGG-20-163	<b>San Juan</b>	<b>175.3</b>	<b>177.3</b>	<b>2.0</b>	<b>0.79</b>	<b>7.4</b>	<b>0.89</b>	<b>66.6</b>
LRGG-20-164	<b>Las Lamas</b>	<b>37.0</b>	<b>46.1</b>	<b>9.1</b>	<b>0.34</b>	<b>13.9</b>	<b>0.52</b>	<b>39.3</b>
LRGG-20-165	Las Lamas	No Significant Mineralization						
LRGG-20-166	<b>San Juan</b>	<b>288.0</b>	<b>315.0</b>	<b>27.0</b>	<b>0.09</b>	<b>27.57</b>	<b>0.46</b>	<b>34.1</b>
		292.0	296.0	4.0	0.45	89.45	1.65	123.5
LRGG-20-167		Assays Pending						
LRGG-20-168	<b>Main</b>	<b>147.5</b>	<b>172.9</b>	<b>25.4</b>	<b>0.13</b>	<b>33.6</b>	<b>0.58</b>	<b>43.5</b>
	including	166.5	172.9	6.3	0.22	72.2	1.18	88.6
LRGG-20-169	<b>San Juan</b>	<b>245.9</b>	<b>250.0</b>	<b>4.1</b>	<b>3.18</b>	<b>187.7</b>	<b>5.68</b>	<b>426.2</b>
LRGG-20-170	<b>Main</b>	<b>174.0</b>	<b>199.5</b>	<b>25.5</b>	<b>0.09</b>	<b>27.8</b>	<b>0.46</b>	<b>34.4</b>
LRGG-20-171	<b>San Juan</b>	<b>154.4</b>	<b>168.0</b>	<b>13.7</b>	<b>0.40</b>	<b>40.8</b>	<b>0.94</b>	<b>70.4</b>
LRGG-20-172	<b>San Juan</b>	<b>280.0</b>	<b>291.3</b>	<b>11.3</b>	<b>0.22</b>	<b>33.7</b>	<b>0.66</b>	<b>49.9</b>
LRGG-20-173	<b>Main</b>	<b>213.4</b>	<b>235.5</b>	<b>22.2</b>	<b>0.15</b>	<b>63.8</b>	<b>1.00</b>	<b>75.4</b>
	including	230.6	235.5	4.9	0.44	177.7	2.81	210.9
LRGG-20-174	<b>Main</b>	<b>214.5</b>	<b>229.5</b>	<b>15.0</b>	<b>2.56</b>	<b>172.7</b>	<b>4.86</b>	<b>364.8</b>
	including	225.1	229.5	4.4	8.33	496.0	14.94	1,120.4
LRGG-20-175	<b>Rascadero</b>	<b>96.9</b>	<b>104.9</b>	<b>8.1</b>	<b>0.15</b>	<b>36.5</b>	<b>0.63</b>	<b>47.5</b>
LRGG-20-176	<b>San Juan</b>	<b>160.0</b>	<b>168.8</b>	<b>8.8</b>	<b>0.23</b>	<b>43.6</b>	<b>0.81</b>	<b>61.1</b>
LRGG-20-177	<b>Rascadero</b>	<b>104.0</b>	<b>143.0</b>	<b>39.0</b>	<b>0.45</b>	<b>116.9</b>	<b>2.01</b>	<b>151.0</b>
	including	118.0	129.0	11.0	1.40	319.1	5.66	424.4
LRGG-20-178	<b>East Vein</b>	<b>118.0</b>	<b>122.4</b>	<b>4.4</b>	<b>1.09</b>	<b>97.0</b>	<b>2.38</b>	<b>178.4</b>
	including	119.0	121.0	2.0	1.88	171.3	4.17	312.4
LRGG-20-179	<b>East Vein</b>	<b>178.7</b>	<b>181.9</b>	<b>3.2</b>	<b>0.15</b>	<b>25.0</b>	<b>0.48</b>	<b>36.1</b>



Hole ID	Area	From (m)	To (m)	Length <sup>1</sup> (m)	Au (g/t)	Ag (g/t)	AuEq <sup>2</sup> (g/t)	AgEq <sup>3</sup> (g/t)
LRGG-20-180	<b>Rascadero</b>	<b>116.5</b>	<b>157.5</b>	<b>41.0</b>	<b>1.36</b>	<b>167.8</b>	<b>3.60</b>	<b>269.8</b>
	including	134.5	141.4	6.9	7.19	822.6	18.16	1,361.8
	including	134.5	138.5	4.0	11.85	1294.9	29.12	2,184.0
LRGG-20-181	<b>East Vein</b>	<b>50.0</b>	<b>51.0</b>	<b>1.0</b>	<b>0.13</b>	<b>7.9</b>	<b>0.24</b>	<b>17.7</b>
LRGG-20-182	<b>East Vein</b>	<b>72.6</b>	<b>75.6</b>	<b>3.0</b>	<b>0.33</b>	<b>40.3</b>	<b>0.87</b>	<b>65.1</b>
LRGG-20-183	<b>Rascadero<sup>36</sup></b>	<b>70.5</b>	<b>92.5</b>	<b>18.4</b>	<b>5.18</b>	<b>500.2</b>	<b>11.85</b>	<b>889.1</b>
	including	86.3	89.5	3.2	26.18	2,371.8	57.80	4,335.2
LRGG-20-184	<b>East Vein</b>	<b>170.5</b>	<b>176.5</b>	<b>6.1</b>	<b>0.26</b>	<b>36.1</b>	<b>0.74</b>	<b>55.6</b>
LRGG-20-185	<b>Rascadero</b>	<b>57.9</b>	<b>70.5</b>	<b>12.6</b>	<b>0.70</b>	<b>111.2</b>	<b>2.18</b>	<b>163.3</b>
LRGG-20-186	<b>Rascadero</b>	<b>55.4</b>	<b>72.5</b>	<b>17.1</b>	<b>0.21</b>	<b>39.3</b>	<b>0.74</b>	<b>55.2</b>
LRGG-20-190	<b>Rascadero</b>	<b>46.5</b>	<b>54.5</b>	<b>8.0</b>	<b>0.25</b>	<b>59.1</b>	<b>1.04</b>	<b>77.7</b>
LRGG-20-192	<b>Rascadero<sup>37</sup></b>	<b>43.7</b>	<b>63.7</b>	<b>16.7</b>	<b>1.32</b>	<b>268.2</b>	<b>4.90</b>	<b>367.5</b>
	including	52.2	57.5	5.4	3.33	672.9	12.30	922.5
LRGG-20-193	<b>San Juan</b>	<b>322.5</b>	<b>344.0</b>	<b>21.5</b>	<b>0.21</b>	<b>26.5</b>	<b>0.57</b>	<b>42.5</b>
	including	335.0	339.0	4.0	0.62	32.4	1.05	78.5
LRGG-20-194	<b>Las Lamas</b>	<b>41.3</b>	<b>44.0</b>	<b>2.7</b>	<b>0.33</b>	<b>18.6</b>	<b>0.58</b>	<b>43.6</b>
	and	58.0	61.9	3.9	0.38	24.3	0.70	52.8
	and	78.9	86.5	7.7	0.45	65.3	1.32	99.2
LRGG-20-195	<b>Las Lamas</b>	<b>94.4</b>	<b>100.5</b>	<b>6.1</b>	<b>0.12</b>	<b>23.1</b>	<b>0.43</b>	<b>31.9</b>
LRGG-20-196	<b>San Juan</b>	<b>305.1</b>	<b>314.0</b>	<b>8.9</b>	<b>0.80</b>	<b>31.4</b>	<b>1.22</b>	<b>91.3</b>
LRGG-20-199	<b>East Vein</b>	<b>157.7</b>	<b>162.0</b>	<b>4.3</b>	<b>0.74</b>	<b>70.3</b>	<b>1.68</b>	<b>125.8</b>
	including	158.5	160.5	2.1	1.27	130.1	3.00	225.2
LRGG-20-200	<b>East Vein</b>	<b>244.5</b>	<b>247.1</b>	<b>2.6</b>	<b>0.09</b>	<b>50.3</b>	<b>0.76</b>	<b>57.2</b>
LRGG-20-201	<b>Rascadero</b>	<b>47.7</b>	<b>51.5</b>	<b>3.8</b>	<b>0.15</b>	<b>40.0</b>	<b>0.69</b>	<b>51.4</b>
LRGG-20-202	<b>Rascadero</b>	<b>85.5</b>	<b>106.0</b>	<b>20.5</b>	<b>2.86</b>	<b>149.7</b>	<b>4.85</b>	<b>364.0</b>
	including	90.0	101.5	11.5	4.95	242.3	8.18	613.4
LRGC-19-001	<b>Cerro Colorado</b>	<b>23.3</b>	<b>27.2</b>	<b>3.9</b>	<b>1.59</b>	<b>177.3</b>	<b>3.95</b>	<b>296.3</b>
LRGC-19-002	<b>Cerro Colorado</b>	<b>0</b>	<b>3.5</b>	<b>3.5</b>	<b>3.27</b>	<b>90.4</b>	<b>4.47</b>	<b>335.3</b>
LRGC-19-003	<b>Cerro Colorado</b>	<b>2</b>	<b>8.5</b>	<b>6.5</b>	<b>1.38</b>	<b>39</b>	<b>1.9</b>	<b>142.5</b>
LRGC-19-004	<b>Cerro Colorado</b>	<b>6.5</b>	<b>18</b>	<b>11.5</b>	<b>1.28</b>	<b>107.2</b>	<b>2.71</b>	<b>203.3</b>
	including	7.3	11	3.7	3.36	294.6	7.29	546.8
LRGC-19-005	<b>Cerro Colorado</b>	<b>30</b>	<b>37</b>	<b>7</b>	<b>0.18</b>	<b>11.5</b>	<b>0.33</b>	<b>24.8</b>
	and	43.5	56.5	13	0.12	16.4	0.34	25.5
LRGC-19-006	<b>Cerro Colorado</b>	<b>0</b>	<b>11.5</b>	<b>11.5</b>	<b>0.56</b>	<b>10.3</b>	<b>0.7</b>	<b>52.5</b>
LRGC-19-007	<b>Cerro Colorado</b>	<b>53.8</b>	<b>56</b>	<b>2.2</b>	<b>0.28</b>	<b>27.3</b>	<b>0.64</b>	<b>48.0</b>
	and	68.5	77	8.5	0.06	15.7	0.27	20.3

- Not true width
- AuEq converted using a silver to gold ratio of 75:1
- AgEq converted using a gold to silver ratio of 75:1
- Voids from historical underground workings, no sample
- Excludes 2.0m of open stopes from historical underground workings
- Excludes 5.4m of open stopes from historical underground workings
- Excludes 2.4m of open stopes from historical underground workings
- Excludes 4.3m of open stopes from historical underground workings
- Excludes 4.1m of open stopes from historical underground workings
- Excludes 5.2m of open stopes from historical underground workings
- Excludes 1.4m of open stopes from historical underground workings
- Excludes 2.0m of open stopes from historical underground workings
- Excludes 1.5m of open stopes from historical underground workings

14. Excludes 3.0m of open stopes from historical underground workings
15. Excludes 3.0m of open stopes from historical underground workings
16. Excludes 3.1m of open stopes from historical underground workings
17. Excludes 1.8m of open stopes from historical underground workings
18. Excludes 6.8m of open stopes from historical underground workings
19. Excludes 1.9m of open stopes from historical underground workings
20. Excludes 5.3m of open stopes from historical underground workings
21. Excludes 3.3m of open stopes from historical underground workings
22. Excludes 3.5m of open stopes from historical underground workings
23. Excludes 3.0m of open stopes from historical underground workings
24. Excludes 3.4m of open stopes from historical underground workings
25. Hanging portion of vein above a 7.5m wide mined void
26. Excludes 1.9m of open stopes from historical underground workings
27. Excluding 4.3m of open stopes from historical underground workings.
28. Excluding 3.0m of open stopes from historical underground workings
29. Excluding 3.0m of open stopes from historical underground workings.
30. Excluding 3.0m of open stopes from historical underground workings.
31. Excluding 3.0m of open stopes from historical underground workings.
32. Excluding 1.0m of open stopes from historical underground workings.
33. Excluding 5.0m of open stopes from historical underground workings.
34. Excluding 3.0m of open stopes from historical underground workings.
35. Estimated true widths are shown
36. Excluding 4.1m of open stopes from historical underground workings.
37. Excluding 3.3m of open stopes from historical underground workings.

**Locations:**

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGG-19-001	610679	2327607	1448	50	-78	195.50
LRGG-19-002	610824	2327502	1435	50	-50	150.00
LRGG-19-003	610595	2327525	1421.9	50	-50	177.00
LRGG-19-004	610786	2327429	1392.9	50	-60	160.50
LRGG-19-005	610730	2327445	1402.9	50	-60	180.00
LRGG-19-006	610707	2327493	1419.9	50	-50	201.00
LRGG-19-007	610624	2327483	1411.9	50	-50	210.00
LRGG-19-008	610527	2327666	1461.9	50	-45	172.50
LRGG-19-009	610835	2327486	1433.6	50	-50	81.00
LRGG-19-010	610485	2327764	1473.9	50	-50	160.50
LRGG-19-011	610393	2327553	1429.0	50	-50	312.0
LRGG-19-012	610463	2327543	1483.0	50	-50	273.0
LRGG-19-013	610509	2327581	1445.0	50	-50	211.5
LRGG-19-014	610506	2527514	1428.0	50	-50	267.0
LRGG-19-015	610811	2327508	1450.0	50	-50	72.0
LRGG-19-016	610672	2327555	1436	50	-50	150.00
LRGG-19-017	610706	2327519	1427	50	-60	130.50
LRGG-19-018	610424	2327510	1422	50	-50	321.0
LRGG-19-019	610846	2327506	1440	50	-45	63.0
LRGG-19-020	610809	2327472	1423	50	-45	90.0
LRGG-19-021	610828	2327523	1438	50	-45	66.0
LRGG-19-022	610446	2327659	1462	50	-50	145.4
LRGG-19-023	610792	2327525	1436	50	-45	76.5
LRGG-19-024	610814	2327544	1432	50	-45	60.0
LRGG-19-025	610770	2327540	1434	50	-45	81.0
LRGG-19-026	610786	5357567	1432	50	-45	51.0

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGG-19-027	610748	2327553	1432	50	-45	90.0
LRGG-19-028	610729	2327570	1436	50	-45	90.0
LRGG-19-029	610715	2327591	1439	50	-45	70.5
LRGG-19-030	610196	2327906	1434	50	-45	222.0
LRGG-19-031	610697	2327608	1445	50	-45	76.5
LRGG-19-032	610674	2327622	1449	50	-45	70.5
LRGG-19-033	610657	2327641	1449	50	-45	60.0
LRGG-19-034	610604	2327596	1451	50	-45	130.5
LRGG-19-035	610440	2327419	1467	50	-45	156.0
LRGG-19-036	610611	2327635	1456	50	-45	123.0
LRGG-19-037	610466	2327807	1475	50	-45	119.0
LRGG-19-038	610622	2327578	1449	50	-45	165.0
LRGG-19-040	610636	2327655	1457	50	-45	81.0
LRGG-19-041	610572	2327634	1454	50	-45	132.0
LRGG-19-042	610636	2327688	1466	50	-45	70.5
LRGG-19-044	610340	2327962	1471	50	-45	201.0
LRGG-19-045	610442	2327852	1477	50	-45	102.0
LRGG-19-046	610287	2327889	1429	50	-45	168.0
LRGG-19-047	610241	2327994	1435	50	-45	250.5
LRGG-19-048	610266	2327933	1450	50	-45	147.0
LRGG-19-049	610506	2327840	1492	50	-45	81.0
LRGG-19-050	610426	2327903	1481	50	-45	84.0
LRGG-19-051	610367	2327919	1471	50	-45	99.0
LRGG-19-052	610383	2327867	1464	50	-45	130.5
LRGG-19-053	610228	2328138	1534	50	-45	183.0
LRGG-19-054	610285	2328082	1510	50	-45	191.5
LRGG-19-055	610366	2327592	1423	50	-45	351.0
LRGG-19-056	610392	2327556	1432	50	-65	340.0
LRGG-19-057	610407	2327627	1447	50	-65	270.0
LRGG-19-058	610278	2328234	1537	50	-45	75.0
LRGG-19-059	610275	2328274	1535	50	-45	46.5
LRGG-19-060	610256	2328304	1520	50	-45	52.5
LRGG-19-061	610447	2327464	1413	50	-65	375.0
LRGG-19-062	610396	2327813	1463	50	-45	129.0
LRGG-19-063	610422	2327770	1458	50	-45	171.0
LRGG-19-064	610422	2327770	1458	50	-65	163.5
LRGG-19-066	610360	2327783	1447	50	-65	180.0
LRGG-19-065	610499	2327508	1425	50	-65	335.0

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGG-19-067	610367	2327854	1463	50	-65	127.5
LRGG-19-068	310718	2327398	1401	50	-65	199.0
LRGG-19-069	610337	2327829	1453	50	-65	160.5
LRGG-19-070	610765	2327437	1410	50	-65	180.0
LRGG-19-071	610310	2327871	1453	50	-65	144.0
LRGG-19-072	610737	2327479	1414	50	-65	150.0
LRGG-19-073	610318	2327943	1464	50	-65	132.0
LRGG-19-074	610361	2327522	1408	50	-65	417.0
LRGG-19-075	610701	2327449	1409	50	-65	180.0
LRGG-19-076	610284	2327915	1451	50	-65	175.5
LRGG-19-077	610256	2327889	1438	50	-65	190.5
LRGG-19-078	610580	2327511	1429	50	-65	238.2
LRGG-19-079	610441	2327719	1451	50	-65	172.5
LRGG-19-080	610320	2327618	1429	50	-65	375.0
LRGG-19-081	610405	2327690	1410	50	-65	241.5
LRGG-19-082	610623	2327481	1421	50	-65	245.0
LRGG-19-083	610371	2327662	1440	50	-65	183.0
LRGG-19-084	610587	2327454	1220.5	50	-65	280.4
LRGG-19-085	610323	2327556	1229	50	-65	402.0
LRGG-19-086	610076	2328075	1303.9	50	-65	275.6
LRGG-19-087	610346	2327704	1250.1	50	-65	283.5
LRGG-19-088	610296	2327729	1421	50	-65	260.6
LRGG-19-089	610377	2327735	1262.8	50	-65	240.0
LRGG-19-090	610273	2327775	1427	50	-65	254.4
LRGG-19-091	610326	2327754	1434	50	-65	231.0
LRGG-19-092	610304	2327801	1440	50	-65	201.0
LRGG-20-093	610459	2327873	1304	50	-45	57.0
LRGG-20-094	610515	2327784	1297	50	-45	120.0
LRGG-20-095	610537	2327806	1312	50	-45	90.0
LRGG-20-096	610592	2327724	1281	50	-45	70.5
LRGG-20-097	610585	2327678	1283	50	-45	115.5
LRGG-20-098	610554	2327717	1294	50	-45	120.0
LRGG-20-099	610301	2327962	1281	50	-45	99.0
LRGG-20-100	610695	2327640	1267	50	-20	57.0
LRGG-20-101	610271	2327937	1276	50	-75	190.5
LRGG-20-102	610663	2327678	1276	50	-20	60.0
LRGG-20-103	610716	2327624	1266	50	-20	42.0
LRGG-20-104	610736	2327608	1265	50	-20	51.0

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGG-20-105	610792	2327558	1252	50	-20	54.0
LRGG-20-106	610271	2327937	1276	50	-60	150.0
LRGG-20-107	610815	2327544	1252	50	-20	60.0
LRGG-20-108	610845	2327505	1263	50	-20	38.8
LRGG-20-109	610643	2327694	1283	50	-20	51.0
LRGG-20-110	610623	2327709	1278	50	-20	27.0
LRGG-20-111	610216	2327695	1224	50	-65	351.0
LRGG-20-112	610210	2327887	1248	50	-65	183.0
LRGG-20-113	610866	2327502	1278	50	-20	42.0
LRGG-20-114	610828	2327523	1259	50	-20	15.0
LRGG-20-115	610828	2327523	1259	50	-20	40.5
LRGG-20-116	610333	2327989	1290	50	-45	63.0
LRGG-20-117	610598	2327754	1290	50	-20	49.5
LRGG-20-118	610322	2327882	1273	50	-45	130.5
LRGG-20-119	610582	2327773	1303	50	-20	60.0
LRGG-20-120	610563	2327790	1307	50	-20	21.0
LRGG-20-121	610247	2327818	1251	50	-65	243.0
LRGG-20-122	610497	2327833	1305	50	-20	67.5
LRGG-20-123	610353	2327940	1290	50	-45	84.0
LRGG-20-124	610216	2327695	1224	50	-45	299.0
LRGG-20-125	610443	2327885	1303	50	-20	64.5
LRGG-20-126	610318	2327911	1286	50	-45	120.0
LRGG-20-127	610189	2327770	1227	50	-65	277.7
LRGG-20-128	610429	2327873	1295	50	-45	161.0
LRGG-20-129	610432	2327908	1309	50	-20	51.0
LRGG-20-130	610235	2327646	1226	50	-65	249.0
LRGG-20-131	610699	2327950	1478	230	-41	217.5
LRGG-20-132	610216	2327695	1224	50	-75	391.0
LRGG-20-133	610699	2327937	1478	230	-45	270.0
LRGG-20-134	610361	2328012	1302	50	-20	30.0
LRGG-20-135	610540	2327804	1311	50	-20	72.0
LRGG-20-136	610471	2327615	1278	50	-50	230.3
LRGG-20-137	610519	2327818	1309	50	-20	67.5
LRGG-20-138	610378	2327688	1260	50	-70	260.4
LRGG-20-139	610384	2327966	1303	50	-20	42.0
LRGG-20-140	610660	2327480	1241	50	-65	202.9
LRGG-20-141	610675	2327950	1474	230	-45	235.5
LRGG-20-142	610627	2327517	1244	50	-65	211.4

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGG-20-143	610398	2327945	1304	50	-20	51.0
LRGG-20-144	610558	2327753	1301	50	-45	102.0
LRGG-20-145	610362	2327980	1298	50	-20	54.0
LRGG-20-146	610644	2327956	1465	230	-45	261.0
LRGG-20-147	610417	2327929	1311	50	-20	42.0
LRGG-20-148	610077	2327545	1260	50	-65	499.0
LRGG-20-149	610163	2327846	1256	50	-65	242.4
LRGG-20-150	611075	2327143	1135	50	-50	162.0
LRGG-20-151	610077	2327741	1269	50	-65	410.8
LRGG-20-152	610329	2328018	1297	50	-20	57.0
LRGG-20-153	611414	2326873	1123	50	-50	117.0
LRGG-20-154	610321	2328050	1304	50	-20	30.0
LRGG-20-155	610595	2327980	1443	230	-60	276.0
LRGG-20-156	610871	2327722	1412	230	-40	211.5
LRGG-20-157	610215	2327923	1253	50	-65	198.0
LRGG-20-158	611515	2326777	1128	50	-45	141.0
LRGG-20-159	610269	2327968	1267	50	-45	134.0
LRGG-20-160	611371	2326836	1123	50	-45	171.0
LRGG-20-161	610238	2327942	1261	50	-45	138.0
LRGG-20-162	610828	2327752	1423	230	-40	190.5
LRGG-20-163	610172	2327886	1262	50	-65	210.0
LRGG-20-164	611477	2326746	1109	50	-45	75.0
LRGG-20-165	610961	2327334	1197	50	-45	192.0
LRGG-20-166	610080	2327869	1299	50	-65	360.0
LRGG-20-168	610801	2327757	1425	230	-40	175.5
LRGG-20-169	610158	2327824	1257	50	-65	304.0
LRGG-20-170	610855	2327741	1418	230	-40	199.5
LRGG-20-171	610168	2328144	1341	50	-45	210.0
LRGG-20-172	610062	2327989	1323	50	-65	328.0
LRGG-20-173	610809	2327801	1442	230	-43	235.5
LRGG-20-174	610703	2327908	1471	230	-45	235.5
LRGG-20-175	610219	2328186	1354	50	-45	153.0
LRGG-20-176	610153	2328066	1310	50	-65	280.2
LRGG-20-177	610243	2328239	1344	0	-90	177.0
LRGG-20-178	611070	2327824	1419	50	-45	166.5
LRGG-20-179	611070	2327852	1419	50	-70	201.0
LRGG-20-180	610229	2328260	1334	0	-90	194.5
LRGG-20-181	610150	2327793	1394	50	-45	120.0

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGG-20-182	611150	2327793	1394	50	-70	130.5
LRGG-20-183	610267	2328129	1340	50	-45	139.5
LRGG-20-184	610959	2327927	1468	50	-45	201.0
LRGG-20-185	610229	2328260	1334	50	-45	95.0
LRGG-20-186	610243	2328239	1344	50	-45	110.0
LRGG-20-190	610059	2327560	1269	50	-65	596.0
LRGG-20-192	610310	2328165	1351	50	-45	76.5
LRGG-20-193	610339	2328124	1339	50	-45	89.0
LRGG-20-194	610012	2327948	1323	50	-65	386.0
LRGG-20-195	611638	2326538	1059	50	-50	150.0
LRGG-20-196	611638	2326538	1059	50	-75	118.5
LRGG-20-199	610929	2327967	1437	50	-45	175.5
LRGG-20-200	610929	2327967	1473	50	-70	298.5
LRGG-20-201	610196	2328298	1317	50	-45	75.0
LRGG-20-202	610196	2328298	1317	0	-90	195.0
<b>Cerro Colorado:</b>						
LRGC-19-001	611799	2326380	1298	53	-50	75.0
LRGC-19-002	612055	2326190	1240	29	-45	30.0
LRGC-19-003	612051	2326191	1240	39	-50	42.0
LRGC-19-004	611828	2326394	1299	48	-45	61.5
LRGC-19-005	611684	2326494	1259	30	-45	79.5
LRGC-19-006	612032	2326174	1235	50	-50	91.5
LRGC-19-007	611665	2326480	1261	50	-50	97.5