

Intercepts:

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ³ (g/t)
LRGT-20-001	La Trini	72.0	115.1	43.1	0.70	91.0	1.91	143.6
	including	96.0	113.8	17.8	0.89	132.0	2.65	198.9
	including	96.0	100.0	4.0	1.92	224.8	4.92	369.0
LRGT-20-002	La Trini	35.4	78.1	42.8	0.40	51.8	1.09	81.5
	including	39.0	49.5	10.5	1.23	55.7	1.97	148.0
LRGT-20-003	La Trini	128.0	157.8	29.8	2.41	531.7	9.50	712.6
	including	137.5	142.0	4.5	12.83	3289.3	56.68	4,251.3
LRGT-20-004	La Trini	7.3	36.7	29.4	1.77	121.7	3.39	254.1
	including	12.2	21.0	8.8	5.11	286.3	8.93	669.7
LRGT-20-005	La Trini	2.7	31.0	28.4	1.07	103.4	2.45	183.4
	including	6.1	17.5	11.4	2.27	161.9	4.43	332.3
LRGT-20-006	La Trini	23.4	44.0	20.7	0.16	58.0	1.81	70.3
	including	26.1	36.0	9.9	0.18	49.2	2.57	62.8
	and	50.5	70.4	19.9	0.12	9.6	0.57	18.7
LRGT-20-007	La Trini	0.0	25.2	25.2	0.25	94.5	1.51	113.5
	including	0.0	10.8	10.8	0.35	146.3	2.30	172.7
	and	35.0	54.0	19.0	0.01	30.6	0.41	31.0
LRGT-20-008	La Trini	0.0	32.2	32.2	0.62	78.9	1.68	125.8
	including	1.5	16.0	14.5	1.17	118.9	2.75	206.6
LRGT-20-009	La Trini	0.0	15.7	15.7	0.38	85.0	1.52	113.9
	including	10.0	13.8	3.8	0.30	150.1	2.30	172.8
LRGT-20-010	La Trini	2.0	18.4	16.4	0.49	58.3	1.27	95.1
	including	2.0	7.0	5.1	1.48	90.7	2.69	201.8
LRGT-20-011	La Trini	12.2	34.7	22.5	1.37	158.3	3.49	261.4
	including	13.6	30.7	17.2	1.80	194.8	4.39	329.6
LRGT-20-012	La Trini	34.5	57.0	22.5	0.20	48.3	0.84	62.9
	and	64.7	73.7	9.0	0.32	25.1	0.65	49.0
LRGT-20-013	La Trini	36.3	80.8	44.5	0.84	62.8	1.68	125.6
	including	40.3	52.3	12.0	2.73	162.8	4.90	367.5
	and	94.8	107.0	12.2	0.02	30.6	0.42	31.9
LRGT-20-014	La Trini	27.6	66.0	38.4	0.40	29.6	0.79	59.2
	including	42.0	51.0	9.0	1.16	76.6	2.18	163.4
LRGT-20-015	La Trini	22.3	51.9	29.6	0.42	87.8	1.59	119.5
	including	23.8	29.8	6.0	1.81	270.9	5.42	406.5
LRGT-20-016	La Trini	2.0	29.0	27.0	0.12	48.2	0.76	57.3
	including	21.5	27.5	6.0	0.33	115.5	1.87	140.6
	and	36.5	60.0	23.5	0.10	42.3	0.67	50.1
LRGT-20-017	La Trini	66.0	69.0	3.0	0.30	35.6	0.78	58.1
	and	75.0	79.5	4.5	0.05	21.8	0.34	25.8

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ³ (g/t)
	and	86.5	91.5	5.0	0.05	44.6	0.64	48.2
LRGT-20-018	La Trini	6.0	13.5	7.5	0.08	26.2	0.43	31.9
	and	37.5	79.7	42.2	0.08	16.6	0.30	22.5
LRGT-20-019	La Trini	12.6	21.6	9.0	0.11	13.7	0.29	21.8
	and	50.5	59.0	8.5	0.06	16.5	0.28	20.7
LRGT-20-020	La Trini	6.4	17.5	11.1	0.04	13.6	0.22	16.8
	and	28.7	30.7	2.0	0.19	25.8	0.53	40.1
	and	99.5	102.9	3.4	0.01	60.2	0.81	61.1
	and	107.7	113.7	6.0	0.12	52.1	0.82	61.4
LRGT-20-021	La Trini	26.6	35.6	9.0	0.08	11.6	0.24	17.7
	and	44.0	65.0	21.0	0.18	37.2	0.68	50.9
LRGT-20-022	La Trini	3.4	18.6	15.3	0.07	12.3	0.24	17.7
	and	47.9	51.9	4.0	0.02	16.7	0.24	18.2
	and	79.7	105.6	25.9	0.04	11.9	0.20	14.8
LRGT-20-023	La Trini	47.9	64.4	16.5	0.11	37.2	0.61	45.4
LRGT-20-024	La Trini	34.3	42.2	7.9	0.86	64.4	1.72	128.9
	and	59.6	64.6	5.0	0.18	55.0	0.92	68.7
LRGT-20-025	La Trini	14.0	33.5	19.5	0.18	83.1	1.29	96.5
	and	46.3	47.9	1.6	0.21	31.6	0.63	47.4
	and	54.2	60.8	6.6	0.18	27.9	0.55	41.3
LRGT-20-026	La Trini	20.9	31.0	10.1	0.07	35.1	0.54	40.6
	and	36.9	40.0	3.1	0.28	91.9	1.50	112.6
LRGT-20-027	La Trini	22.8	26.8	4.0	0.10	27.8	0.47	35.1
	and	110.8	112.8	2.0	0.10	385.2	5.23	392.6
LRGT-20-028	La Trini	14.0	24.0	10.0	0.10	23.9	0.42	31.7
	and	46.1	50.9	4.8	0.04	40.7	0.59	43.9
LRGT-20-029	La Trini	20.6	26.9	6.3	1.42	126.9	3.11	233.3
	and	44.0	55.8	11.8	0.05	14.8	0.25	18.7
LRGT-20-030	La Trini	2.4	21.2	18.8	0.24	30.4	0.64	48.1
LRGT-20-031	La Trini	38.9	62.9	24.0	0.80	51.5	1.49	111.9
	including	41.7	47.7	6.0	2.78	103.5	4.16	312.0
	and	68.7	77.7	9.0	0.28	44.1	0.87	65.3
LRGT-20-032	La Trini	7.7	10.7	3.0	0.16	17.3	0.39	29.3
	and	28.1	29.6	1.5	0.02	32.5	0.46	34.3
	and	47.7	52.4	4.7	0.11	21.2	0.39	29.5
	and	58.7	65.2	6.5	0.23	24.1	0.56	41.6
LRGT-20-033	La Trini	13.9	35.7	21.8	2.73	130.3	4.47	335.2
	including	18.4	24.0	5.6	9.40	365.4	14.27	1,070.3
LRGT-20-034	La Trini	52.7	76.2	23.5	0.16	96.9	1.45	108.8
	including	52.7	63.2	10.5	0.26	160.8	2.41	180.4
LRGT-20-035	La Trini	149.0	158.0	9.0	0.29	30.9	0.70	52.6

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ³ (g/t)
LRGT-20-036	La Trini and	2.0	14.0	12.0	0.13	27.1	0.49	36.5
		58.0	87.2	29.2	0.10	23.0	0.41	30.6
LRGT-20-037	La Trini including	34.8	65.8	31.0	1.50	94.6	2.76	207.2
		38.7	49.8	11.2	3.67	165.3	5.87	440.4
LRGT-20-038	La Trini	41.8	52.9	11.1	0.02	29.2	0.41	30.5
LRGT-20-039	La Trini including	31.8	66.3	34.5	0.79	78.7	1.84	138.1
		33.2	38.8	5.6	3.08	179.3	5.47	409.9
LRGT-20-040	La Trini and and	49.6	56.6	7.0	0.06	31.8	0.49	36.6
		66.6	74.8	8.2	0.11	31.5	0.53	39.4
		81.7	94.8	13.1	0.13	42.2	0.69	51.6
LRGT-20-041	La Trini including and	27.1	52.8	25.7	0.21	38.0	0.72	53.8
		30.8	41.8	11.0	0.40	45.5	1.01	75.7
		71.8	75.8	4.0	0.04	37.0	0.53	40.1
LRGT-20-042	La Trini including	47.0	71.0	24.0	0.16	39.3	0.68	51.3
		50.0	57.0	7.0	0.33	62.1	1.16	86.7
LRGT-20-043	La Trini and and	94.1	95.1	1.0	0.30	40.0	0.83	62.1
		129.0	136.5	7.5	0.04	13.0	0.21	15.7
		151.1	153.9	2.8	0.02	37.7	0.52	39.1
LRGT-20-044	La Trini and	34.8	39.8	5.0	0.33	122.0	1.96	147.0
		64.1	68.0	3.9	0.03	35.7	0.51	38.1
LRGT-20-045	La Trini	169.6	174.5	4.9	0.02	28.8	0.40	30.0
LRGT-20-046	La Trini and	147.9	165.1	17.2	1.55	70.2	2.48	186.3
		150.0	161.0	11.0	2.10	109.5	3.56	266.6
LRGT-20-047	La Trini and and	50.3	59.0	8.7	0.19	21.2	0.47	35.5
		77.3	95.3	18.0	0.03	18.2	0.27	20.4
		156.4	163.2	6.8	0.02	36.8	0.51	38.5
LRGT-20-048	La Trini including and	49.5	79.3	29.8	0.48	54.0	1.20	90.0
		54.5	59.4	4.9	1.96	140.8	3.84	288.1
		96.0	101.9	5.8	0.09	25.8	0.43	32.5
LRGT-20-049	La Trini	112.5	138.0	25.6	0.04	15.5	0.25	18.8
LRGT-20-050	La Trini	106.0	126.0	20.0	0.05	29.9	0.45	33.5
LRGT-20-051	La Trini and and	68.0	76.0	8.0	0.08	16.9	0.31	23.0
		80.0	84.0	4.0	0.07	17.8	0.31	23.3
		88.0	99.9	11.9	0.15	26.7	0.50	37.6
LRGT-20-052	La Trini	43.9	47.7	3.8	0.30	72.3	1.26	94.5
LRGT-20-053	La Trini and	40.7	55.5	14.9	0.08	18.9	0.33	25.1
		61.9	70.5	8.6	0.08	25.1	0.42	31.5
LRGT-20-054	La Trini including and	25.7	39.8	14.2	0.13	63.2	0.98	73.2
		26.2	29.8	3.6	0.17	130.8	1.92	143.6
		50.9	54.7	3.8	0.07	29.8	0.47	35.1
LRGT-20-055	La Trini including	73.1	99.0	25.9	0.34	51.8	1.03	77.5
		79.6	93.5	13.9	0.51	77.5	1.55	115.9

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ³ (g/t)
	including	88.9	93.5	4.7	0.81	123.8	2.46	184.4
LRGT-20-056	La Trini	156.6	159.0	2.4	0.05	299.6	4.05	303.7
LRGT-20-057	La Trini	180.0	189.9	9.9	0.03	32.6	0.47	35.0
	including	188.5	189.9	1.4	0.11	147.1	2.07	155.0
LRGT-20-058	La Trini	118.3	141.7	23.4				
LRGT-20-059	La Trini	142.0	160.7	18.7	0.58	45.6	1.18	88.7
	including	142.0	152.3	10.3	0.97	76.5	1.99	149.4
	and	168.5	178.7	10.2	0.05	19.3	0.31	23.0
LRGT-20-060	La Trini	85.3	103.5	18.2	0.11	47.8	0.75	56.3
LRGT-20-061	La Trini	89.0	101.0	12.0	0.07	15.5	0.28	21.1
LRGT-20-062	La Trini	82.8	98.0	15.2	0.71	70.7	1.65	123.8
	including	84.2	86.2	2.0	3.55	284.3	7.34	550.3
	and	111.3	120.5	9.3	0.60	123.9	2.25	168.6
LRGT-20-063	La Trini	79.2	83.6	4.4	0.13	38.3	0.64	47.7
		92.6	96.6	4.0	0.06	16.6	0.28	21.2
LRGT-20-064	La Trini	No Significant Mineralization						
LRGT-20-065	La Trini	Pending						
LRGT-20-066	La Trini	84.4	107.5	23.1	0.04	43.6	0.62	46.7
	including	84.4	88.9	4.5	0.08	80.3	1.16	86.7
LRGT-20-067	La Trini	Pending						
LRGT-20-068	La Trini	74.0	103.5	29.5	0.69	90.7	1.90	142.6
	including	76.0	92.7	16.7	1.18	141.4	3.07	229.9
	including	80.5	86.9	6.3	2.66	319.8	6.92	519.1
LRGT-20-069	La Trini	36.0	72.7	36.7	1.00	69.3	1.92	144.3
	including	37.0	57.7	20.7	1.53	89.5	2.73	204.5
LRGT-20-070	La Trini	55.6	117.0	61.4	1.06	124.0	2.72	203.7
	Including	55.6	69.5	13.9	4.29	477.1	10.65	798.9
	Including	61.1	64.5	3.4	14.28	1694.1	36.87	2,765.3
LRGT-20-071	La Trini	109.4	125.0	15.6	0.11	92.9	1.34	100.8
	including	109.4	112.1	2.6	0.22	327.8	4.59	344.3
LRGT-20-072	La Trini	61.5	91.5	30.0	0.13	23.2	0.44	33.0
	including	73.5	89.3	15.8	0.16	29.3	0.55	41.3
LRGT-20-073	La Trini	67.5	111.6	44.1	0.56	45.6	1.17	87.4
	including	67.5	73.9	6.4	2.18	108.3	3.62	271.6
LRGT-20-074	La Trini	105.2	138.2	33.0	1.24	68.3	2.15	161.5
	including	110.0	116.0	6.0	4.94	218.0	7.85	588.5
	including	114.3	115.5	1.3	4.20	733.5	13.98	1,048.4
LRGS-20-001	Salomon	2.6	22.5	19.9	0.18	52.4	0.88	65.9
	and	45.0	55.4	10.4	0.18	50.5	0.85	63.8
	and	90.0	110.3	20.3	0.18	54.9	0.91	68.6
	and	223.5	237.5	14.0	0.24	280.4	3.98	298.2

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ³ (g/t)
	including	225.8	230.9	5.0	0.51	698.7	9.82	736.6
LRGF-20-001	El Favor	15.0	56.7	41.7	0.36	141.8	2.25	168.4
	including	18.7	29.7	11.0	1.12	444.4	7.05	528.6
	and	131.3	147.0	15.7	0.14	48.1	0.79	58.9
LRGF-20-002	El Favor	0.0	18.0	18.0	0.16	64.2	1.01	76.0
	and	29.7	71.0	41.3	0.07	16.5	0.29	21.9
	including	29.7	36.0	6.3	0.20	40.2	0.74	55.2
LRGF-20-003	El Favor	1.5	34.5	33.0	0.13	68.2	1.04	77.8
	including	32.5	34.5	2.0	0.37	186.7	2.86	214.3
LRGF-20-004	El Favor	0.0	15.8	15.8	0.26	73.1	1.23	92.6
	including	9.0	14.8	5.8	0.57	151.5	2.59	194.4
	and ⁴	23.0	70.5	41.1	0.24	74.6	1.24	92.7
	including	34.0	38.1	4.1	1.45	418.9	7.04	527.6
LRGF-20-005	El Favor	22.5	43.5	21.0	0.11	74.4	1.10	82.7
	including	22.5	31.5	9.0	0.23	150.1	2.23	167.4
LRGF-20-006	El Favor	41.0	53.0	12.0	0.20	95.9	1.48	110.9
	including	44.0	47.4	3.4	0.53	271.4	4.15	311.0
	and	70.5	97.5	27.0	0.97	113.0	2.47	185.5
	including	76.0	83.3	7.3	3.35	349.6	8.01	601.0
LRGF-20-007	El Favor	0.0	11.0	11.0	0.28	159.7	2.40	180.3
	including	3.5	7.0	3.5	0.53	291.5	4.41	330.9
LRGF-20-008	El Favor	0.0	52.1	52.1	0.69	254.5	4.08	306.0
	including	15.0	52.1	37.1	0.93	343.0	5.51	413.1
	including	26.0	31.0	5.0	5.62	2052.0	32.98	2473.4
	including	26.7	30.0	3.3	8.47	3039.5	49.00	3674.7
LRGF-20-009	El Favor	3.0	14.6	11.6	0.43	148.3	2.41	180.5
	including	3.0	5.5	2.5	1.22	324.5	5.55	416.0
	and	60.0	92.5	32.5	0.32	63.0	1.15	86.6
	including	74.5	81.5	7.0	0.64	171.3	2.93	219.6
LRGF-20-010	El Favor	36.0	50.8	14.8	0.49	130.9	2.24	167.9
	including	41.5	44.7	3.2	2.03	451.6	8.05	604.1
LRGF-20-011	El Favor	10.5	16.0	5.5	0.10	53.3	0.81	60.5
	including	11.8	12.6	0.9	0.35	197.2	2.98	223.5
LRGF-20-012	El Favor	43.6	67.3	23.7	0.14	31.9	0.56	42.1
	and	102.4	118.4	16.0	0.30	101.5	1.65	123.7
	including	114.0	117.0	3.0	1.16	383.8	6.28	470.7
LRGF-20-013	El Favor	0.2	6.0	5.8	0.63	204.3	3.36	251.7
	and	72.5	102.5	30.0	0.18	70.0	1.11	83.4
	including	99.0	101.6	2.6	0.53	396.3	5.81	436.0
	and	217.5	219.9	2.3	0.16	146.2	2.11	158.1
LRGF-20-014	El Favor	112.0	114.5	2.5	0.74	152.6	2.78	208.3
LRGF-20-015	El Favor	0.0	31.1	30.2	0.18	63.5	1.03	77.3

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ³ (g/t)
	including	18.3	27.7	8.6	0.28	145.6	2.23	166.9
LRGF-20-016	El Favor	No Significant Mineralization						
LRGF-20-017	El Favor	0.0	3.0	3.0	0.35	71.9	1.31	98.3
	and	25.0	30.6	5.6	0.55	286.6	4.37	328.0
	including	28.9	30.6	1.7	1.70	834.5	12.83	961.9
LRGF-20-018	El Favor	18.0	19.5	1.5	1.63	341.4	6.18	463.5
LRGF-20-019	El Favor	25.5	96.0	70.5	0.15	49.9	0.82	61.4
	including	39.0	48.7	9.7	0.55	198.7	3.20	239.9
	including	45.8	48.7	2.9	0.51	351.1	5.20	389.7
	and	112.2	127.5	15.3	0.30	151.1	2.31	173.9
	including	119.8	121.8	2.0	1.72	798.9	12.37	927.9
LRGF-20-020	El Favor	144.8	157.6	12.8	0.30	126.5	1.99	148.9
	including	151.8	155.1	3.3	0.89	301.8	4.91	368.4
	and	243.6	245.6	2.0	0.62	207.9	3.39	254.4

1. Not true width
2. AuEq converted using a silver to gold ratio of 75:1
3. AgEq converted using a gold to silver ratio of 75:1
4. Excludes historically mined void of 6.4m

Locations:

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGT-20-001	582964	2339720	918	210	-60	200.5
LRGT-20-002	582920	2339687	909	0	-90	123.0
LRGT-20-003	583008	2339822	961	180	-60	214.0
LRGT-20-004	582955	2339625	908	180	-60	81.0
LRGT-20-005	582939	2339621	898	0	-90	74.5
LRGT-20-006	583104	2339581	924	180	-60	108.0
LRGT-20-007	583050	2339538	903	180	-65	54.0
LRGT-20-008	583025	2339548	902	180	-65	63.0
LRGT-20-009	582950	2339588	917	180	-65	51.0
LRGT-20-010	582925	2339573	917	180	-65	81.0
LRGT-20-011	583000	2339574	896	180	-65	57.4
LRGT-20-012	583125	2339559	935	180	-65	91.5
LRGT-20-013	583100	2339626	927	180	-65	112.7
LRGT-20-014	583115	2339596	918	180	-70	100.8
LRGT-20-015	583075	2339536	906	180	-65	66.0

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGT-20-016	583100	2339550	917	180	-65	101.0
LRGT-20-017	583075	2339643	935	180	-65	121.6
LRGT-20-018	583175	2339569	943	180	-65	120.4
LRGT-20-019	583200	2339617	939	180	-65	116.6
LRGT-20-020	583175	2339649	929	180	-65	130.7
LRGT-20-021	583025	2339634	939	180	-65	116.0
LRGT-20-022	583145	2339612	929	180	-60	142.6
LRGT-20-023	582975	2339647	908	180	-65	100.4
LRGT-20-024	582875	2339686	924	180	-65	111.0
LRGT-20-025	582925	2339627	912	180	-65	73.8
LRGT-20-026	582900	2339653	920	180	-65	84.0
LRGT-20-027	582850	2339706	897	210	-65	151.8
LRGT-20-028	582828	2339718	890	210	-65	152.0
LRGT-20-029	582850	2339706	897	180	-65	94.8
LRGT-20-030	582806	2339731	878	210	-65	153.0
LRGT-20-031	582925	2339686	928	180	-65	136.7
LRGT-20-032	583200	2339560	944	180	-65	118.7
LRGT-20-033	582975	2339598	911	180	-65	62.0
LRGT-20-034	582875	2339759	920	180	-65	146.0
LRGT-20-035	583038	2339900	952	360	-90	200.0
LRGT-20-036	583150	2339570	942	180	-65	111.0
LRGT-20-037	583000	2339665	914	180	-60	109.8
LRGT-20-038	583000	2339630	906	180	-60	80.0
LRGT-20-039	582950	2339676	909	180	-60	151.8
LRGT-20-040	583050	2339661	920	180	-60	110.0
LRGT-20-041	582857	2339768	887	210	-65	139.8
LRGT-20-042	583050	2339595	920	180	-60	92.0
LRGT-20-043	583100	2339730	954	180	-60	180.65
LRGT-20-044	582878	2339755	905	210	-65	133.80
LRGT-20-045	583150	2339795	976	180	-60	248.40
LRGT-20-046	583050	2339810	974	360	-90	191.00
LRGT-20-047	583142	2339719	938	180	-60	181.30
LRGT-20-048	582975	2339698	923	180	-60	121.50
LRGT-20-049	583050	2339785	970	180	-60	160.45
LRGT-20-051	583050	2339717	939	180	-60	136.50
LRGT-20-052	582875	2339646	915	180	-65	67.50
LRGT-20-053	582875	2339716	914	180	-65	103.50
LRGT-20-054	582831	2339774	869	210	-65	88.50

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGT-20-055	583025	2339700	939	180	-60	112.00
LRGT-20-056	582950	2339935	989	180	-60	213.00
LRGT-20-057	582950	2339935	943	180	-60	200.75
LRGT-20-058	583025	2339770	968	180	-60	150.50
LRGT-20-059	583025	2339850	968	180	-60	192.50
LRGT-20-060	582925	2339804	940	180	-65	133.50
LRGT-20-061	583075	2339719	968	180	-60	158.00
LRGT-20-062	582975	2339744	946	180	-65	129.00
LRGT-20-063	583125	2339651	923	180	-65	120.8
LRGT-20-064	582909	2339807	919	180	-70	142.7
LRGT-20-065	582875	2339875	916	180	-65	164.7
LRGT-20-066	582925	2339832	914	180	-65	143.7
LRGT-20-067	583100	2339877	979	180	-60	238.9
LRGT-20-068	582949	2339742	934	234	-65	139.5
LRGT-20-069	583008	2339662	912	234	-65	88.5
LRGT-20-070	582994	2339682	920	234	-65	142.5
LRGT-20-071	582977	2339793	952	234	-65	181.7
LRGT-20-072	583049	2339691	928	234	-65	133.5
LRGT-20-073	582985	2339706	928	234	-65	154.5
LRGT-20-074	583029	2339738	950	234	-65	160.2
LRGS-20-001	585328	2336544	1137	180	-45	253.5
LRGF-20-001	585404	2336613	1200	180	-45	285.0
LRGF-20-002	585659	2336799	1136	180	-70	201.0
LRGF-20-003	585750	2336767	1138	180	-45	37.5
LRGF-20-004	585750	2336767	1138	180	-60	120.0
LRGF-20-005	584999	2336486	1240	180	-45	204.0
LRGF-20-006	585630	2336678	1222	180	-45	199.5
LRGF-20-007	585659	2336799	1136	180	-45	151.5
LRGF-20-008	585409	2336626	1259	180	-70	144.5
LRGF-20-009	585430	2336596	1263	180	-45	193.5
LRGF-20-010	585410	2336646	1258	180	-60	280.5
LRGF-20-011	585380	2336638	1261	180	-45	236.0
LRGF-20-012	585309	2336552	1299	180	-45	241.5
LRGF-20-013	585362	2336546	1303	180	-45	262.5
LRGF-20-014	585576	2336719	1224	180	-45	231.0
LRGF-20-015	585627	2336691	1229	180	-45	199.5
LRGF-20-016	585576	2336719	1224	180	-70	255.0
LRGF-20-017	585627	2336691	1229	180	-70	76.5

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGF-20-018	585600	2336708	1227	180	-70	202.5
LRGF-20-019	585332	2336571	1292	180	-45	216.0
LRGF-20-020	585279	2336577	1294	180	-45	327.0