

Intercepts:

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ² (g/t)
LRGT-20-001	La Trini	72.0	115.1	43.1	0.70	91.0	1.91	143.6
	including	96.0	113.8	17.8	0.89	132.0	2.65	198.9
	including	96.0	100.0	4.0	1.92	224.8	4.92	369.0
LRGT-20-002	La Trini	35.4	78.1	42.8	0.40	51.8	1.09	81.5
	including	39.0	49.5	10.5	1.23	55.7	1.97	148.0
LRGT-20-003	La Trini	128.0	157.8	29.8	2.41	531.7	9.50	712.6
	including	137.5	142.0	4.5	12.83	3289.3	56.68	4,251.3
LRGT-20-004	La Trini	7.3	36.7	29.4	1.77	121.7	3.39	254.1
	including	12.2	21.0	8.8	5.11	286.3	8.93	669.7
LRGT-20-005	La Trini	2.7	31.0	28.4	1.07	103.4	2.45	183.4
	including	6.1	17.5	11.4	2.27	161.9	4.43	332.3
LRGT-20-006	La Trini	23.4	44.0	20.7	0.16	58.0	1.81	70.3
	including	26.1	36.0	9.9	0.18	49.2	2.57	62.8
	and	50.5	70.4	19.9	0.12	9.6	0.57	18.7
LRGT-20-007	La Trini	0.0	25.2	25.2	0.25	94.5	1.51	113.5
	including	0.0	10.8	10.8	0.35	146.3	2.30	172.7
	and	35.0	54.0	19.0	0.01	30.6	0.41	31.0
LRGT-20-008	La Trini	0.0	32.2	32.2	0.62	78.9	1.68	125.8
	including	1.5	16.0	14.5	1.17	118.9	2.75	206.6
LRGT-20-009	La Trini	0.0	15.7	15.7	0.38	85.0	1.52	113.9
	including	10.0	13.8	3.8	0.30	150.1	2.30	172.8
LRGT-20-010	La Trini	2.0	18.4	16.4	0.49	58.3	1.27	95.1
	including	2.0	7.0	5.1	1.48	90.7	2.69	201.8
LRGT-20-011	La Trini	12.2	34.7	22.5	1.37	158.3	3.49	261.4
	including	13.6	30.7	17.2	1.80	194.8	4.39	329.6
LRGT-20-012	La Trini	34.5	57.0	22.5	0.20	48.3	0.84	62.9
	and	64.7	73.7	9.0	0.32	25.1	0.65	49.0
LRGT-20-013	La Trini	36.3	80.8	44.5	0.84	62.8	1.68	125.6
	including	40.3	52.3	12.0	2.73	162.8	4.90	367.5
	and	94.8	107.0	12.2	0.02	30.6	0.42	31.9
LRGT-20-014	La Trini	27.6	66.0	38.4	0.40	29.6	0.79	59.2
	including	42.0	51.0	9.0	1.16	76.6	2.18	163.4
LRGT-20-015	La Trini	22.3	51.9	29.6	0.42	87.8	1.59	119.5
	including	23.8	29.8	6.0	1.81	270.9	5.42	406.5
LRGT-20-016	La Trini	2.0	29.0	27.0	0.12	48.2	0.76	57.3
	including	21.5	27.5	6.0	0.33	115.5	1.87	140.6
	and	36.5	60.0	23.5	0.10	42.3	0.67	50.1
LRGT-20-017	La Trini	66.0	69.0	3.0	0.30	35.6	0.78	58.1
	and	75.0	79.5	4.5	0.05	21.8	0.34	25.8
	and	86.5	91.5	5.0	0.05	44.6	0.64	48.2

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ² (g/t)
LRGT-20-018	La Trini	6.0	13.5	7.5	0.08	26.2	0.43	31.9
	and	37.5	79.7	42.2	0.08	16.6	0.30	22.5
LRGT-20-019	La Trini	12.6	21.6	9.0	0.11	13.7	0.29	21.8
	and	50.5	59.0	8.5	0.06	16.5	0.28	20.7
LRGT-20-020	La Trini	6.4	17.5	11.1	0.04	13.6	0.22	16.8
	and	28.7	30.7	2.0	0.19	25.8	0.53	40.1
	and	99.5	102.9	3.4	0.01	60.2	0.81	61.1
	and	107.7	113.7	6.0	0.12	52.1	0.82	61.4
LRGT-20-021	La Trini	26.6	35.6	9.0	0.08	11.6	0.24	17.7
	and	44.0	65.0	21.0	0.18	37.2	0.68	50.9
LRGT-20-022	La Trini	3.4	18.6	15.3	0.07	12.3	0.24	17.7
	and	47.9	51.9	4.0	0.02	16.7	0.24	18.2
	and	79.7	105.6	25.9	0.04	11.9	0.20	14.8
LRGT-20-023	La Trini	47.9	64.4	16.5	0.11	37.2	0.61	45.4
LRGT-20-024	La Trini	34.3	42.2	7.9	0.86	64.4	1.72	128.9
	and	59.6	64.6	5.0	0.18	55.0	0.92	68.7
LRGT-20-025	La Trini	14.0	33.5	19.5	0.18	83.1	1.29	96.5
	and	46.3	47.9	1.6	0.21	31.6	0.63	47.4
	and	54.2	60.8	6.6	0.18	27.9	0.55	41.3
LRGT-20-026	La Trini	20.9	31.0	10.1	0.07	35.1	0.54	40.6
	and	36.9	40.0	3.1	0.28	91.9	1.50	112.6
LRGT-20-027	La Trini	22.8	26.8	4.0	0.10	27.8	0.47	35.1
	and	110.8	112.8	2.0	0.10	385.2	5.23	392.6
LRGT-20-028	La Trini	14.0	24.0	10.0	0.10	23.9	0.42	31.7
	and	46.1	50.9	4.8	0.04	40.7	0.59	43.9
LRGT-20-029	La Trini	20.6	26.9	6.3	1.42	126.9	3.11	233.3
	and	44.0	55.8	11.8	0.05	14.8	0.25	18.7
LRGT-20-030	La Trini	2.4	21.2	18.8	0.24	30.4	0.64	48.1
LRGT-20-031	La Trini	38.9	62.9	24.0	0.80	51.5	1.49	111.9
	including	41.7	47.7	6.0	2.78	103.5	4.16	312.0
	and	68.7	77.7	9.0	0.28	44.1	0.87	65.3
LRGT-20-032	La Trini	7.7	10.7	3.0	0.16	17.3	0.39	29.3
	and	28.1	29.6	1.5	0.02	32.5	0.46	34.3
	and	47.7	52.4	4.7	0.11	21.2	0.39	29.5
	and	58.7	65.2	6.5	0.23	24.1	0.56	41.6
LRGT-20-033	La Trini	13.9	35.7	21.8	2.73	130.3	4.47	335.2
	including	18.4	24.0	5.6	9.40	365.4	14.27	1,070.3
LRGT-20-034	La Trini	52.7	76.2	23.5	0.16	96.9	1.45	108.8
	including	52.7	63.2	10.5	0.26	160.8	2.41	180.4
LRGT-20-035	La Trini	149.0	158.0	9.0	0.29	30.9	0.70	52.6
LRGT-20-036	La Trini	2.0	14.0	12.0	0.13	27.1	0.49	36.5

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ² (g/t)
	and	58.0	87.2	29.2	0.10	23.0	0.41	30.6
LRGT-20-037	La Trini	34.8	65.8	31.0	1.50	94.6	2.76	207.2
	including	38.7	49.8	11.2	3.67	165.3	5.87	440.4
LRGT-20-038	La Trini	41.8	52.9	11.1	0.02	29.2	0.41	30.5
LRGT-20-039	La Trini	31.8	66.3	34.5	0.79	78.7	1.84	138.1
	including	33.2	38.8	5.6	3.08	179.3	5.47	409.9
LRGT-20-040	La Trini	49.6	56.6	7.0	0.06	31.8	0.49	36.6
	and	66.6	74.8	8.2	0.11	31.5	0.53	39.4
	and	81.7	94.8	13.1	0.13	42.2	0.69	51.6
LRGT-20-041	La Trini	27.1	52.8	25.7	0.21	38.0	0.72	53.8
	including	30.8	41.8	11.0	0.40	45.5	1.01	75.7
	and	71.8	75.8	4.0	0.04	37.0	0.53	40.1
LRGT-20-042	La Trini	47.0	71.0	24.0	0.16	39.3	0.68	51.3
	including	50.0	57.0	7.0	0.33	62.1	1.16	86.7
LRGT-20-043	La Trini	94.1	95.1	1.0	0.30	40.0	0.83	62.1
	and	129.0	136.5	7.5	0.04	13.0	0.21	15.7
	and	151.1	153.9	2.8	0.02	37.7	0.52	39.1
LRGT-20-044	La Trini	34.8	39.8	5.0	0.33	122.0	1.96	147.0
	and	64.1	68.0	3.9	0.03	35.7	0.51	38.1
LRGT-20-045	La Trini	169.6	174.5	4.9	0.02	28.8	0.40	30.0
LRGT-20-046	La Trini	147.9	165.1	17.2	1.55	70.2	2.48	186.3
	and	150.0	161.0	11.0	2.10	109.5	3.56	266.6
LRGT-20-047	La Trini	50.3	59.0	8.7	0.19	21.2	0.47	35.5
	and	77.3	95.3	18.0	0.03	18.2	0.27	20.4
	and	156.4	163.2	6.8	0.02	36.8	0.51	38.5
LRGT-20-048	La Trini	49.5	79.3	29.8	0.48	54.0	1.20	90.0
	including	54.5	59.4	4.9	1.96	140.8	3.84	288.1
	and	96.0	101.9	5.8	0.09	25.8	0.43	32.5
LRGT-20-049	La Trini	112.5	138.0	25.6	0.04	15.5	0.25	18.8
LRGT-20-050	La Trini	106.0	126.0	20.0	0.05	29.9	0.45	33.5
LRGT-20-051	La Trini	68.0	76.0	8.0	0.08	16.9	0.31	23.0
	and	80.0	84.0	4.0	0.07	17.8	0.31	23.3
	and	88.0	99.9	11.9	0.15	26.7	0.50	37.6
LRGT-20-052	La Trini	43.9	47.7	3.8	0.30	72.3	1.26	94.5
LRGT-20-053	La Trini	40.7	55.5	14.9	0.08	18.9	0.33	25.1
	and	61.9	70.5	8.6	0.08	25.1	0.42	31.5
LRGT-20-054	La Trini	25.7	39.8	14.2	0.13	63.2	0.98	73.2
	including	26.2	29.8	3.6	0.17	130.8	1.92	143.6
	and	50.9	54.7	3.8	0.07	29.8	0.47	35.1
LRGT-20-055	La Trini	73.1	99.0	25.9	0.34	51.8	1.03	77.5
	including	79.6	93.5	13.9	0.51	77.5	1.55	115.9
	including	88.9	93.5	4.7	0.81	123.8	2.46	184.4

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ² (g/t)
LRGT-20-056	La Trini	156.6	159.0	2.4	0.05	299.6	4.05	303.7
LRGT-20-057	La Trini	180.0	189.9	9.9	0.03	32.6	0.47	35.0
	including	188.5	189.9	1.4	0.11	147.1	2.07	155.0
LRGT-20-058	La Trini	118.3	141.7	23.4				
LRGT-20-059	La Trini	142.0	160.7	18.7	0.58	45.6	1.18	88.7
	including	142.0	152.3	10.3	0.97	76.5	1.99	149.4
	and	168.5	178.7	10.2	0.05	19.3	0.31	23.0
LRGT-20-060	La Trini	85.3	103.5	18.2	0.11	47.8	0.75	56.3
LRGT-20-061	La Trini	89.0	101.0	12.0	0.07	15.5	0.28	21.1
LRGT-20-062	La Trini	82.8	98.0	15.2	0.71	70.7	1.65	123.8
	including	84.2	86.2	2.0	3.55	284.3	7.34	550.3
	and	111.3	120.5	9.3	0.60	123.9	2.25	168.6
LRGT-20-063	La Trini	79.2	83.6	4.4	0.13	38.3	0.64	47.7
		92.6	96.6	4.0	0.06	16.6	0.28	21.2
LRGT-20-064	La Trini	No Significant Mineralization						
LRGT-20-065	La Trini	138.8	145.6	6.8	0.05	12.7	0.22	16.6
LRGT-20-066	La Trini	84.4	107.5	23.1	0.04	43.6	0.62	46.7
	including	84.4	88.9	4.5	0.08	80.3	1.16	86.7
LRGT-20-067	La Trini	181.9	188.6	6.7	0.01	18.6	0.26	19.6
LRGT-20-068	La Trini	74.0	103.5	29.5	0.69	90.7	1.90	142.6
	including	76.0	92.7	16.7	1.18	141.4	3.07	229.9
	including	80.5	86.9	6.3	2.66	319.8	6.92	519.1
LRGT-20-069	La Trini	36.0	72.7	36.7	1.00	69.3	1.92	144.3
	including	37.0	57.7	20.7	1.53	89.5	2.73	204.5
LRGT-20-070	La Trini	55.6	117.0	61.4	1.06	124.0	2.72	203.7
	Including	55.6	69.5	13.9	4.29	477.1	10.65	798.9
	Including	61.1	64.5	3.4	14.28	1694.1	36.87	2,765.3
LRGT-20-071	La Trini	109.4	125.0	15.6	0.11	92.9	1.34	100.8
	including	109.4	112.1	2.6	0.22	327.8	4.59	344.3
LRGT-20-072	La Trini	61.5	91.5	30.0	0.13	23.2	0.44	33.0
	including	73.5	89.3	15.8	0.16	29.3	0.55	41.3
LRGT-20-073	La Trini	67.5	111.6	44.1	0.56	45.6	1.17	87.4
	including	67.5	73.9	6.4	2.18	108.3	3.62	271.6
LRGT-20-074	La Trini	105.2	138.2	33.0	1.24	68.3	2.15	161.5
	including	110.0	116.0	6.0	4.94	218.0	7.85	588.5
	including	114.3	115.5	1.3	4.20	733.5	13.98	1,048.4
LRGT-20-075	La Trini	79.6	98.7	19.1	43.7	0.36	0.94	70.6
	including	95.4	98.7	3.3	65.9	0.74	1.62	121.5
LRGT-20-076	La Trini	86.8	111.1	24.4	81.4	0.36	1.44	108.1
	including	94.7	99.7	5.0	118.4	0.90	2.48	186.2
	and	119.1	138.5	19.4	38.4	0.05	0.56	42.2

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ² (g/t)
	including	137.5	138.5	1.0	126.7	0.17	1.86	139.6
LRGT-20-077	La Trini	105.9	116.8	10.9	88.7	0.67	1.86	139.3
	including	105.9	110.9	4.9	125.2	1.38	3.04	228.3
LRGT-20-078	La Trini	102.0	129.0	27.1	37.6	0.05	0.55	41.2
	including	102.0	103.5	1.6	185.7	0.04	2.52	189.0
LRGT-20-079	La Trini	87.3	99.8	12.5	89.4	0.10	1.29	96.9
	including	94.8	98.8	4.0	141.3	0.21	2.10	157.4
LRGT-20-080	La Trini	94.8	100.9	6.2	118.0	0.06	1.64	122.8
	including	97.8	98.4	0.6	868.4	0.08	11.66	874.3
LRGT-20-081	La Trini	120.7	131.7	11.0	62.9	0.02	0.86	64.3
LRGT-20-082	La Trini	77.2	86.5	9.3	50.5	0.03	0.71	53.0
	and	94.8	105.2	10.4	48.0	0.04	0.68	50.9
	including	96.3	97.3	1.0	183.4	0.08	2.52	189.0
LRGT-20-083	La Trini	128.0	144.8	16.8	58.2	0.39	1.17	87.6
	including	129.0	131.8	2.8	169.0	1.79	4.04	303.2
LRGT-20-084	La Trini	125.4	148.9	23.5	57.3	0.57	1.34	100.3
	including	131.2	134.2	3.0	228.4	2.73	5.78	433.4
LRGT-20-085	La Trini	76.4	106.0	29.7	24.8	0.10	0.43	31.9
	including	76.4	77.4	1.0	107.1	0.38	1.81	135.9
LRGT-20-086	La Trini	133.1	145.2	12.2	32.4	0.21	0.64	47.9
	including	134.7	139.5	4.8	54.2	0.31	1.03	77.1
LRGT-20-087	La Trini	99.1	125.1	26.0	40.5	0.34	0.87	65.8
	including	120.5	124.1	3.6	103.8	1.05	2.43	182.2
LRGT-20-088	La Trini	147.4	166.5	19.1	33.8	0.15	0.60	44.7
	including	147.4	150.4	3.0	97.7	0.34	1.65	123.6
LRGT-20-089	La Trini	76.4	93.6	15.5	45.2	0.16	0.76	57.1
	including	84.3	88.4	4.1	113.8	0.51	2.02	151.7
LRGT-20-090	La Trini	145.3	171.7	23.5	63.7	0.81	1.66	124.7
	including	152.4	155.2	2.8	282.6	3.30	7.06	529.8
LRGT-20-091	La Trini	79.9	92.0	11.0	53.0	0.27	0.97	73.0
	including	79.9	86.5	6.7	78.2	0.42	1.46	109.5
LRGT-20-092	La Trini	90.0	96.9	6.9	12.4	0.12	0.29	21.4
	and	102.9	113.6	10.7	14.6	0.09	0.28	21.0
LRGT-20-093	La Trini	56.7	77.7	21.0	63.2	0.71	1.56	116.8
	including	69.5	72.0	2.5	237.2	4.34	7.50	562.6
LRGT-20-094	La Trini	44.8	53.2	8.5	197.0	0.08	2.70	202.6
	including	49.2	52.4	3.2	505.8	0.08	6.82	511.5
LRGT-20-096	La Trini	36.9	48.3	11.4	97.4	0.05	1.34	100.8
	including	36.9	37.7	0.8	1214.3	0.25	16.44	1,233.0
LRGS-20-001	Salomon	2.6	22.5	19.9	0.18	52.4	0.88	65.9
	and	45.0	55.4	10.4	0.18	50.5	0.85	63.8
	and	90.0	110.3	20.3	0.18	54.9	0.91	68.6

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ² (g/t)
	and	223.5	237.5	14.0	0.24	280.4	3.98	298.2
	including	225.8	230.9	5.0	0.51	698.7	9.82	736.6
LRGF-20-001	El Favor	15.0	56.7	41.7	0.36	141.8	2.25	168.4
	including	18.7	29.7	11.0	1.12	444.4	7.05	528.6
	and	131.3	147.0	15.7	0.14	48.1	0.79	58.9
LRGF-20-002	El Favor	0.0	18.0	18.0	0.16	64.2	1.01	76.0
	and	29.7	71.0	41.3	0.07	16.5	0.29	21.9
	including	29.7	36.0	6.3	0.20	40.2	0.74	55.2
LRGF-20-003	El Favor	1.5	34.5	33.0	0.13	68.2	1.04	77.8
	including	32.5	34.5	2.0	0.37	186.7	2.86	214.3
LRGF-20-004	El Favor	0.0	15.8	15.8	0.26	73.1	1.23	92.6
	including	9.0	14.8	5.8	0.57	151.5	2.59	194.4
	and ³	23.0	70.5	41.1	0.24	74.6	1.24	92.7
	including	34.0	38.1	4.1	1.45	418.9	7.04	527.6
LRGF-20-005	El Favor	22.5	43.5	21.0	0.11	74.4	1.10	82.7
	including	22.5	31.5	9.0	0.23	150.1	2.23	167.4
LRGF-20-006	El Favor	41.0	53.0	12.0	0.20	95.9	1.48	110.9
	including	44.0	47.4	3.4	0.53	271.4	4.15	311.0
	and	70.5	97.5	27.0	0.97	113.0	2.47	185.5
	including	76.0	83.3	7.3	3.35	349.6	8.01	601.0
LRGF-20-007	El Favor	0.0	11.0	11.0	0.28	159.7	2.40	180.3
	including	3.5	7.0	3.5	0.53	291.5	4.41	330.9
LRGF-20-008	El Favor	0.0	52.1	52.1	0.69	254.5	4.08	306.0
	including	15.0	52.1	37.1	0.93	343.0	5.51	413.1
	including	26.0	31.0	5.0	5.62	2052.0	32.98	2473.4
	including	26.7	30.0	3.3	8.47	3039.5	49.00	3674.7
LRGF-20-009	El Favor	3.0	14.6	11.6	0.43	148.3	2.41	180.5
	including	3.0	5.5	2.5	1.22	324.5	5.55	416.0
	and	60.0	92.5	32.5	0.32	63.0	1.15	86.6
	including	74.5	81.5	7.0	0.64	171.3	2.93	219.6
LRGF-20-010	El Favor	36.0	50.8	14.8	0.49	130.9	2.24	167.9
	including	41.5	44.7	3.2	2.03	451.6	8.05	604.1
LRGF-20-011	El Favor	10.5	16.0	5.5	0.10	53.3	0.81	60.5
	including	11.8	12.6	0.9	0.35	197.2	2.98	223.5
LRGF-20-012	El Favor	43.6	67.3	23.7	0.14	31.9	0.56	42.1
	and	102.4	118.4	16.0	0.30	101.5	1.65	123.7
	including	114.0	117.0	3.0	1.16	383.8	6.28	470.7
LRGF-20-013	El Favor	0.2	6.0	5.8	0.63	204.3	3.36	251.7
	and	72.5	102.5	30.0	0.18	70.0	1.11	83.4
	including	99.0	101.6	2.6	0.53	396.3	5.81	436.0
	and	217.5	219.9	2.3	0.16	146.2	2.11	158.1
LRGF-20-014	El Favor	112.0	114.5	2.5	0.74	152.6	2.78	208.3

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ² (g/t)
LRGF-20-015	El Favor including	0.0 18.3	31.1 27.7	30.2 8.6	0.18 0.28	63.5 145.6	1.03 2.23	77.3 166.9
LRGF-20-016	El Favor	No Significant Mineralization						
LRGF-20-017	El Favor and including	0.0 25.0 28.9	3.0 30.6 30.6	3.0 5.6 1.7	0.35 0.55 1.70	71.9 286.6 834.5	1.31 4.37 12.83	98.3 328.0 961.9
LRGF-20-018	El Favor	18.0	19.5	1.5	1.63	341.4	6.18	463.5
LRGF-20-019	El Favor including including and including	25.5 39.0 45.8 112.2 119.8	96.0 48.7 48.7 127.5 121.8	70.5 9.7 2.9 15.3 2.0	0.15 0.55 0.51 0.30 1.72	49.9 198.7 351.1 151.1 798.9	0.82 3.20 5.20 2.31 12.37	61.4 239.9 389.7 173.9 927.9
LRGF-20-020	El Favor including and	144.8 151.8 243.6	157.6 155.1 245.6	12.8 3.3 2.0	0.30 0.89 0.62	126.5 301.8 207.9	1.99 4.91 3.39	148.9 368.4 254.4
LRGF-20-021	El Favor	No Significant Mineralization						
LRGF-20-022	El Favor and	100.8 128.0	111.5 131.5	10.7 3.5	0.04 0.04	15.6 35.6	0.24 0.51	18.4 38.3
LRGF-20-023	Favor including	0.0 10.5	13.7 13.7	13.7 3.2	0.26 0.51	97.5 148.1	1.56 2.49	117.3 186.5
LRGF-20-024	Favor including	0.0 7.4	12.0 10.5	12.0 3.1	0.20 0.31	41.8 84.0	0.75 1.43	56.5 107.0
LRGF-20-025	Favor – Salomon including ⁸ including ⁸ Favor – Salomon including Favor – Guitarrillas including	0.0 47.0 49.8 81.8 84.1 107.0 122.3	73.1 69.8 62.5 89.2 86.2 125.3 124.3	70.5 20.1 10.1 7.4 2.1 18.3 2.0	0.26 0.59 0.99 0.56 1.86 0.35 2.17	95.1 251.5 403.9 71.5 213.6 106.8 565.6	1.53 3.94 6.37 1.51 4.70 1.77 9.71	114.7 295.5 478.0 113.3 352.7 133.1 728.3
LRGF-20-026	Favor – Guitarrillas including	99.3 234.7	102.9 235.4	3.6 0.7	0.12 1.05	53.5 421.7	0.83 6.67	62.2 500.3
LRGF-20-028	Favor including	23.1 38.0	42.0 40.3	17.7 2.3	0.12 0.14	52.8 147.7	0.82 2.11	61.7 158.2
LRGF-20-029	Favor including Favor - Salomon	0.0 1.0 75.0	31.9 6.7 95.2	31.9 5.7 20.2	0.26 0.55 0.27	91.8 193.2 63.4	1.48 3.13 1.11	111.2 234.8 83.6
LRGF-20-030	Favor including including and	5.4 23.5 30.5 56.0	32.5 25.3 32.5 59.3	27.1 1.8 2.0 3.3	0.24 0.73 1.09 0.56	78.4 223.9 260.5 132.2	1.29 3.72 4.56 2.32	96.7 278.9 342.3 173.9
LRGF-20-031	Favor including	14.4 16.7	25.3 19.1	10.9 2.4	0.51 2.18	71.4 213.8	1.47 5.03	109.9 377.2

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ² (g/t)
LRGF-21-032	Favor	0.0	69.3	69.3	0.49	107.8	1.93	144.6
	incl. – Guitarrillas	30.4	45.7	15.3	1.76	392.2	6.99	524.1
	including	37.5	40.9	3.4	5.63	1,253.5	22.34	1,675.6
	and – Los Chivos	120.9	130.5	9.6	0.39	111.7	1.88	141.2
	including	120.9	122.7	1.8	1.50	417.0	7.06	529.2
LRGF-21-033	Favor - Salomon	1.8	35.7	33.9	116.2	0.59	2.14	160.4
	including	10.1	13.0	3.0	433.1	1.25	7.02	526.6
	Favor – Guitarrillas	62.0	67.9	5.8	274.7	1.94	5.60	420.2
	including	65.7	67.9	2.1	543.8	4.14	11.39	854.0
	Favor – Los Chivos	114.0	122.8	8.8	485.6	2.00	8.48	635.7
including	115.0	117.3	2.3	1693.0	7.36	29.94	2,245.2	
LRGF-21-034	Favor⁵	74.3	137.6	59.0	0.32	118.8	1.90	142.6
	incl. – Salomon	74.3	79.3	5.0	0.90	361.4	5.71	428.6
	including	77.5	79.3	1.8	2.19	902.2	14.22	1,066.5
	and – Guitarrillas	156.7	159.5	2.8	0.16	109.7	1.62	121.6
LRGF-21-035	Salomon	102.2	103.7	1.5	0.37	147.8	2.34	175.4
	and	111.1	127.1	16.1	0.21	96.6	1.50	112.6
	including	122.7	126.1	3.4	0.41	187.2	2.91	218.1
	and – Guitarrillas	211.9	223.9	12.0	0.09	86.2	1.24	93.2
	including	220.0	223.2	3.2	0.15	203.9	2.87	215.1
LRGF-21-036	Favor	54.1	57.1	3.0	0.06	49.1	0.71	53.4
LRGF-21-037	Favor	28.4	30.4	2.0	0.12	27.3	0.48	36.2
LRGF-21-038	Favor	22.9	39.0	16.2	0.36	134.0	2.15	161.0
	including	29.3	36.6	7.4	0.67	262.7	4.17	312.7
	Salomon	111.8	119.5	7.7	0.28	93.6	1.52	114.3
	including	115.8	118.9	3.1	0.55	189.7	3.08	230.8
LRGF-21-039	Favor	41.8	49.0	7.2	134.8	0.76	2.56	192.0
	and – Salomon ⁶	70.2	95.7	23.3	92.1	0.22	1.45	108.5
	including	89.5	91.5	2.0	550.3	1.43	8.77	657.7
	Guitarrillas	168.9	181.8	12.9	254.1	0.81	4.20	314.8
	including	168.9	177.0	8.2	392.5	1.25	6.48	486.2
including	171.0	173.7	2.7	919.9	2.85	15.11	1,133.5	
LRGF-21-040	Salomon	74.3	90.5	16.2	0.28	97.1	1.57	117.8
	including	88.9	90.5	1.6	1.35	484.3	7.81	585.8
LRGF-21-041	Favor	23.0	24.6	1.7	0.38	84.4	1.50	112.7
	and	94.2	152.5	56.1	0.31	82.5	1.41	105.4
	incl. Salomon	123.1	124.4	1.3	3.57	975.0	16.57	1,242.9
	incl. Guitarrillas	148.2	148.9	0.7	0.49	197.5	3.12	234.3
	Los Chivos	160.0	176.9	17.0	0.14	37.6	0.64	48.1
	including	163.6	165.9	2.3	0.19	89.6	1.39	104.1
LRGF-21-042	Favor	10.9	24.5	13.6	0.20	97.5	1.50	112.6
	including	14.4	18.3	4.0	0.44	227.4	3.47	260.4

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ² (g/t)
	And	49.9	126.3	76.4	0.13	47.1	0.76	56.9
	including	68.1	75.7	7.6	0.58	103.3	1.96	146.8
	including	99.3	104.8	5.5	0.34	197.0	2.96	222.3
LRGF-21-043	Favor	42.1	42.7	0.7	0.36	99.0	1.68	125.9
	Salomon	103.5	105.8	2.3	0.19	35.0	0.66	49.1
	and	134.0	135.1	1.1	5.61	0.4	5.62	421.2
LRGF-21-044	Favor	0.0	15.0	15.0	0.41	136.4	2.23	166.9
	including	2.5	8.9	6.4	0.80	257.8	4.24	317.8
LRGF-21-045	Favor	46.8	67.4	20.6	0.13	44.5	0.72	53.9
	including	48.8	55.1	6.3	0.21	92.5	1.45	108.5
	Salomon	105.9	116.5	10.6	0.09	38.0	0.60	45.0
LRGF-21-046	Favor	2.5	12.0	9.5	0.15	51.0	0.83	62.6
	and	21.4	23.8	2.4	0.14	74.7	1.13	85.0
	Los Chivos	87.7	108.0	20.3	0.21	56.3	0.96	72.0
	including	88.2	95.0	6.8	0.48	118.5	2.06	154.3
	including	93.5	95.0	1.5	1.21	314.0	5.39	404.5
LRGF-21-047	Favor	56.9	63.4	6.5	0.17	80.7	1.25	93.6
	Salomon	81.3	145.0	63.7	0.11	47.1	0.74	55.6
	including	82.8	91.9	9.1	0.54	186.3	3.02	226.7
	including	88.4	91.2	2.8	1.45	477.6	7.82	586.3
LRGF-21-048	Favor	20.3	84.0	61.3	0.56	242.7	3.79	284.6
	including	48.8	58.1	9.3	2.06	973.0	15.03	1,127.4
	including	54.3	55.3	1.0	4.83	4,708.0	67.61	5,070.5
LRGF-21-049	Favor	162.7	172.1	9.4	0.10	45.1	0.70	52.3
	including	167.3	170.1	2.8	0.17	74.9	1.17	87.7
LRGF-21-050	Salomon	29.6	36.4	6.8	0.12	135.6	1.93	144.5
	including	31.1	34.6	3.5	0.17	190.0	2.70	202.7
LRGF-21-051	El Favor	50.5	55.3	4.8	0.25	87.9	1.42	106.6
	and	71.0	85.4	14.4	0.17	49.2	0.83	61.9
	including	78.0	81.2	3.2	0.39	117.5	1.95	146.6
	and	111.2	146.4	35.2	0.17	42.9	0.74	55.8
LRGCS-20-001	Casados – Vein 1	26.0	32.4	6.4	0.19	42.3	0.75	56.4
	including	26.0	27.0	1.0	0.64	151.9	2.67	200.1
LRGCS-20-002	Casados – Vein 1	103.0	105.0	2.0	0.32	183.7	2.77	207.6
	Casados – Vein 2	121.5	128.5	6.9	0.24	44.0	0.82	61.6
	including	121.5	123.0	1.5	0.58	111.1	2.07	154.9
	including	127.8	128.5	0.6	1.12	205.5	3.86	289.8
LRGCS-20-003	Casados – Multi⁴	133.5	191.5	56.5	0.37	143.6	2.28	170.9
	Casados – Vein 1 ⁷	133.5	157.0	22.5	0.32	97.3	1.62	121.4
	Including ⁷	138.3	144.7	4.9	1.05	307.5	5.15	386.3
	Casados – Vein 2	164.0	191.5	27.5	0.48	214.1	3.33	249.9
	Including	186.5	187.8	1.3	4.67	2,390.4	36.54	2,740.4

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ² (g/t)
LRGCS-20-004	Casados – Vein 1⁸	100.2	114.5	10.8	0.15	37.8	0.65	48.7
	Including	109.7	112.5	2.8	0.27	91.2	1.48	111.3
LRGCS-20-005	Casados – Multi⁴	123.1	183.0	59.9	0.30	84.3	1.43	106.9
	Casados – Vein 3	0.0	4.5	4.5	0.32	134.3	2.12	158.7
	Including	2.5	4.5	2.0	0.68	284.1	4.47	335.3
	Casados – Vein 1	123.1	143.4	20.3	0.51	143.2	2.42	181.7
	Including	124.0	129.0	5.0	1.48	408.0	6.92	518.9
	Casados – Vein 2	160.5	183.0	22.5	0.29	84.1	1.41	106.0
LRGCS-20-006	Casados – Vein 1	90.0	108.0	18.0	0.17	66.3	1.05	79.1
	Including	101.0	108.0	7.0	0.30	133.0	2.08	155.7
LRGCS-20-007	Casados – Vein 1⁷	103.5	122.0	15.5	0.19	63.9	1.04	78.2
	including	112.5	113.5	1.0	0.94	434.4	6.73	505.1
LRGCS-20-008	Casados – Vein 3	81.4	83.4	2.0	0.24	71.3	1.19	89.6
	Casados – Multi ^{4,9}	99.2	155.0	53.3	0.40	98.9	1.72	129.1
	Casados – Vein 1 ⁹	103.5	127.4	21.4	0.63	136.1	2.44	183.3
	Including	112.5	118.3	5.8	1.02	212.1	3.85	288.7
	Casados – Vein 2	133.7	155.0	21.3	0.34	103.8	1.72	129.1
	Including	139.0	147.2	8.2	0.68	210.8	3.49	261.5
LRGCS-20-009	Casados – Vein 1¹⁰	158.0	177.3	19.3	0.42	134.6	2.22	166.1
	Including	170.1	174.4	4.3	1.01	333.2	5.46	409.3
LRGCS-21-010	Casados – Vein 1¹¹	120.6	133.5	10.3	0.43	115.6	1.97	148.0
	Casados – Vein 2	147.2	168.5	21.4	0.44	97.8	1.75	131.0
LRGCS-21-011	including	158.9	167.2	8.3	0.68	167.8	2.92	218.8
	Casados – Multi	156.0	205.1	49.1	0.54	250.5	3.88	290.9
	Casados – Vein 1	161.5	174.7	13.3	0.67	203.6	3.39	253.9
	including	162.5	168.1	5.6	1.13	343.1	5.71	428.0
LRGCS-21-012	Casados – Vein 2	200.0	205.1	5.1	1.94	1,269.9	18.88	1,415.7
	including	201.1	202.9	1.8	5.16	3,471.8	51.46	3,859.2
	including	201.1	201.9	0.8	10.31	6,842.4	101.54	7,615.7
LRGCS-21-013	Casados – Multi	102.0	153.5	51.5	0.26	56.1	1.00	75.4
	Casados Vein 1	102.0	120.7	18.7	0.54	88.5	1.72	129.0
	Including	115.1	120.0	5.0	1.71	280.4	5.45	409.0
	Casados Vein 2	129.0	153.5	24.5	0.12	49.5	0.78	58.5
LRGCS-21-014	Including	143.8	153.5	9.7	0.20	86.5	1.35	101.3
	Casados – Multi	152.6	204.6	52.0	0.47	127.1	2.17	162.5
	Casados – Vein 1	155.2	163.5	8.3	0.94	278.7	4.65	349.0
	Casados – Vein 2	182.7	185.8	3.1	2.89	604.7	10.95	821.1
LRGCS-21-014	including	184.9	185.8	0.9	8.55	1,731.9	31.64	2,373.1
	Casados – Vein 1	134.4	158.0	23.6	0.58	155.6	2.65	198.7

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ² (g/t)
	Including	140.9	151.8	10.9	1.05	307.5	5.15	386.2
	Including	140.9	143.6	2.7	3.70	1,135.1	18.83	1,412.3
	Casados – Vein 2	166.4	200.0	33.6	0.23	94.8	1.49	111.8
	Including	181.6	188.0	6.4	0.65	309.9	4.79	358.9
	Including	181.6	183.1	1.5	2.18	1,120.8	17.12	1,284.1
LRGCS-21-015	Casados	<i>Abandoned due to technical difficulties</i>						
LRGCS-21-016	Casados Vein 1	99.7	123.0	23.4	0.69	139.7	2.55	191.5
	Including	117.0	118.0	1.0	4.94	820.3	15.87	1,190.8
	Casados Vein 2 ¹³	135.0	151.5	15.0	0.69	151.4	2.70	202.8
	Including	141.8	144.0	2.2	3.70	797.4	14.33	1,075.1
LRGCS-21-017	Casados – Multi	152.7	201.9	49.2	0.23	51.7	0.92	68.8
	Casados Vein 1	165.0	173.3	8.3	0.36	128.0	2.07	155.3
	Casados Vein 2	183.0	201.9	18.9	0.37	62.7	1.21	90.7
	Including	188.4	190.7	2.3	0.77	213.3	3.61	270.8
LRGCS-21-018	Casados	<i>Abandoned due to technical difficulties</i>						
LRGCS-21-019	Casados Vein 1	50.9	53.1	2.2	0.41	135.4	2.21	165.7
	Casados Vein 2	113.0	114.4	1.5	0.83	325.2	5.17	387.7
	Including	113.7	114.4	0.8	1.59	620.4	9.86	739.6
LRGCS-21-020	Casados	63.3	66.2	2.9	0.05	13.3	0.23	17.0
LRGCS-21-021	Casados	61.6	62.5	0.9	0.10	60.0	0.90	67.4
LRGCS-21-022	Casados Vein 1	170.1	185.0	14.9	0.32	116.0	1.86	139.9
	Including	182.1	184.1	2.0	1.40	663.7	10.24	768.3
LRGCS-21-023	Casados Vein 1	91.5	93.0	1.5	1.89	0.2	1.89	141.9
LRGCS-21-024	Casados Vein 1¹⁴	108.0	131.1	21.0	0.44	116.4	2.00	149.6
	Including ¹⁴	111.8	123.2	9.3	0.77	210.7	3.58	268.3
	Including	121.5	123.2	1.7	1.66	391.9	6.88	516.2
	Casados Vein 2	152.1	164.0	12.0	0.37	115.5	1.91	143.4
	including	157.1	160.3	3.2	1.11	355.3	5.85	438.7
LRGCS-21-025	Casados Vein 1	40.5	57.3	16.8	1.40	201.3	4.08	306.2
	including	53.0	54.5	1.5	8.28	699.7	17.6	1,320.4
LRGCS-21-026	Casados Vein 1	22.3	39.0	16.7	0.32	125.0	1.99	149.0
	including	24.6	33.7	9.1	0.53	211.2	3.35	251.2
	including	30.3	32.9	2.6	1.55	610.8	9.70	727.3
	Casados Vein 2	76.4	80.3	3.9	0.41	80.8	1.48	111.2
LRGCS-21-027	Casados Vein 1	124.0	153.9	29.9	0.25	70.5	1.19	89.5
	including	124.0	137.1	13.1	0.44	121.4	2.06	154.2
	Casados Vein 2	170.0	185.5	15.5	0.27	67.5	1.17	87.9
	including	176.2	182.5	6.3	0.55	118.0	2.12	159.2
LRGCS-21-028	Casados	194.6	247.0	52.5	0.28	75.9	1.29	96.5
	including	207.5	208.5	1.0	0.15	1,196.8	16.10	1,207.8
LRGCS-21-029	Casados Vein Multi	66.9	101.3	34.4	0.17	67.2	1.06	79.7
	Casados Vein 1	81.2	88.5	7.3	0.12	32.6	0.56	41.7

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ² (g/t)
	Casados Vein 2	96.0	101.3	5.3	0.65	305.0	4.72	353.8
	including	99.7	100.5	0.8	2.45	1,155.4	17.86	1,339.2
LRGCS-21-030	Casados Vein 1	13.4	17.6	4.3	0.27	56.7	1.03	76.9
	and	33.4	37.3	3.9	0.13	128.8	1.85	138.5
	including	35.4	36.3	0.9	0.45	473.3	6.76	507.0
	Casados Vein 2	61.4	69.6	8.2	0.35	69.0	1.27	95.4
LRGCS-21-031	Casados Vein 1	11.4	20.6	9.2	0.24	108.8	1.69	126.5
	including	18.1	20.0	1.9	0.61	442.0	6.50	487.7
	Casados Vein 2	56.7	60.4	3.7	0.20	79.1	1.26	94.3
LRGCS-21-032	Casados Vein Multi	209.5	270.0	60.5	0.21	44.4	0.80	60.4
	Casados Vein 1	209.5	232.9	23.4	0.13	65.4	1.00	75.2
	including	218.3	220.4	2.1	0.57	322.0	4.87	365.0
	Casados Vein 2	235.4	270.0	34.6	0.28	33.3	0.72	54.2
	including	268.3	270.0	1.8	0.72	173.6	3.04	227.9
LRGCS-21-033	Casados Vein 3	37.8	38.6	0.8	1.02	58.1	1.79	134.6
	Casados Vein 1	149.7	154.5	4.8	0.28	72.1	1.24	93.1
LRGCS-21-034	No significant mineralization							
LRGCS-21-035	Casados Vein 3	10.3	11.5	1.2	0.51	201.9	3.20	240.2
	Casados Vein Multi	87.9	148.0	54.1	0.37	92.1	1.60	119.6
	Casados Vein 1	99.0	127.5	28.5	0.43	100.5	1.77	132.7
	including	116.9	118.7	1.8	2.09	418.5	7.67	575.1
	Casados Vein 2	134.0	148.0	14.0	0.46	134.2	2.25	168.6
	including	135.0	140.4	5.3	1.04	304.5	5.10	382.3
LRGCS-21-036	Casados Vein 1	33.4	49.7	16.3	0.17	48.6	0.82	61.5
	including	43.7	45.8	2.1	0.68	143.0	2.59	194.3
LRGCS-21-037	Casados Vein 1	61.7	62.3	0.6	0.85	287.3	4.68	350.7
LRGCS-21-038	Casados – North	40.1	42.7	2.6	2.93	609.7	11.06	829.6
	including	41.0	41.8	0.8	10.00	2,085.4	37.81	2,835.4
	Casados Vein 1	235.5	239.2	3.7	0.22	94.2	1.48	110.8
	including	238.5	239.2	0.7	0.67	323.5	4.98	374.6
LRGCS-21-039	Casados Vein 1	37.7	48.5	10.8	0.31	68.8	1.23	92.0
	including	40.3	44.3	4.0	0.68	146.4	2.63	197.5
LRGCS-21-040	Casados Vein 1	70.9	71.7	0.8	0.06	24.6	0.39	29.1
LRGCS-21-041	Casados Vein 1	3.4	7.9	4.5	0.89	98.1	2.20	164.8
LRGCS-21-042	Casados Vein 1	96.0	112.0	16.0	0.33	71.4	1.29	96.4
	including	96.0	108.6	12.6	0.41	87.7	1.58	118.4
	including	103.2	108.6	5.4	0.78	164.4	2.97	222.6
LRGCS-21-043	Casados Vein 1	27.1	28.0	0.9	0.12	270.1	3.72	279.2
	and	68.9	70.3	1.3	0.46	134.6	2.25	168.8
	and	217.5	251.1	33.6	0.43	132.5	2.19	164.4
	including	224.5	239.7	15.3	0.88	269.8	4.48	335.9
	including	225.8	232.5	6.7	1.78	538.8	8.97	672.6

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ² (g/t)
	including	227.8	229.7	1.9	3.77	930.0	16.17	1,212.9
LRGCS-21-044	Casados Vein 1	84.0	86.9	2.8	0.46	149.7	2.45	184.0
	and	141.0	142.5	1.5	0.46	112.8	1.96	147.3
	and	176.8	196.6	19.9	0.31	100.3	1.65	123.7
	including	190.0	195.6	5.6	0.78	237.4	3.94	295.8
LRGCS-21-045	Casados Vein 1	30.4	31.0	0.6	0.10	41.6	0.65	48.9
LRGCS-21-046	Casados	209.5	220.0	10.5	0.37	95.8	1.65	123.8
LRGCS-21-047	Casados	105.0	127.6	22.6	0.76	146.1	2.71	203.4
	including	120.6	122.6	2.0	4.31	864.4	15.84	1,187.6
LRGCS-21-048	Casados	43.7	49.5	5.8	0.34	83.4	1.45	108.6
LRGCS-21-049	Casados	101.8	114.0	12.2	0.21	68.9	1.13	84.9
	including	111.4	114.0	2.7	0.81	209.2	3.60	269.9
LRGCS-21-051	Casados	175.9	187.0	11.2	0.44	91.5	1.66	124.4
	including	184.8	187.0	2.3	1.73	287.5	5.57	417.5
LRGCS-21-054	Casados	103.5	117.6	14.1	0.61	164.1	2.80	209.8
	including	113.4	115.5	2.1	3.38	838.7	14.57	1,092.5
	including	114.8	115.5	0.8	7.45	1,961.9	33.61	2,520.6
LRGCS-21-055	Casados	43.5	57.8	14.3	0.99	183.3	3.44	257.7
	including	48.3	50.3	2.0	6.56	1,178.6	22.27	1,670.6
LRGCS-21-056	Casados	197.1	243.0	45.9	0.96	187.0	3.45	259.0
	including	219.4	223.9	4.5	6.17	1,050.3	20.17	1,513.1
	including	219.4	221.4	2.0	13.01	2,033.9	40.12	3,009.2
	Including	220.4	221.4	1.0	19.87	2,877.1	58.23	4,367.3
LRGCS-21-057	Casados	69.6	77.6	8.0	0.29	98.9	1.61	120.4
	Casados	195.3	250.9	55.6	0.23	63.0	1.07	80.5
	including	233.3	234.3	1.0	2.09	778.7	12.47	935.4
LRGCS-21-058	Casados	71.6	72.5	0.9	0.34	135.0	2.14	160.8

1. Not true width
2. AgEq and AuEq converted using a gold to silver ratio of 75:1 at recoveries of 100%
3. Excludes historically mined void of 6.4m
4. Includes multiple veins
5. Excludes 4.3m of historically mined void.
6. Excludes 2.3m of historically mined void.
7. Excludes 1.5m of historically mined void
8. Excludes 3.5m of historically mined void
9. Excludes 3.0m of historically mined void
10. Excludes 2.5m of historically mined void
11. Drilling did not continue through to Vein 2 in hole LRGCS-20-009 due to technical difficulties.
12. Excludes 2.7m of historically mined void
13. Excludes 1.5m of historically mined void
14. Excludes 2.1m of historically mined void

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Ag (g/t)	Au (g/t)	Cu (%)	Pb (%)	Zn (%)	AgEq ² (g/t)
LRGO-20-001	El Orito	158.5	189.6	31.1	34.6	0.11	0.03	0.61	0.08	62.6
	including	166.5	171.1	4.6	108.5	0.56	0.05	1.79	0.02	199.2
LRGO-20-002	El Orito³	150.0	216.0	63.4	75.8	0.06	0.16	3.00	0.14	171.0
	including	152.0	175.0	23.0	169.7	0.10	0.29	7.46	0.07	384.4
	including	153.8	159.1	5.3	267.0	0.23	0.22	11.47	0.07	578.6
	including	164.3	171.0	6.7	320.1	0.11	0.15	14.37	0.08	685.9
LRGO-20-003	El Orito	206.4	268.9	62.6	12.7	0.02	0.08	0.65	2.12	107.4
	including	207.3	224.0	16.8	28.4	0.04	0.21	2.04	3.12	203.5
	including	216.8	224.0	7.2	51.3	0.06	0.14	4.49	3.06	277.3
LRGO-20-004	El Orito	213.1	264.3	51.2	15.9	0.04	0.07	0.64	2.07	110.0
	including	216.4	226.9	10.5	35.5	0.09	0.16	0.82	2.08	146.4
	including	251.6	256.5	4.9	41.2	0.15	0.18	1.56	2.91	203.6
LRGO-20-005	El Orito⁴	177.8	225.5	43.0	49.0	0.05	0.45	2.98	4.69	322.7
	including	196.1	210.4	14.3	84.7	0.11	0.83	4.78	7.57	537.8
LRGO-20-006	El Orito	137.5	155.0	17.6	35.3	0.05	0.10	0.88	1.12	106.7
	including	151.1	155.0	3.9	74.6	0.08	0.11	1.26	2.47	203.0
LRGO-21-007	El Orito	163.5	176.0	12.5	60.6	0.28	0.07	0.56	0.58	120.8
	including	168.9	170.5	1.6	171.7	1.29	0.20	1.30	1.44	366.0
LRGO-21-008	El Orito	161.6	176	14.4	16.3	0.01	0.08	0.53	1.77	96.3
	including	163.2	165.7	2.5	69.2	0.05	0.29	2.31	1.31	199.6
LRGO-21-009	El Orito	No significant mineralization								
LRGO-21-010	El Orito	115.6	204.1	88.5	38.1	0.08	0.12	0.84	0.25	83.2
	including	125.5	179.0	53.5	45.9	0.10	0.15	1.14	0.22	102.6
	including	115.6	131.5	15.9	65.1	0.18	0.22	2.71	0.48	179.7
	including	124.9	131.5	6.6	117.4	0.39	0.42	5.89	0.65	347.6
	including	125.5	128.5	3.0	149.6	0.18	0.63	11.59	0.76	523.1
LRGO-20-011	El Orito	153.2	179.1	25.9	9.3	0.01	0.04	0.25	0.85	48.1
LRGO-21-012	El Orito	232.8	266.9	34.2	33.0	0.05	0.22	2.15	0.67	130.9
	including	242.4	255.5	13.1	65.3	0.08	0.41	4.94	0.83	255.2
	including	242.4	248.1	5.7	103.9	0.11	0.53	10.55	1.53	464.3
LRGO-21-013	El Orito	289.0	309.0	20.0	10.4	0.01	0.03	0.27	1.08	56.4
	and	418.6	420.1	1.4	14.0	0.01	0.08	1.29	1.00	87.0
LRGO-21-014	El Orito	160.4	245.0	84.6	36.3	0.08	0.07	0.71	1.77	124.6
	including	160.4	170.2	9.8	236.4	0.31	0.23	2.46	3.64	460.0

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Ag (g/t)	Au (g/t)	Cu (%)	Pb (%)	Zn (%)	AgEq ² (g/t)
	including	164.4	167.8	3.5	577.3	0.66	0.24	2.23	4.29	844.9
LRGO-21-015	El Orito	269.8	298.0	28.2	44.9	0.10	0.08	0.58	1.26	115.5
	including	285.5	290.4	4.9	106.4	0.33	0.14	0.97	1.91	230.4
LRGO-21-016	El Orito	136.8	148.2	11.4	26.9	0.06	0.24	2.04	5.20	274.9
	including	142.6	146.9	4.3	62.2	0.14	0.60	5.04	10.24	588.8
	including	145.1	146.9	1.8	117.8	0.28	1.13	10.59	18.89	1,125.7
LRGO-21-017	El Orito	460.5	466.1	5.6	26.5	0.04	0.06	0.94	1.90	120.5
	including	464.5	465.5	1.0	104.0	0.09	0.23	4.05	8.21	501.1
LRGO-21-018	El Orito	197.8	246.4	48.6	34.7	0.05	0.19	1.24	2.36	163.8
	including	220.8	227.2	6.4	139.3	0.17	0.82	3.76	6.70	542.2
	including	237.0	239.7	2.8	114.4	0.18	0.60	5.52	12.68	737.9
LRGO-21-019	El Orito	137.0	139.5	2.4	17.9	0.02	0.07	0.90	0.13	51.4
LRGO-21-020	El Orito	155.8	167.5	11.8	168.1	2.02	0.02	0.16	0.14	330.6
	including	160.8	162.5	1.8	832.2	11.63	0.05	0.51	0.21	1,728.9
LRGO-21-021	El Orito	165.9	197.3	31.4	43.9	0.10	0.13	0.89	0.86	113.4
	including	188.6	196.6	8.0	98.7	0.23	0.29	2.06	2.61	279.9
	including	189.5	192.9	3.4	174.0	0.49	0.50	3.63	4.54	495.3
LRGO-21-022	El Orito	242.0	249.3	7.3	6.0	0.01	0.02	0.46	1.08	55.3
	including	242.0	242.6	0.6	24.5	0.03	0.09	2.63	4.65	251.5
LRGO-21-023	El Orito	48.1	51.0	3.0	80.6	0.32	0.04	0.19	0.12	116.5
	and	70.9	73.5	2.6	107.5	0.58	0.02	0.14	0.16	160.9
	and	97.5	128.9	31.4	34.6	0.20	0.14	0.36	0.28	80.7
	including	109.3	121.3	12.0	59.3	0.42	0.27	0.64	0.61	152.5
	including	118.9	120.7	1.8	144.4	1.35	0.08	0.17	0.04	258.1
LRGO-21-024	El Orito	76.8	87.4	10.6	34.4	0.12	0.02	0.04	0.06	49.3
	including	85.9	87.4	1.5	88.9	0.62	0.03	0.05	0.11	143.1
	and	146.5	156.2	9.7	93.9	0.42	0.02	0.15	0.09	134.5
	including	152.0	155.2	3.2	173.7	1.09	0.02	0.15	0.10	264.4
LRGO-21-025	El Orito	260.0	264.5	4.4	5.7	0.01	0.02	0.24	0.90	43.9
LRGO-21-026	El Orito	184.5	221.5	35.6	46.9	0.05	0.28	2.07	1.41	173.6
	including	186.5	208.8	22.3	65.3	0.07	0.41	2.96	1.52	230.2
	and	249.8	250.8	1.0	95.2	0.20	0.32	3.26	0.97	250.4
	and	289.5	290.4	0.9	566.8	2.09	0.06	0.59	0.76	768.0
LRGO-21-027	El Orito	164.2	217.6	53.4	57.2	0.10	0.24	2.19	0.16	145.0
	including	174.9	179.1	4.2	150.0	0.06	0.47	7.07	0.29	376.2
	and	240.9	245.1	4.2	44.3	0.04	0.04	0.44	0.33	72.4
LRGO-21-028	El Orito	126.0	135.5	9.5	20.2	0.03	0.10	0.35	0.73	63.8
	and	187.5	189.3	1.8	17.9	0.04	0.25	0.48	2.53	139.7

Hole ID	Area	From	To	Length ¹	Ag	Au	Cu	Pb	Zn	AgEq ²
		(m)	(m)	(m)	(g/t)	(g/t)	(%)	(%)	(%)	(g/t)
LRGO-21-029	El Orito	219.8	232.1	12.4	38.2	0.08	0.23	2.11	3.79	221.2
	including	227.8	230.3	2.6	92.6	0.09	0.61	5.32	9.90	536.5
	and	246.9	249.6	2.8	22.5	0.02	0.05	0.73	1.72	102.5
LRGO-21-030	El Orito	62.9	66.5	3.7	49.2	0.12	0.07	1.01	1.22	129.3
	including	63.7	65.1	1.3	121.0	0.32	0.13	2.36	1.51	263.1
	and	74.5	75.8	1.3	28.0	0.02	0.20	1.26	0.97	110.9
	and	83.8	97.2	13.4	64.0	0.44	0.12	0.86	0.20	135.3
	including	92.9	95.8	3.0	222.2	1.93	0.29	2.72	0.14	464.4
	and	109.0	153.2	44.3	23.3	0.04	0.08	0.66	1.23	90.5
	including	144.7	149.6	4.9	43.9	0.16	0.16	2.48	3.50	246.4
LRGO-21-031	El Orito	95.0	121.6	26.6	13.7	0.04	0.07	1.13	1.29	93.6
	including	101.0	106.1	5.1	38.2	0.17	0.20	4.55	1.95	242.7
	including	101.0	102.4	1.4	87.4	0.55	0.23	10.67	0.10	407.4
LRGO-21-032	El Orito	196.8	206.8	10.0	56.2	0.11	0.06	1.21	0.61	119.8
	including	198.4	199.9	1.4	273.1	0.49	0.02	1.56	0.09	351.9
	and	215.7	245.0	29.4	35.7	0.06	0.23	2.16	4.15	250.8
	including	228.3	245.0	16.8	51.3	0.07	0.36	3.33	6.45	383.8
	including	237.1	243.3	6.3	90.3	0.09	0.65	5.16	9.55	598.6
	and	291.8	294.6	2.8	32.1	0.08	0.22	1.89	3.12	208.1
LRGO-21-033	El Orito	141.1	142.7	1.6	76.8	0.20	0.02	0.14	0.21	103.4
	and	217.5	221.2	3.8	32.9	0.09	0.13	0.31	2.43	140.0
LRGO-21-034	El Orito	133.0	137.0	4.0	28.2	0.03	0.08	0.52	0.51	66.9
	and	198.5	203.0	4.5	14.7	0.02	0.04	0.33	1.21	67.9
	and	223.1	224.8	1.7	15.9	0.03	0.04	0.93	1.60	97.2
LRGO-21-035	El Orito	68.2	70.9	2.8	100.6	0.30	0.01	0.07	0.02	126.0
	and	142.0	143.5	1.6	32.4	0.27	0.05	0.20	0.51	79.0
LRGO-21-036	El Orito	206.4	207.9	1.5	528.3	0.03	0.12	0.00	0.01	542.1
	and	232.4	350.3	117.9	6.3	0.02	0.02	0.19	1.33	58.2
	including	245.2	248.4	3.3	37.2	0.20	0.05	0.63	3.81	198.8
	including	259.0	262.7	3.7	22.2	0.02	0.10	1.69	3.09	175.9
	including	268.5	270.8	2.3	7.0	0.01	0.06	0.27	8.40	298.1
LRGO-21-037	El Orito	240.5	243.5	3.0	28.5	0.03	0.16	1.15	1.52	124.2
LRGO-21-038	El Orito	257.4	258.1	0.7	10.9	0.05	0.04	0.58	2.02	98.8
LRGO-21-039	El Orito	No significant mineralization								
LRGO-21-040	El Orito	200.2	206.0	5.8	9.2	0.01	0.08	0.32	1.53	75.4
	including	201.0	203.0	2.0	16.7	0.01	0.13	0.66	3.12	149.0
LRGO-21-041	El Orito	182.1	240.1	58.0	30.8	0.04	0.19	1.25	2.59	168.0
	including	206.0	229.0	23.0	60.7	0.08	0.40	2.43	4.88	325.0
	including	217.8	229.0	11.3	95.6	0.13	0.69	3.33	7.52	500.3
	including	217.8	221.9	4.2	185.7	0.22	1.46	6.87	15.12	1,007.2
LRGO-21-042	El Orito	397.5	402.3	4.8	6.8	0.01	0.02	0.12	0.59	31.7
LRGO-21-043	El Orito	274.8	315.9	41.2	9.7	0.01	0.06	0.31	1.99	89.5

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Ag (g/t)	Au (g/t)	Cu (%)	Pb (%)	Zn (%)	AgEq ² (g/t)
	including	277.7	288.6	11.0	20.8	0.03	0.13	0.79	4.25	195.5
	including	286.3	288.6	2.3	53.9	0.11	0.39	2.21	9.79	476.8
LRGO-21-044	El Orito	239.8	273.1	33.3	19.1	0.03	0.08	1.11	1.67	110.8
	including	247.7	262.5	14.8	25.6	0.05	0.11	1.43	2.39	153.1
	including	247.7	250.5	2.8	46.5	0.04	0.24	4.74	7.67	438.9
LRGO-21-045	El Orito	No significant mineralization								
LRGO-21-046	El Orito	171.0	184.0	13.0	30.2	0.02	0.22	0.31	1.11	97.4
	including	171.0	173.7	2.7	101.7	0.06	0.48	0.98	2.02	242.6
	including	179.0	184.0	5.0	21.6	0.01	0.30	0.25	1.73	114.9
	and	199.3	205.9	6.5	55.3	0.05	0.32	0.79	1.43	156.5
LRGO-21-047	El Orito	230.5	233.7	3.2	37.2	0.03	0.14	0.59	0.62	87.4
	and	367.0	370.0	3.0	19.2	0.02	0.34	1.28	1.62	137.0
	including	368.5	370.0	1.5	32.7	0.02	0.65	2.35	2.96	250.0
LRGO-21-048	El Orito	173.5	175.3	1.8	19.1	0.08	0.03	0.36	0.11	39.8
LRGO-21-049	El Orito	No significant mineralization								
LRGO-21-050	El Orito	56.1	74.0	18.0	50.8	0.09	0.06	0.39	0.05	74.5
	including	65.3	74.0	8.7	68.3	0.13	0.11	0.70	0.03	105.4
	including	72.1	74.0	1.9	230.5	0.34	0.23	0.96	0.03	302.5
	and	83.6	89.6	6.0	40.3	0.05	0.01	0.18	0.03	50.0
LRGO-21-051	El Orito	187.0	241.3	54.3	28.5	0.04	0.19	0.85	1.45	118.4
	including	233.0	240.6	7.6	97.2	0.12	0.70	2.92	5.39	421.5
LRGO-21-052	El Orito	208.7	246.8	38.1	31.7	0.03	0.17	1.89	2.72	185.6
	including	215.1	230.2	15.2	65.6	0.06	0.37	4.08	5.07	370.6
	including	220.9	226.8	5.9	122.0	0.12	0.54	7.20	10.73	709.5
	including	220.9	222.6	1.7	226.9	0.15	0.78	15.38	15.18	1,180.7
LRGO-21-053	El Orito	183.2	252.3	69.1	25.7	0.05	0.14	0.97	1.63	119.4
	including	237.7	252.3	14.7	66.5	0.09	0.38	2.01	4.10	293.8
	including	247.5	251.5	4.0	149.3	0.25	0.70	3.19	6.89	539.0

1. Not true width
2. AgEq converted using a silver to gold ratio of 75:1. Copper, Lead and Zinc converted using \$3.66/lb, \$0.90/lb and \$1.26/lb at 100% recoveries based on a silver price of \$26.00/oz
3. Excludes 2.6m of historically mined void
4. Excludes 4.7m of historically mined void

Locations:

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGT-20-001	582964	2339720	918	210	-60	200.5
LRGT-20-002	582920	2339687	909	0	-90	123.0
LRGT-20-003	583008	2339822	961	180	-60	214.0
LRGT-20-004	582955	2339625	908	180	-60	81.0

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGT-20-005	582939	2339621	898	0	-90	74.5
LRGT-20-006	583104	2339581	924	180	-60	108.0
LRGT-20-007	583050	2339538	903	180	-65	54.0
LRGT-20-008	583025	2339548	902	180	-65	63.0
LRGT-20-009	582950	2339588	917	180	-65	51.0
LRGT-20-010	582925	2339573	917	180	-65	81.0
LRGT-20-011	583000	2339574	896	180	-65	57.4
LRGT-20-012	583125	2339559	935	180	-65	91.5
LRGT-20-013	583100	2339626	927	180	-65	112.7
LRGT-20-014	583115	2339596	918	180	-70	100.8
LRGT-20-015	583075	2339536	906	180	-65	66.0
LRGT-20-016	583100	2339550	917	180	-65	101.0
LRGT-20-017	583075	2339643	935	180	-65	121.6
LRGT-20-018	583175	2339569	943	180	-65	120.4
LRGT-20-019	583200	2339617	939	180	-65	116.6
LRGT-20-020	583175	2339649	929	180	-65	130.7
LRGT-20-021	583025	2339634	939	180	-65	116.0
LRGT-20-022	583145	2339612	929	180	-60	142.6
LRGT-20-023	582975	2339647	908	180	-65	100.4
LRGT-20-024	582875	2339686	924	180	-65	111.0
LRGT-20-025	582925	2339627	912	180	-65	73.8
LRGT-20-026	582900	2339653	920	180	-65	84.0
LRGT-20-027	582850	2339706	897	210	-65	151.8
LRGT-20-028	582828	2339718	890	210	-65	152.0
LRGT-20-029	582850	2339706	897	180	-65	94.8
LRGT-20-030	582806	2339731	878	210	-65	153.0
LRGT-20-031	582925	2339686	928	180	-65	136.7
LRGT-20-032	583200	2339560	944	180	-65	118.7
LRGT-20-033	582975	2339598	911	180	-65	62.0
LRGT-20-034	582875	2339759	920	180	-65	146.0
LRGT-20-035	583038	2339900	952	360	-90	200.0
LRGT-20-036	583150	2339570	942	180	-65	111.0
LRGT-20-037	583000	2339665	914	180	-60	109.8
LRGT-20-038	583000	2339630	906	180	-60	80.0
LRGT-20-039	582950	2339676	909	180	-60	151.8
LRGT-20-040	583050	2339661	920	180	-60	110.0
LRGT-20-041	582857	2339768	887	210	-65	139.8
LRGT-20-042	583050	2339595	920	180	-60	92.0

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGT-20-043	583100	2339730	954	180	-60	180.65
LRGT-20-044	582878	2339755	905	210	-65	133.80
LRGT-20-045	583150	2339795	976	180	-60	248.40
LRGT-20-046	583050	2339810	974	360	-90	191.00
LRGT-20-047	583142	2339719	938	180	-60	181.30
LRGT-20-048	582975	2339698	923	180	-60	121.50
LRGT-20-049	583050	2339785	970	180	-60	160.45
LRGT-20-051	583050	2339717	939	180	-60	136.50
LRGT-20-052	582875	2339646	915	180	-65	67.50
LRGT-20-053	582875	2339716	914	180	-65	103.50
LRGT-20-054	582831	2339774	869	210	-65	88.50
LRGT-20-055	583025	2339700	939	180	-60	112.00
LRGT-20-056	582950	2339935	989	180	-60	213.00
LRGT-20-057	582950	2339935	943	180	-60	200.75
LRGT-20-058	583025	2339770	968	180	-60	150.50
LRGT-20-059	583025	2339850	968	180	-60	192.50
LRGT-20-060	582925	2339804	940	180	-65	133.50
LRGT-20-061	583075	2339719	968	180	-60	158.00
LRGT-20-062	582975	2339744	946	180	-65	129.00
LRGT-20-063	583125	2339651	923	180	-65	120.8
LRGT-20-064	582909	2339807	919	180	-70	142.7
LRGT-20-065	582875	2339875	916	180	-65	164.7
LRGT-20-066	582925	2339832	914	180	-65	143.7
LRGT-20-067	583100	2339877	979	180	-60	238.9
LRGT-20-068	582949	2339742	934	234	-65	139.5
LRGT-20-069	583008	2339662	912	234	-65	88.5
LRGT-20-070	582994	2339682	920	234	-65	142.5
LRGT-20-071	582977	2339793	952	234	-65	181.7
LRGT-20-072	583049	2339691	928	234	-65	133.5
LRGT-20-073	582985	2339706	928	234	-65	154.5
LRGT-20-074	583029	2339738	950	234	-65	160.2
LRGT-20-076	582937	2339765	939	234	-65	157.5
LRGT-20-077	582992	2339773	951	234	-65	172.2
LRGT-20-078	582956	2339798	945	234	-65	165.5
LRGT-20-079	582917	2339776	932	234	-65	154.4
LRGT-20-080	582923	2339828	914	234	-65	151.5
LRGT-20-081	582949	2339818	937	234	-65	169.9
LRGT-20-082	582909	2339809	912	234	-65	152.2

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGT-20-083	583010	2339794	961	234	-65	199.9
LRGT-20-084	583042	2339764	963	234	-65	174.0
LRGT-20-085	583076	2339708	939	234	-65	148.1
LRGT-20-086	582996	2339812	958	234	-65	199.9
LRGT-20-087	583054	2339736	953	234	-65	148.9
LRGT-20-088	583080	2339783	977	234	-65	210.0
LRGT-20-089	583098	2339663	929	234	-65	170.0
LRGT-20-090	583058	2339789	973	234	-65	193.5
LRGT-20-091	583081	2339679	930	234	-65	158.0
LRGT-20-092	583117	2339707	947	234	-65	152.0
LRGT-20-093	582916	2339718	920	234	-65	163.5
LRGT-20-094	582857	2339820	886	234	-65	151.5
LRGT-20-095	582850	2339793	877	234	-65	128.2
LRGT-20-096	582813	2339764	860	234	-65	130.5
LRGS-20-001	585328	2336544	1137	180	-45	253.5
LRGF-20-001	585404	2336613	1200	180	-45	285.0
LRGF-20-002	585659	2336799	1136	180	-70	201.0
LRGF-20-003	585750	2336767	1138	180	-45	37.5
LRGF-20-004	585750	2336767	1138	180	-60	120.0
LRGF-20-005	584999	2336486	1240	180	-45	204.0
LRGF-20-006	585630	2336678	1222	180	-45	199.5
LRGF-20-007	585659	2336799	1136	180	-45	151.5
LRGF-20-008	585409	2336626	1259	180	-70	144.5
LRGF-20-009	585430	2336596	1263	180	-45	193.5
LRGF-20-010	585410	2336646	1258	180	-60	280.5
LRGF-20-011	585380	2336638	1261	180	-45	236.0
LRGF-20-012	585309	2336552	1299	180	-45	241.5
LRGF-20-013	585362	2336546	1303	180	-45	262.5
LRGF-20-014	585576	2336719	1224	180	-45	231.0
LRGF-20-015	585627	2336691	1229	180	-45	199.5
LRGF-20-016	585576	2336719	1224	180	-70	255.0
LRGF-20-017	585627	2336691	1229	180	-70	76.5
LRGF-20-018	585600	2336708	1227	180	-70	202.5
LRGF-20-019	585332	2336571	1292	180	-45	216.0
LRGF-20-020	585279	2336577	1294	180	-45	327.0
LRGF-20-021	585397	2336724	1234	180	-60	279.0
LRGF-20-022	585096	2336514	1263	180	-65	243.5
LRGF-20-023	585404	2336564	1281	180	-45	195.0

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGF-20-024	585458	2336629	1241	180	-45	235.0
LRGF-20-025	585208	2336487	1355	180	-45	222.0
LRGF-20-026	585329	2336595	1279	180	-45	295.7
LRGF-20-027	585475	2336679	1221	180	-65	189.0
LRGF-20-028	585428	2336647	1250	180	-45	175.0
LRGF-20-029	585407	2336599	1268	180	-45	162.0
LRGF-20-030	585825	2336750	1190	180	-45	108.0
LRGF-20-031	585723	2336367	1200	180	-45	121.9
LRGF-21-032	585240	2336495	1350	180	-45	202.5
LRGF-21-033	585277	2336494	1351	180	-45	222.5
LRGF-21-032	585240	2336495	1350.0	180	-45	202.5
LRGF-21-034	585182	2336510	1318.0	180	-45	203.6
LRGF-21-035	585277	2336535	1315.0	180	-45	265.3
LRGF-21-036	585377	2336410	1335.0	180	-45	169.2
LRGF-21-037	585325	2336430	1355.0	180	-45	131.2
LRGF-21-038	585375	2336611	1274	180	-45	287
LRGF-21-039	585327	2336496	1338	180	-45	242
LRGF-21-040	585479	2336569	1283	180	-45	267
LRGF-21-041	585183	2336523	1318	180	-45	246
LRGF-21-042	585652	2336767	1171	180	-45	305
LRGF-21-043	585482	2336630	1250	180	-45	274
LRGF-21-046	585425	2336405	1320	180	-45	156
LRGCS-20-001	583574	2337685	668.1	207	-60	111.0
LRGCS-20-002	583306	2337783	725.4	180	-60	183.0
LRGCS-20-003	583465	2337825	687.8	180	-60	219.0
LRGCS-20-004	583345	2337794	714.6	180	-60	171.5
LRGCS-20-005	583487	2337809	678.9	180	-60	214.5
LRGCS-20-006	583269	2337795	715.5	180	-60	166.5
LRGCS-20-007	583361	2337798	710.1	180	-60	163.5
LRGCS-20-008	583527	2337785	673.0	180	-60	168.0
LRGCS-20-009	583440	2337830	670.0	180	-60	181.5
LRGCS-21-010	583465	2337822	664.1	180	-45	198.0
LRGCS-21-011	583441	2337848	738.0	180	-55	261.0
LRGCS-21-012	583487	2337809	661.0	185	-45	216.0
LRGCS-21-013	583465	2337823	664.1	185	-70	289.5
LRGCS-21-014	583487	2337810	661.0	183	-70	261.0
LRGCS-21-015	583918	2337719	761.0	180	-45	162.0
LRGCS-21-016	583510	2337792	670.0	180	-45	237.0

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGCS-21-017	583404	2337835	685.0	180	-45	306.2
LRGCS-21-018	583763	2337662	700.0	180	-50	234.0
LRGCS-21-019	583695	2337689	690.0	180	-45	171.2
LRGCS-21-020	584096	2337605	868.0	180	-50	205.0
LRGCS-21-021	583969	2337657	790.0	180	-50	243.0
LRGCS-21-022	583350	2337855	719.0	180	-45	240.0
LRGCS-21-023	584138	2337621	865.0	180	-45	197.0
LRGCS-21-024	583510	2337792	670.0	180	-60	259.5
LRGCS-21-025	583720	2337687	705.0	180	-45	162.8
LRGCS-21-026	583705	2337734	741.0	180	-45	240.0
LRGCS-21-027	583510	2337792	670.0	180	-70	258.0
LRGCS-21-028	583441	2337855	696	180	-70	329
LRGCS-21-029	583551	2337766	707.0	180	-45	159.0
LRGCS-21-030	583721	2337711	693.0	180	-45	162.3
LRGCS-21-031	583694	2337715	709.0	180	-45	352.0
LRGCS-21-032	583482	2337851	709.0	180	-70	352.5
LRGCS-21-033	583441	2337848	738.0	180	-45	159.0
LRGCS-21-034	583737	2337731	708.0	180	-45	254.4
LRGCS-21-035	583526	2337785	673.0	180	-45	203.0
LRGCS-21-036	583667	2337710	703.0	180	-45	203.5
LRGCS-21-037	583494	2337895	706	180	-70	454.5
LRGCS-21-038	583511	2337857	703	180	-70	313.5
LRGCS-21-039	583605	2337703	680	180	-45	196.7
LRGCS-21-040	583764	2337695	718	180	-45	196.7
LRGCS-21-041	583461	2337873	688	180	-75	337.9
LRGCS-21-042	583615	2337754	704	180	-45	202.5
LRGCS-21-043	583562	2337837	718	180	-65	307.5
LRGCS-21-044	583373	2337852	724	180	-60	346.5
LRGCS-21-045	583546	2337887	718	180	-78	418.8
LRGCS-21-046	583401	2337840	717	180	-72	324
LRGCS-21-047	583636	2337768	717	180	-50	270
LRGCS-21-048	583508	2337876	702	180	-77	389
LRGCS-21-049	583658	2337763	717	180	-45	230
LRGCS-21-050	583351	2337900	728	180	-60	348
LRGCS-21-051	583612	2337828	740	180	-45	191
LRGCS-21-052	583550	2337855	706	180	-70	315
LRGCS-21-053	583612	2337828	739	180	-50	319
LRGCS-21-054	583588	2337771	703	180	-45	221

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGCS-21-055	583648	2337712	688	180	-50	177
LRGCS-21-056	583588	2337855	733	180	-45	381
LRGCS-21-057	583612	2337828	739	180	-60	313
LRGCS-21-058	583403	2337885	709	180	-72	387
LRGO-20-001	583860	2336830	890	210	-45	197.5
LRGO-20-002	583860	2336830	890	210	-60	249.5
LRGO-20-003	583860	2336830	890	210	-75	340.0
LRGO-20-004	583843	2336844	947	210	-65	334.6
LRGO-20-005	583553	2336960	851	210	-65	245.6
LRGO-20-006	583480	2336740	790	210	-55	180.3
LRGO-21-007	583524	2336969	819.9	210	-55	235.5
LRGO-21-008	583517	2336991	807.8	210	-55	252.0
LRGO-21-009	583710	2336595	788.1	212	-55	315.7
LRGO-21-010	583915	2336814	936.4	210	-53.3	259.6
LRGO-21-011	583517	2336992	807.8	210	-70	288.0
LRGO-21-012	584011	2336857	991.3	210	-50	350.5
LRGO-21-013	584070	2336871	991.8	210	-50	473.7
LRGO-21-014	583914	2336813	936.6	210	-70	312.6
LRGO-21-015	584026	2336886	987.2	210	-50	400.0
LRGO-21-016	583503	2336745	833.0	210	-55	209.5
LRGO-21-017	584081	2336889	989.5	210	-50	501.1
LRGO-21-018	583564	2336982	845.0	210	-65	290.7
LRGO-21-019	583552	2336716	805.0	210	-55	152.0
LRGO-21-020	583653	2336930	890.0	210	-50	257.0
LRGO-21-021	583553	2336960	862.0	210	-55	252.9
LRGO-21-022	583528	2336731	790.0	210	-65	302.0
LRGO-21-023	583881	2336820	960.0	210	-50	220.9
LRGO-21-024	583574	2336954	860.0	210	-50	256.2
LRGO-21-025	583544	2336761	854.0	210	-65	327.0
LRGO-21-026	583859	2336861	930.6	210	-55	301.5
LRGO-21-027	583903	2336853	965.0	210	-50	302.1
LRGO-21-028	583511	2336727	822	210	-55	284.0
LRGO-21-029	583578	2336995	851	210	-65	330.9
LRGO-21-030	583867	2336663	868	30	-45	221.0
LRGO-21-031	583522	2336720	824	210	-45	238.0
LRGO-21-032	583685	2336968	895	210	-50	322.0
LRGO-21-033	583867	2336663	868	30	-60	284.9
LRGO-21-034	583563	2336713	825	210	-50	401.0

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGO-21-035	583601	2336933	891	210	-50	385.0
LRGO-21-036	583920	2336839	974	210	-70	419.4
LRGO-21-037	583602	2337020	843	210	-65	334.5
LRGO-21-038	583571	2336749	841	210	-55	309.0
LRGO-21-039	583960	2336886	999	210	-75	525.3
LRGO-21-040	583502	2336786	811	210	-55	275.0
LRGO-21-041	583607	2336982	865	210	-55	277.0
LRGO-21-042	584149	2336815	1005	210	-65	475.3
LRGO-21-043	583899	2336895	966	210	-70	453.6
LRGO-21-044	583607	2336982	865	210	-70	436.0
LRGO-21-045	584150	2336816	1005	210	-75	601.0
LRGO-21-046	583615	2337062	850	210	-65	448.0
LRGO-21-047	583899	2336895	966	210	-78	459.0
LRGO-21-048	583636	2336942	889	210	-50	272.0
LRGO-21-049	584085	2336841	1004	210	-55	364.4
LRGO-21-050	583752	2336809	887	210	-58	261.3
LRGO-21-051	583626	2336972	873	210	-55	321.2
LRGO-21-052	583768	2336883	928	210	-58	337.8
LRGO-21-053	583664	2336983	887	210	-50	320.1