

Following are intercepts which were released subsequent to the July 2020 Mineral Resource Estimate, which is available at www.gogoldresources.com in addition to at www.sedar.com. The drilling intercepts which were included in that resource are included beginning on page 3.

Hole ID	Area / Vein	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ² (g/t)
LRGAG-20-001	Eagle	138.2	170.9	32.7	1.11	35.1	1.58	118.7
	including	167.3	168.9	1.6	19.09	122.6	20.72	1,554.0
LRGAG-20-002	Eagle	160.5	177.2	16.7	0.24	51.4	0.93	69.4
LRGAG-20-003	Eagle	47.9	51.3	3.4	0.08	21.3	0.360	27.0
LRGAG-20-004	Eagle	94.8	113.8	19.0	0.45	57.0	1.21	90.7
	including	97.8	100.0	2.2	1.66	186.4	4.14	310.6
LRGAG-20-005	Eagle	49.6	54.9	5.4	0.68	51.9	1.37	102.6
LRGAG-20-006	Eagle	74.7	107.6	26.9	0.49	57.0	1.25	93.8
	including	83.6	85.6	2.0	1.60	197.6	4.23	317.5
LRGAG-21-007	Eagle	148.5	191.0	42.5	1.64	137.5	3.47	260.6
	including	155.5	156.5	1.0	7.42	493.0	13.99	1,049.5
	including	188.6	190.2	1.6	6.83	1,269.5	23.76	1,781.8
LRGAG-21-008	Eagle	24.7	26.7	2.0	0.58	93.4	1.82	136.7
LRGAG-21-009	Eagle	35.6	73.8	38.2	0.43	34.6	0.89	66.7
	including	42.8	49.8	7.1	1.30	123.8	2.95	221.3
LRGAG-21-010	Eagle	16.8	51.5	34.7	0.56	47.9	1.20	90.1
	including	38.0	39.0	1.0	7.88	263.0	11.39	854.0
LRGAG-21-011	Eagle	52.1	91.3	39.2	0.68	58.1	1.45	108.9
	including	64.7	66.2	1.5	2.87	133.7	4.65	348.7
LRGAG-21-012	Eagle	111.3	179.7	66.1	1.29	55.4	2.03	152.0
	including	140.0	141.0	1.0	14.60	1,080.0	29.00	2,175.0
	including	146.8	147.5	0.8	14.95	87.0	16.11	1,208.3
	including	150.5	154.5	4.1	7.36	80.8	8.44	632.8
	including	172.9	174.5	1.7	1.84	127.7	3.54	265.5
LRGAG-21-013	Eagle	90.0	121.7	31.7	0.65	64.5	1.51	113.5
	including	108.6	109.5	0.9	1.30	301.0	5.31	398.5
	including	114.2	115.0	0.8	2.49	274.0	6.14	460.8
LRGAG-21-014	Eagle	144.3	216.9	72.6	5.13	76.0	6.14	460.6
	including	173.1	176.2	3.1	4.86	659.6	13.66	1,024.1
	including	198.8	210.7	11.9	28.58	115.9	30.13	2,259.8
	including	208.6	210.7	2.1	146.03	176.8	148.39	11,128.9
	including	208.6	209.3	0.7	266.00	319.0	270.25	20,269.0
	including	210.0	210.7	0.7	168.50	140.0	170.37	12,777.5
LRGAG-21-015	Eagle	146.5	163.9	17.4	1.02	36.6	1.51	113.1
	including	146.5	147.2	0.7	11.75	284.0	15.54	1,165.2
	and	177.8	179.3	1.4	0.99	69.1	1.92	143.7
LRGAG-21-016	Eagle	175.8	182.6	6.8	0.88	82.4	1.98	148.1

Hole ID	Area / Vein	From	To	Length ¹	Au	Ag	AuEq ²	AgEq ²
		(m)	(m)	(m)	(g/t)	(g/t)	(g/t)	(g/t)
	including	180.3	181.3	0.9	3.42	308.0	7.53	564.5
LRGAG-21-017	Eagle	121.7	145.1	23.4	2.25	133.0	4.02	301.7
	including	125.7	126.3	0.6	25.40	437.0	31.23	2,342.0
LRGAG-21-018	Eagle	127.6	163.0	33.6	1.57	85.5	2.71	203.5
	including	156.9	159.3	2.4	10.51	436.5	16.33	1,225.0
	including	156.9	157.6	0.8	15.00	1,155.0	30.40	2,280.0
	and	177.9	178.6	0.7	36.20	1,500.0	56.20	4,215.0
LRGAG-22-019	Eagle	40.2	41.3	1.1	1.17	28.5	1.55	116.5
	and	50.6	53.2	2.6	1.19	35.9	1.67	125.3
LRGAG-22-020	Eagle	33.9	35.3	1.4	0.07	26.6	0.42	31.7
LRGAG-22-021	Eagle	72.0	94.5	22.5	2.38	24.4	2.70	202.7
	including	88.4	90.0	1.6	24.60	49.0	25.25	1,894.0
	including	88.4	89.2	0.8	27.40	40.8	27.94	2,095.8
LRGAG-22-022	Eagle	40.0	59.5	19.5	0.09	9.8	0.22	16.8
LRGAG-22-023	Eagle	41.5	96.6	55.1	0.82	99.8	2.15	161.2
	including	57.5	65.6	8.1	2.12	519.9	9.06	679.3
	including	60.3	62.6	2.3	4.76	1,471.5	24.39	1,828.9
	including	60.3	61.5	1.2	4.89	2,650.0	40.22	3,016.7
LRGAG-22-024	Eagle	85.5	86.1	0.6	3.48	6.0	3.56	267.0
LRGAG-22-025	Eagle	45.0	51.0	6.0	0.10	13.1	0.28	20.7
LRGAG-22-026	Eagle	187.2	188.2	1.0	0.39	111.0	1.87	140.3
LRGAG-22-027	Eagle	101.7	110.7	9.0	1.54	62.5	2.37	177.7
	including	108.7	109.7	1.0	5.79	33.2	6.23	467.5
LRGAG-22-028	Eagle	44.8	48.8	4.0	0.66	63.7	1.51	112.9
LRGAG-22-029	Eagle	59.0	63.5	4.5	1.20	60.3	2.01	150.6
	and	74.0	94.6	20.6	1.52	217.5	4.42	331.3
	including	75.5	77.5	2.0	8.00	1,865.5	32.87	2,465.5
	including	75.5	76.5	1.0	14.15	3,520.0	61.08	4,581.3
LRGAG-22-030	Eagle	42.9	79.5	36.7	1.77	156.2	3.85	289.0
	including	51.9	61.0	9.1	6.00	553.3	13.38	1,003.2
	including	54.1	54.8	0.7	14.00	1,260.0	30.80	2,310.0
LRGAG-22-031	Eagle	58.0	126.0	68.0	4.25	109.4	5.71	428.4
	including	78.0	113.9	35.9	7.83	184.9	10.29	771.8
	including	80.0	95.0	15.0	15.61	273.3	19.26	1,444.4
	including	80.0	86.0	6.0	20.96	472.8	27.26	2,044.5
	including	84.0	86.0	2.0	46.80	272.5	50.43	3,782.5
LRGAG-22-032	Eagle	48.1	113.8	65.8	1.36	107.7	2.79	209.6
	including	85.8	113.8	28.1	2.96	216.6	5.85	439.0
	including	88.5	92.9	4.3	7.17	1,012.8	20.68	1,550.7
	including	88.5	89.1	0.6	25.00	3,020.0	65.27	4,895.0
LRGAG-22-033	Eagle	190.9	222.0	31.1	0.66	64.6	1.53	114.4

Hole ID	Area / Vein	From	To	Length ¹	Au	Ag	AuEq ²	AgEq ²
		(m)	(m)	(m)	(g/t)	(g/t)	(g/t)	(g/t)
	including	215.5	219.3	3.8	1.92	170.6	4.19	314.5
LRGAG-22-034	Eagle	130.5	134.0	3.5	0.57	9.6	0.70	52.2
LRGAG-22-035	Eagle	69.0	179.6	110.6	1.64	264.6	5.17	387.5
	including	129.0	140.5	11.5	11.31	2,198.3	40.62	3,046.7
	including	130.4	133.8	3.5	30.24	6,392.5	115.48	8,660.8
	including	130.4	131.9	1.5	63.24	12,729.3	232.96	17,472.0
	including	131.0	131.9	0.9	104.50	13,742.5	287.73	21,580.0
LRGAG-22-036	Eagle	87.0	128.0	41.0	1.26	83.9	2.38	178.5
	including	109.0	128.0	19.0	2.11	143.8	4.02	301.8
	including	119.5	120.9	1.5	9.00	509.3	15.79	1,184.3
	including	119.5	120.3	0.8	12.55	782.0	22.98	1,723.3
LRGAG-22-037	Eagle	122.2	167.8	45.7	0.82	69.9	1.76	131.7
	including	146.4	155.0	8.7	3.44	200.5	6.11	458.3
	including	149.9	151.6	1.7	12.95	181.7	15.37	1,152.6
	including	150.9	151.6	0.7	26.00	115.0	27.53	2,065.0
LRGAG-22-038	Eagle	88.0	124.0	36.0	1.30	75.7	2.31	173.0
	including	106.9	116.0	9.2	4.81	256.1	8.23	616.9
	including	108.4	109.6	1.3	6.76	1,271.6	23.72	1,778.9
	including	108.4	109.0	0.7	7.70	2,030.0	34.77	2,607.5
	also including	112.6	115.0	2.4	12.64	163.6	14.82	1,111.7
	including	114.2	115.0	0.8	31.60	70.0	32.53	2,440.0
LRGAG-22-039	Eagle	149.7	169.0	19.4	0.93	65.8	1.81	135.7
	including	156.8	164.4	7.6	1.87	145.0	3.81	285.6
	including	158.0	163.4	5.4	2.37	168.9	4.62	346.6
LRGAG-22-040	Eagle	152.6	154.4	1.8	0.39	65.8	1.27	95.1
LRGAG-22-041	Eagle	109.5	145.5	36.0	1.46	134.5	3.26	244.3
	including	134.0	143.5	9.5	4.55	389.9	9.75	731.1
	including	134.0	134.8	0.8	6.01	577.0	13.70	1,027.7
	also including	137.0	143.5	6.6	5.62	453.6	11.67	875.3
	including	141.0	142.2	1.2	17.10	1,345.0	35.03	2,627.5
LRGAG-22-042	Eagle	No significant mineralization						
LRGAG-22-043	Eagle	146.0	154.2	8.2	0.67	78.4	1.72	129.0
	and	166.0	186.7	20.7	1.32	215.8	4.20	315.1
	including	176.5	185.8	9.3	2.73	428.2	8.44	633.1
	including	182.0	184.5	2.5	7.89	999.1	21.21	1,591.1
	including	182.0	182.7	0.7	17.20	2,130.0	45.60	3,420.0
LRGAG-22-044	Eagle	138.0	171.6	33.6	0.63	65.6	1.50	112.8
	including	138.8	147.0	8.3	1.78	160.2	3.92	293.8
	including	142.2	142.8	0.7	9.30	668.0	18.21	1,365.5
LRGAG-22-045	Eagle	22.0	37.0	15.0	0.31	42.8	0.88	65.7
	including	28.0	29.0	1.0	2.94	196.0	5.55	416.5

Hole ID	Area / Vein	From	To	Length ¹	Au	Ag	AuEq ²	AgEq ²
		(m)	(m)	(m)	(g/t)	(g/t)	(g/t)	(g/t)
LRGAG-22-046	Eagle	64.0	70.4	6.3	1.15	77.9	2.19	164.3
	including	67.0	69.8	2.8	1.85	106.3	3.27	245.4
LRGAG-22-047	Eagle	94.9	96.4	1.4	1.37	90.8	2.58	193.7
LRGAG-22-048	Eagle	72.0	84.0	12.0	0.21	30.4	0.62	46.4
LRGAG-22-049	Eagle	139.5	141.0	1.5	0.31	77.7	1.34	100.7
LRGAG-22-050	Eagle	26.0	28.0	2.0	0.33	42.8	0.90	67.4
LRGAG-22-051	Eagle	42.0	43.1	1.1	0.34	50.6	1.01	75.7
LRGAG-22-052	Eagle	No significant mineralization						
LRGAG-22-053	Eagle	26.2	27.0	0.9	0.06	19.1	0.31	23.5
LRGAG-22-054	Eagle	24.5	31.5	7.1	0.34	60.2	1.14	85.8
	including	24.5	26.5	2.0	0.96	145.3	2.90	217.2
LRGAG-22-055	Eagle	10.8	15.7	4.9	0.19	39.7	0.72	53.8
LRGAG-22-056	Eagle	No significant mineralization						
LRGAG-22-057	Eagle	101.0	102.5	1.5	0.04	24.7	0.37	27.4
LRGAG-22-058	Eagle	No significant mineralization						
LRGAG-22-059	Eagle	249.5	269.5	20.0	0.72	41.9	1.28	96.0
	including	250.5	259.7	9.1	1.57	85.7	2.71	203.1
	including	254.5	255.5	1.0	5.33	94.3	6.59	494.1
LRGAG-22-060	Eagle	22.7	23.6	1.0	0.40	56.2	1.15	86.4
LRGAG-22-061	Eagle	6.8	12.0	5.3	0.66	41.7	1.22	91.2
	including	10.5	12.0	1.5	1.18	74.6	2.17	162.7
LRGAG-22-062	Eagle	17.5	20.3	2.8	1.09	40.5	1.63	122.0
	including	18.5	19.3	0.8	3.56	106.0	4.97	373.0
	and	44.7	49.9	5.2	0.87	20.0	1.14	85.3
LRGAG-22-063	Eagle	26.0	41.7	15.7	1.21	46.7	1.83	137.4
	including	28.3	33.7	5.4	2.99	108.5	4.43	332.5
	including	30.8	31.6	0.8	16.35	339.0	20.87	1,565.3
LRGAG-22-064	Eagle	11.0	17.0	6.0	0.28	41.4	0.83	62.5
LRGAG-22-065	Eagle	73.0	76.0	3.0	5.00	19.7	5.26	394.4
	including	75.0	76.0	1.0	13.15	17.0	13.38	1,003.3
	Eagle	83.0	86.4	3.4	1.02	63.9	1.87	140.3
LRGAG-22-066	Eagle	58.8	61.6	2.8	0.06	14.2	0.24	18.3
LRGAG-22-067	Eagle	363.5	377.0	13.5	0.15	67.8	1.06	79.2
	including	364.4	366.6	2.2	0.53	127.5	2.23	167.3
	and	375.7	377.0	1.4	0.30	204.6	3.03	227.0
LRGAG-22-068	Eagle	50.0	51.0	1.0	0.61	55.4	1.35	101.2
LRGAG-22-069	Eagle	1.5	4.5	3.0	0.55	50.4	1.22	91.4
LRGAG-22-070	Eagle	49.5	51.0	1.5	0.47	54.7	1.20	90.0
LRGAG-22-071	Eagle	11.1	12.6	1.5	1.11	95.0	2.38	178.3
LRGAG-22-072	Eagle	33.0	51.0	18.0	0.33	48.2	0.98	73.1
	including	35.4	40.7	5.4	0.97	118.3	2.54	190.8

Hole ID	Area / Vein	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ² (g/t)
LRGAG-22-073	Eagle	No significant mineralization						
LRGAG-22-074	Eagle	No significant mineralization						
LRGAG-22-075	Eagle	26.3	29.5	3.3	0.34	90.1	1.54	115.6
LRGAG-22-076	Eagle	130.2	164.0	33.8	0.76	45.5	1.37	102.5
	including	149.0	164.0	15.0	1.30	79.5	2.36	176.8
	including	151.9	152.7	0.8	14.70	640.0	23.23	1,742.5
LRGAG-22-077	Eagle	111.3	115.3	4.0	0.78	65.7	1.66	124.2
	and	147.0	168.5	21.5	0.66	67.7	1.56	117.1
	including	163.5	164.5	1.0	4.95	460.0	11.08	831.3
LRGAG-22-078	Eagle	31.7	52.7	21.0	0.43	79.4	1.49	111.6
	including	38.6	49.2	10.6	0.70	122.8	2.34	175.6
	including	41.6	45.3	3.8	1.12	196.1	3.73	279.8
	including	44.6	45.3	0.8	1.96	512.0	8.79	659.0
LRGAG-22-079	Eagle	10.8	13.9	3.2	0.47	78.6	1.52	113.8
LRGAG-22-080	Eagle	172.2	173.2	1.0	1.30	36.4	1.78	133.5
	and	206.7	213.5	6.8	2.43	23.6	2.74	205.6
	including	207.9	209.4	1.5	10.60	25.0	10.93	820.0
LRGAG-22-081	Eagle	15.2	16.7	1.5	0.69	59.2	1.48	111.2
LRGAG-22-082	Eagle	132.0	154.9	22.9	0.27	16.8	0.50	37.4
LRGAG-22-083	Eagle	212.5	215.4	2.8	1.94	42.1	2.51	187.9
LRGAG-22-084	Eagle	14.0	48.5	34.5	0.06	17.0	0.29	21.6
LRGAG-22-085	Eagle	111.0	128.5	17.5	0.54	29.8	0.94	70.5
	including	120.0	121.5	1.5	4.77	92.0	6.00	449.8
LRGAG-22-086	Eagle	1.5	5.8	4.3	0.19	44.2	0.78	58.7
LRGAG-22-087	Eagle	94.5	103.5	9.0	0.87	38.5	1.39	103.9
	including	94.5	97.5	3.0	1.77	24.7	2.10	157.2
LRGAG-22-088	Eagle	No significant mineralization						
LRGAG-22-089	Eagle	28.8	33.8	5.0	0.23	32.0	0.66	49.6
LRGAG-22-090	Eagle	148.5	216.1	66.8	0.54	33.3	0.98	73.5
	including	203.0	212.1	9.1	1.89	96.3	3.17	237.7
LRGAG-22-091	Eagle	114.9	124.5	9.7	0.37	55.3	1.11	83.2
	and	163.1	165.9	2.8	0.57	50.2	1.24	92.8
LRGAG-22-092	Eagle	312.0	313.4	1.4	4.42	12.7	4.59	344.2
LRGAG-22-093	Eagle	383.9	388.2	4.3	0.38	27.4	0.74	55.8
LRGAG-22-094	Eagle	116.8	135.0	18.2	1.37	146.0	3.32	248.9
	including	118.5	128.5	10.0	2.39	235.0	5.53	414.5
	including	122.6	123.6	1.0	7.51	448.0	13.48	1,011.3
LRGAG-22-095	Eagle	254.3	257.3	3.1	0.52	58.6	1.30	97.8
LRGAG-22-096	Eagle	No significant mineralization						
LRGAG-22-097	Eagle	148.9	153.0	4.2	3.20	169.4	5.46	409.6
	including	148.9	150.0	1.2	10.75	521.0	17.70	1,327.2

Hole ID	Area / Vein	From	To	Length ¹	Au	Ag	AuEq ²	AgEq ²
		(m)	(m)	(m)	(g/t)	(g/t)	(g/t)	(g/t)
LRGAG-22-098	Eagle	318.6	329.6	11.0	0.69	73.2	1.67	125.3
	including	324.2	326.6	2.4	2.88	224.8	5.87	440.6
LRGAG-22-099	Eagle	256.0	259.4	3.4	2.05	54.7	2.78	208.6
	including	256.0	257.3	1.3	5.23	129.8	6.96	522.1
	and	272.6	275.0	2.4	1.11	30.7	1.52	113.8
LRGAG-22-100	Eagle	393.8	406.3	12.5	0.52	59.5	1.32	98.8
	including	394.8	398.8	4.0	1.35	148.3	3.33	249.7
	including	396.8	397.8	1.0	2.95	349.0	7.60	570.3
LRGAG-22-118	Eagle	95.6	150.6	55.0	7.80	2,152.7	36.51	2,737.9
	including	95.6	120.6	25.0	16.07	4,664.2	78.26	5,869.3
	including	104.6	119.6	15.0	26.74	7,755.8	130.15	9,761.3
	including	107.6	114.6	7.0	55.87	16,524.6	276.19	20,714.5
	including	107.6	110.6	3.0	121.97	36,953.0	614.67	46,100.5
	including	108.6	110.6	2.0	145.25	52,764.5	848.78	63,658.3
LRGG-22-208	Main area	37.5	47.7	10.3	1.17	313.0	5.35	401.0
	including	43.2	45.0	1.9	3.50	976.2	16.52	1,238.7
LRGG-22-209	Main area	58.3	91.5	33.2	3.15	276.5	6.84	512.8
	including	86.0	89.0	3.0	30.19	2,587.7	64.69	4,851.7
	including	87.0	88.0	1.0	73.10	5,620.0	148.03	11,102.5
LRGG-22-210	Main area	216.0	229.0	13.0	0.95	99.5	2.28	171.1
	including	222.1	225.0	2.9	2.69	184.9	5.15	386.6
LRGG-22-211	Main area	94.4	118.5	21.7	1.77	117.1	3.33	249.5
	including	98.3	101.9	3.7	7.54	348.1	12.18	913.5
	including	100.1	101.9	1.8	10.02	391.0	15.23	1,142.5
LRGG-22-212	Main area	91.8	114.8	23.0	0.38	71.2	1.33	100.0
	including	110.5	114.8	4.3	1.72	289.4	5.58	418.3
LRGG-22-213	Main area	125.3	131.5	6.3	0.14	20.8	0.42	31.2
LRGG-22-214	Main area	117.5	128.8	11.3	0.54	69.4	1.47	110.0
LRGG-22-215	Main area	141.9	145.0	3.1	0.55	76.2	1.56	117.0
LRGG-22-216	Main area	99.0	105.7	6.7	0.36	62.9	1.20	90.1
	including	102.1	102.8	0.7	1.58	267.0	5.14	385.5
LRGG-22-217	Main area	179.8	198.9	15.1	0.52	109.6	1.98	148.3
LRGG-22-218	Main area	57.0	74.1	15.0	3.98	529.2	11.04	827.8
	including	57.0	63.9	4.8	12.43	1,625.6	34.10	2,557.6
	including	60.5	63.0	2.5	20.32	2,774.1	57.31	4,298.2
	including	61.2	62.2	0.9	37.90	4,250.0	94.57	7,092.5
LRGG-22-219	Main Area	126.3	128.8	2.5	0.65	66.6	1.54	115.6
LRGG-22-220	Main Area	63.8	79.4	15.6	0.50	98.9	1.82	136.2
	including	70.7	74.1	3.4	1.34	156.5	3.42	256.8
LRGG-22-221	Main Area	194.9	224.2	29.4	0.85	138.3	2.69	202.1
	including	202.0	206.4	4.4	4.98	748.7	14.97	1,122.5

Hole ID	Area / Vein	From	To	Length ¹	Au	Ag	AuEq ²	AgEq ²
		(m)	(m)	(m)	(g/t)	(g/t)	(g/t)	(g/t)
	including	203.9	204.9	0.9	12.70	2,370.0	44.30	3,322.5
LRGG-22-222	Main Area	127.7	136.3	8.7	0.94	104.8	2.34	175.6
	including	134.3	134.9	0.6	7.60	592.0	15.49	1,162.0

1. Not true width
2. AqEq converted using a silver to gold ratio of 75:1 at recoveries of 100%

Locations:

Hole ID	Easting	Northing	Elevation	Azimuth	Dip	Length
LRGAG-20-001	610102	2328248	1295	50	-65	237
LRGAG-20-002	610102	2328219	1306	50	-65	218
LRGAG-20-003	610176	2328321	1306	50	-45	76
LRGAG-20-004	610175	2328321	1306	0	-90	143
LRGAG-20-005	610165	2328340	1304	50	-45	70
LRGAG-20-006	610164	2328339	1303	0	-90	140
LRGAG-21-007	610058	2328297	1284	50	-75	292
LRGAG-21-008	610172	2328402	1313	50	-50	89
LRGAG-21-009	610170	2328401	1312	0	-90	140
LRGAG-21-010	610142	2328443	1311	50	-50	103
LRGAG-21-011	610141	2328442	1311	0	-90	132
LRGAG-21-012	610056	2328370	1282	50	-75	231
LRGAG-21-013	610055	2328369	1282	50	-50	191
LRGAG-21-014	610055	2328369	1282	0	-90	321
LRGAG-21-015	610059	2328297	1284	50	-50	235
LRGAG-21-016	610058	2328296	1284	0	-90	257
LRGAG-21-017	610058	2328345	1283	50	-50	227
LRGAG-21-018	610058	2328344	1283	50	-75	254
LRGAG-22-019	610143	2328421	1308	50	-50	109
LRGAG-22-020	609704	2328800	1235	50	-45	114
LRGAG-22-021	610026	2328548	1271	50	-50	216
LRGAG-22-022	610096	2328608	1301	50	-45	157
LRGAG-22-023	610142	2328420	1307	50	-85	150
LRGAG-22-024	610096	2328607	1300	50	-70	173
LRGAG-22-025	609703	2328799	1234	50	-90	141
LRGAG-22-026	609806	2328557	1234	50	-45	306
LRGAG-22-027	610026	2328548	1271	50	-70	218
LRGAG-22-028	610062	2328514	1272	50	-53	210
LRGAG-22-029	610058	2328443	1278	50	-50	167
LRGAG-22-030	610061	2328513	1272	50	-70	266
LRGAG-22-031	610061	2328513	1272	0	-90	322
LRGAG-22-032	610059	2328444	1278	50	-70	159
LRGAG-22-033	610057	2328344	1283	0	-90	295
LRGAG-22-034	609857	2328604	1244	50	-45	271
LRGAG-22-035	610058	2328443	1278	0	-90	216
LRGAG-22-036	610026	2328548	1271	0	-90	171

LRGAG-22-037	610090	2328247	1295	0	-90	213
LRGAG-22-038	609977	2328575	1265	50	-50	139
LRGAG-22-039	610087	2328271	1289	50	-65	219
LRGAG-22-040	610086	2328270	1289	0	-90	227
LRGAG-22-041	609977	2328575	1265	50	-72	164
LRGAG-22-042	610179	2328608	1338	50	-50	99
LRGAG-22-043	610100	2328212	1312	0	-90	257
LRGAG-22-044	609977	2328575	1265	0	-90	249
LRGAG-22-045	610177	2328669	1351	50	-45	84
LRGAG-22-046	610065	2328643	1302	50	-45	144
LRGAG-22-047	609706	2328729	1218	50	-45	145
LRGAG-22-048	610064	2328642	1302	50	-80	102
LRGAG-22-049	609970	2328427	1252	50	-60	144
LRGAG-22-050	610196	2328659	1362	50	-45	73
LRGAG-22-051	610195	2328658	1362	0	-90	81
LRGAG-22-052	609705	2328729	1218	50	-70	167
LRGAG-22-053	610200	2328599	1337	50	-45	66
LRGAG-22-054	610165	2328692	1353	50	-45	56
LRGAG-22-055	610237	2328581	1347	50	-45	44
LRGAG-22-056	610256	2328511	1383	50	-45	105
LRGAG-22-057	609705	2328729	1218	0	-90	197
LRGAG-22-058	610200	2328598	1337	0	-90	72
LRGAG-22-059	610000	2328160	1318	50	-70	303
LRGAG-22-060	610216	2328343	1320	50	-45	51
LRGAG-22-061	609655	2328760	1210	50	-65	126
LRGAG-22-062	610205	2328368	1318	50	-45	72
LRGAG-22-063	610177	2328379	1311	50	-45	86
LRGAG-22-064	609653	2328759	1210	0	-90	175
LRGAG-22-065	610176	2328378	1311	0	-90	113
LRGAG-22-066	609632	2328800	1204	50	-45	110
LRGAG-22-067	609999	2328159	1318	0	-90	427
LRGAG-22-068	610118	2328660	1325	50	-45	72
LRGAG-22-069	609630	2328799	1204	0	-90	141
LRGAG-22-070	610104	2328675	1326	50	-45	80
LRGAG-22-071	609627	2328823	1199	50	-45	100
LRGAG-22-072	610082	2328687	1325	50	-45	102
LRGAG-22-073	609625	2328822	1199	0	-90	170
LRGAG-22-074	610050	2328702	1325	50	-45	102
LRGAG-22-075	609555	2328880	1180	50	-45	80
LRGAG-22-076	609916	2328450	1243	50	-55	236
LRGAG-22-077	609957	2328623	1268	0	-90	231
LRGAG-22-078	609554	2328879	1179	0	-90	104
LRGAG-22-079	609449	2328961	1164	50	-45	65
LRGAG-22-080	609969	2328426	1252	50	-75	239
LRGAG-22-081	609449	2328960	1164	0	-90	103
LRGAG-22-082	609915	2328449	1243	50	-75	235
LRGAG-22-083	609969	2328426	1252	0	-90	297
LRGAG-22-084	609612	2328849	1196	50	-45	93
LRGAG-22-085	609958	2328623	1268	50	-70	167
LRGAG-22-086	609611	2328848	1195	0	-90	131

LRGAG-22-087	609958	2328624	1268	50	-45	132
LRGAG-22-088	609404	2329006	1160	50	-45	61
LRGAG-22-089	609403	2329005	1160	0	-90	68
LRGAG-22-090	609966	2328360	1252	50	-60	270
LRGAG-22-091	609947	2328639	1268	0	-90	218
LRGAG-22-092	609808	2328145	1297	50	-45	443
LRGAG-22-093	609808	2328145	1297	50	-55	443
LRGAG-22-094	610142	2328156	1330	50	-70	255
LRGAG-22-095	609963	2328104	1325	50	-60	323
LRGAG-22-096	609913	2328448	1243	0	-90	348
LRGAG-22-097	610139	2328150	1329	0	-90	246
LRGAG-22-098	609963	2328103	1325	50	-75	377
LRGAG-22-099	609965	2328359	1252	50	-75	312
LRGAG-22-100	609962	2328103	1325	0	-90	446
LRGG-22-208	610837	2327470	1252	50	-50	101
LRGG-22-209	610797	2327528	1255	50	-85	135
LRGG-22-210	610379	2327666	1261	50	-65	260
LRGG-22-211	610607	2327635	1278	50	-61	158
LRGG-22-212	610211	2328051	1311	50	-56	220
LRGG-22-213	610210	2328051	1312	50	-75	187
LRGG-22-214	610473	2327777	1293	50	-56	177
LRGG-22-215	610254	2327822	1251	50	-54	197
LRGG-22-216	610251	2328176	1362	50	-50	132
LRGG-22-217	610478	2327617	1279	50	-58	224
LRGG-22-218	610698	2327577	1256	50	-45	130
LRGG-22-219	610307	2327836	1257	50	-58	162
LRGG-22-220	610401	2327885	1293	50	-46	125
LRGG-22-221	610220	2327768	1234	50	-56	261
LRGG-22-222	610289	2327820	1256	50	-57	198

Following are intercepts which were included in the July 2020 Mineral Resource Estimate, please see the 43-101 Mineral Resource Estimate Technical Report which is available at www.gogoldresources.com in addition to at www.sedar.com.

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ³ (g/t)
LRGG-19-001	Main	71	106.5	35.5	1.24	284.7	5.04	378
	HW zone	71	81	10	1.27	249.1	4.59	344.3
	Open Stope ⁴	81	82.5	1.5	*	*	*	*
	FW zone	82.5	106.5	24	1.31	317.3	5.54	415.5
	including	91.5	98	6.5	3.32	905.8	15.39	1154.3
LRGG-19-002	Main	26.5	54.1	27.6	1.56	159	3.68	276.0
	including	28.4	34	5.6	5.52	525	12.52	939.0
LRGG-19-003	Main	145	165.4	20.4	2.21	318.7	6.45	483.8
	including	145	155.5	10.5	4.26	608	12.36	927.0
	including	146	153.2	7.2	6.17	869.5	17.77	1332.8
LRGG-19-004	Main	96.5	99	2.5	0.04	27.2	0.4	30.0
LRGG-19-005	Main	121	131.8	10.8	0.19	53.8	0.91	68.3
LRGG-19-006	Main	107.1	132	25	0.33	35.7	0.81	60.8
	including	119.7	122.5	2.8	1.41	52.6	2.11	158.3
LRGG-19-007	Main	149.5	161.2	11.7	0.68	88.8	1.87	140.3
	including	163	169.1	6.1	0.58	141.9	2.47	185.3
LRGG-19-008	Main	109.4	131.7	22.4	4.13	182.1	6.55	491.3
	including	127.5	130.5	3	25.08	533.9	32.2	2415.0
	and	134.7	147.6	12.9	0.17	31.5	0.59	44.3
LRGG-19-009	Main	34.5	55.7	21.2	7.66	1270.2	24.6	1845.0
	including	37.8	44.7	6.9	21.97	3717.6	71.54	5365.5
LRGG-19-010	Open Stope ⁴	97.5	99	1.5	*	*	*	*
	Main	99	117.8	18.8	0.37	67.9	1.27	95.3
	including	102.2	106.7	4.5	0.96	119.5	2.55	191.3
LRGG-19-011	Main	253	271.5	18.5	1.2	140.3	3.07	230.3
	including	261.8	270.3	8.4	2.16	227.8	5.19	389.3
LRGG-19-012	Main	220.3	238	17.8	0.59	82.7	1.69	126.8
	including	224.5	238	13.5	0.77	100.4	2.11	158.3
	including	228.5	235.5	7	1.16	131.9	2.92	219.0
LRGG-19-013	Main	163.9	179.5	15.6	0.78	194.7	3.38	253.5
	including	166	174.8	8.8	1.3	296.5	5.25	393.8
	including	166	168.2	2.2	2.09	331.7	6.52	489.0
LRGG-19-014	Main	204.3	218.5	14.2	1.1	126.8	2.79	209.3
	including	208.3	216	7.7	1.94	209.3	4.73	354.8
	and	224.5	228	3.5	0.16	26.5	0.51	38.3
LRGG-19-015	Main	23.4	40.5	17.1	0.71	67.9	1.62	121.5
	including	27	32.6	5.6	1.68	137.2	3.51	263.3
	Open Stope ⁴	40.5	43.7	3.2	*	*	*	*

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ³ (g/t)
	Main	43.7	54	10.3	1.19	85	2.33	174.8
	including	43.7	49	5.3	2.02	138.1	3.87	290.3
LRGG-19-016	Main	80.8	85.8	5	0.52	160.6	2.66	199.5
	Open Stope ⁴	85.8	88.3	2.5	*	*	*	*
	including	91.7	98.1	6.3	2.14	336.7	6.63	497.3
LRGG-19-017	Main	83.2	115.2	32	0.8	178.8	3.18	238.5
	including	83.2	94.5	11.3	1.46	347.8	6.1	457.5
LRGG-19-018	Main	258.5	279.9	21.4	0.81	170.1	3.08	231.0
	including	263.2	276	12.9	1.24	262.4	4.74	355.5
	including	268.5	276	7.5	1.78	342.4	6.35	476.3
LRGG-19-019	Main	23	27.5	4.5	1.5	196.6	4.13	309.8
	Open Stope ⁴	27.5	29.7	2.2	*	*	*	*
	Main	29.7	43.5	13.8	0.63	86	1.78	133.5
	including	29.7	33.9	4.2	1.52	198.3	4.17	312.8
LRGG-19-020	Main	43.8	58.7	14.9	1.78	106.4	3.2	240.0
	including	45	52	7	3.48	155.6	5.55	416.3
LRGG-19-021	Main	9	16.5	7.5	0.09	18.1	0.33	24.8
	Open Stope ⁴	16.5	22.5	6	*	*	*	*
	Main	22.5	38.1	15.6	1.15	113.5	2.67	200.3
	including	22.5	29	6.5	2.38	236.5	5.54	415.5
LRGG-19-022	Main	170.4	193.7	23.3	1.78	201.5	4.47	335.3
	including	171.5	181.5	10	3.58	389.6	8.78	658.5
LRGG-19-023	Main	34	58	24	0.61	126	2.29	171.8
	including	34	48.7	14.7	0.93	200.8	3.61	270.8
LRGG-19-024	Main	25	30	5	0.36	30.8	0.77	57.8
LRGG-19-025	Main	34.9	59.5	24.6	1.3	135	3.1	232.5
	including	34.9	50.4	15.5	2	203.3	4.71	353.3
LRGG-19-026	Main	4	9.7	5.7	1.29	201.1	3.98	298.5
	Open Stope ⁴	9.7	11.3	1.6	*	*	*	*
	Main	11.3	29.5	18.2	0.16	34.5	0.62	46.5
LRGG-19-027	Main	38.3	51	12.7	1.08	169.8	3.34	250.5
	including	38.3	45	6.7	1.83	268.1	5.4	405.0
	and	60	65	5.1	0.28	23.4	0.59	44.3
LRGG-19-028	Main	34.5	62	27.5	1.21	133.5	2.99	224.3
	including	35.1	46	11	2.93	293.9	6.85	513.8
LRGG-19-029	Main	28.5	31.5	3	0.99	157.1	3.09	231.8
	Open Stope ⁴	31.5	34.1	2.6	*	*	*	*
	Main	34.1	34.7	0.6	1.64	300.3	5.64	423.0
	Open Stope ⁴	34.7	39	4.3	*	*	*	*
LRGG-19-030	Main	39	41	2	0.12	19.4	0.38	28.5
	San Juan	128.7	145.5	16.9	0.54	67.8	1.45	108.8
	including	138	143	5	1.46	147.9	3.43	257.3

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ³ (g/t)
LRGG-19-031	Main	25.5	31.7	6.2	1.17	157.8	3.27	245.3
LRGG-19-032	Main ⁵	38.5	56	15.5	0.53	84.2	1.66	124.5
	including	38.5	47.2	8.7	0.75	94.3	2.01	150.8
	including	42.3	45	2.7	2.04	216.6	4.93	369.8
LRGG-19-033	Main ⁶	31	53.5	17.1	1.59	364.2	6.45	483.8
	including	31	36.6	5.6	3.81	818.1	14.72	1104.0
	including	43	53.5	10.5	0.52	142.5	2.42	181.5
LRGG-19-034	Main ⁷	103.5	126	20.1	0.92	177.2	3.28	246.0
	Including	105	109.9	4.9	3.41	620.7	11.68	876.0
LRGG-19-035	Main	119.9	144.3	24.4	1.29	127.4	2.99	224.3
	including	124.7	134.5	9.8	3	258	6.44	483.0
LRGG-19-036	Main	78	98	20	0.28	102.9	1.65	123.8
LRGG-19-037	Main	73	91.6	18.6	0.33	53.7	1.05	78.8
	including	76	80.8	4.8	0.77	117.8	2.34	175.5
LRGG-19-038	Main ⁸	99.0	124.5	21.2*	0.72	164.7	2.92	219.0
	Including	100.5	110.7	10.2	1.33	302.2	5.36	402.0
LRGG-19-040	Main ⁹	42.0	63.6	17.5*	0.40	115.0	1.93	144.8
	including	42.0	46.5	4.5	0.89	281.5	4.64	348.0
LRGG-19-041	Main ¹⁰	97.5	126.0	23.3	1.14	115.5	2.68	201.0
	including	99.8	105.2	5.5	4.60	398.0	9.91	743.3
LRGG-19-042	Main ¹¹	28.0	58.5	29.2*	0.47	69.5	1.40	105.0
	including	31.0	37.7	6.7	1.65	223.9	4.63	347.3
LRGG-19-044	San Juan	31.8	50.5	18.8	0.29	33.4	0.73	54.8
	including	35.5	39.0	4.5	0.50	27.4	0.86	64.5
LRGG-19-045	San Juan	61.0	81.0	20.0	0.59	33.7	1.04	78.0
	including	67.5	71.0	3.5	2.92	90.9	4.13	309.8
LRGG-19-046	San Juan	99.5	135.5	36.0	0.36	62.2	1.19	89.3
	including	129.0	134.5	5.5	1.30	220.5	4.24	318.0
LRGG 19-047	San Juan	83.5	97.5	14	0.16	23.5	0.47	35.3
LRGG 19-047	San Juan	89.1	110.1	21	1.38	145.9	3.33	249.8
	including	89.1	99	9.9	2.76	258.6	6.21	465.8
	including	91	96	5	4.36	436.2	10.17	762.8
LRGG 19-048	Main	7.9	20.1	12.2	0.1	47.3	0.73	54.8
	Main	39.0	51.0	12.0	0.76	108.4	2.21	165.8
	including	40.2	47.5	7.3	1.02	155.6	3.10	232.5
LRGG-19-050	San Juan	15.0	60.3	45.3	0.39	76.3	1.41	105.8
	including	37.5	54.2	16.7	0.84	147.4	2.81	210.8
	including	48.0	54.2	6.2	1.01	241.7	4.23	317.3
LRGG-19-051	San Juan	0.0	24.0	24.0	0.40	86.4	1.55	116.3
	San Juan	45.7	70.0	24.3	0.58	51.0	1.26	94.5
	including	47.8	54.0	6.2	1.67	86.2	2.82	211.5
LRGG-19-052	San Juan ¹²	83.5	108.0	22.5	0.32	64.4	1.18	88.5

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ³ (g/t)
	Including ¹²	84.5	94.0	7.5	0.87	125.8	2.55	191.3
	Including	91.0	94.0	3.0	0.68	226.6	3.70	277.5
LRGG-19-053	El Troce	130.9	141.0	10.1	1.53	164.3	3.72	279.0
	Including	135.0	137.8	2.8	5.22	489.5	11.75	881.3
LRGG-19-054	San Juan¹³	25.0	43.0	16.5	0.74	93.5	1.98	148.5
	Including	37.5	41.6	4.1	2.78	233.1	5.89	441.8
LRGG-19-055	Main¹⁴	290.1	307.5	14.4	0.58	75.1	1.59	119.3
LRGG-19-056	Main¹⁵	296.0	325.0	26.0	0.50	185.5	2.97	222.8
	including	312.0	316.0	4.0	1.89	920.0	14.16	1,062.1
LRGG-19-057	Main	230.4	244.5	14.1	0.91	130.6	2.65	199.1
	including	237.8	243.0	5.3	2.14	252.5	5.50	412.8
LRGG-19-058	El Troce	32.3	45.0	12.8	0.16	35.7	0.64	47.8
LRGG-19-059	El Troce¹⁶	10.5	24.6	11.0	0.94	133.7	2.72	204.2
	Including ¹⁷	14.3	19.0	3.5	1.95	277.2	5.65	423.4
LRGG-19-060	El Troce	0.0	16.0	16.0	0.32	65.5	1.19	89.5
	Including	9.0	12.0	3.0	0.83	161.8	2.98	223.8
LRGG-19-061	Main¹⁸	324.4	349.2	18.0	0.08	54.2	0.80	60.3
	including	337.7	340.8	3.1	0.04	108.5	1.49	111.9
LRGG-19-062	San Juan	88.5	106.5	18.0	0.20	45.1	0.80	59.7
	including	90.0	93.0	3.0	0.63	118.0	2.20	165.3
LRGG-19-063	Main	98.0	122.5	24.5	0.53	85.3	1.67	125.1
	including	103.5	108.9	5.3	1.90	228.8	4.96	371.6
LRGG-19-064	Main	112.0	127.5	15.5	0.25	52.4	0.95	71.2
LRGG-19-065	Main¹⁹	276.0	291.0	13.1	0.23	83.9	1.35	101.1
	including	281.0	286.4	5.4	0.50	154.7	2.57	192.4
LRGG-19-066	San Juan	140.5	155.5	15.0	0.32	44.8	0.91	68.5
LRGG-19-067	San Juan	88.5	101.5	13.0	0.15	30.7	0.56	41.9
LRGG-19-068	Main South	161.9	169.7	7.8	0.92	161.1	3.07	230.1
	including	162.8	166.0	3.2	2.14	361.4	6.96	521.7
LRGG-19-069	San Juan²⁰	107.0	128.5	16.3	1.11	103.0	2.48	186.1
	including	120.8	123.8	3.0	3.56	351.2	8.24	618.0
LRGG-19-070	Main South	119.1	128.7	9.6	0.02	14.3	0.21	15.6
LRGG-19-071	San Juan	101.6	120.8	19.2	0.28	53.8	1.00	75.0
LRGG-19-072	Main South	101.6	120.8	19.2	0.28	53.8	1.00	75.0
LRGG-19-073	San Juan²¹	59.8	96.5	33.5	1.12	116.7	2.67	200.4
	Including	64.5	74.0	9.5	3.01	183.9	5.47	409.9
	Including	86.0	89.0	3.0	1.81	291.4	5.70	427.4
LRGG-19-074	Main²²	346.2	383.9	34.3	0.23	62.6	1.06	79.8
LRGG-19-075	Main South	153.8	160.0	6.2	0.23	15.3	0.43	32.4
LRGG-19-076	San Juan	106.5	145.0	38.5	0.73	123.4	2.38	178.2
	including	122.4	128.2	5.8	1.70	260.3	5.17	387.5

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ³ (g/t)
	including	136.0	142.0	6.0	1.58	220.0	4.51	338.5
LRGG-19-077	San Juan	112.5	138.5	26.0	1.03	94.5	2.29	171.7
	including	115.5	119.8	4.3	4.28	241.1	7.49	561.9
LRGG-19-078	Main South	178.2	200.1	22.0	0.22	59.9	1.01	76.6
LRGG-19-079	Main	128.2	144.7	16.5	4.29	335.8	8.77	657.8
	including	129.2	134.0	4.8	3.90	782.0	14.32	1,074.4
	including	137.5	143.7	6.2	8.16	212.5	11.00	824.2
	and	150.8	161.5	10.7	0.08	22.7	0.38	28.7
LRGG-19-080	Main	274.3	279.5	5.2	1.10	68.6	2.01	151.0
	and ²³	325.5	342.0	13.5	0.87	214.8	3.73	279.8
LRGG-19-081	Main	189.7	207.1	17.4	0.77	152.4	2.80	209.8
	including	201.0	207.1	6.1	2.07	373.0	7.05	528.6
LRGG-19-082	Main South²⁴	169.7	196.5	23.5	0.17	43.5	0.75	56.5
	including	180.0	183.0	3.0	0.79	137.8	2.63	197.0
LRGG-19-083	Main	Abandoned in Hanging Wall above Los Ricos Vein						
LRGG-19-084	Main	218.0	225.5	7.5	0.29	29.3	0.68	51.1
LRGG-19-085	Stope	342.0	354.0	12.0	Historical working – backfilled stope			
	Main	354.0	370.8	16.8	0.36	86.1	1.51	113.1
LRGG-19-086	El Troce	194.6	209.9	15.3	0.06	12.1	0.22	16.6
	Including	195.2	196.5	1.3	0.27	44.4	0.86	64.8
LRGG-19-087	Main	219.4	236.4	17.1	0.21	60.0	1.01	76.0
	including	220.5	225.0	4.5	0.60	103.8	1.99	148.9
LRGG-19-088	Main	218.1	237.0	18.9	2.01	496.4	8.63	647.0
	including	227.3	232.3	5.0	7.30	1833.4	31.74	2,380.8
LRGG-19-089	Main	168.4	191.0	22.7	0.63	64.9	1.49	112.0
	including	171.2	177.9	6.7	1.76	113.8	3.28	245.7
LRGG-19-090	Main	194.4	207.3	12.9	0.57	96.5	1.86	139.4
	including	195.4	202.0	6.5	1.08	174.9	3.41	256.0
LRGG-19-091	Main	185.9	199.8	13.9	0.62	80.1	1.69	126.8
	including	185.9	191.7	5.8	1.34	141.2	3.23	242.1
LRGG-19-092	Main	147.0	166.0	19.0	1.27	113.4	2.78	208.4
	including	147.0	159.2	12.2	1.94	172.6	4.25	318.4
	including	149.0	155.5	6.5	3.39	299.2	7.38	553.7
LRGG-20-093	Main	36.7	45.5	8.8	0.41	75.7	1.42	106.6
LRGG-20-094	Main	61.5	65.4	3.8	0.66	173.9	2.97	223.1
LRGG-20-095	Main	30.9	48.0	17.1	0.61	121.4	2.23	167.1
	including	34.1	41.3	7.2	1.20	207.5	3.97	297.6
LRGG-20-096	Main	30.9	47.5	16.6	1.40	62.8	2.24	167.9
LRGG-20-097	Main	72.4	78.9	6.4	0.23	81.2	1.31	98.6
LRGG-20-098	Main²⁵	62.0	66.0	4.0	1.78	318.6	6.03	452.2
	and	79.0	93.5	14.5	0.12	31.1	0.53	39.9

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ³ (g/t)
LRGG-20-099	Main including	53.4 54.5	72.7 60.8	19.4 6.3	0.49 1.08	68.1 108.8	1.39 2.53	104.5 190.1
LRGG-20-100	Main²⁶ including	9.9 11.1	29.1 18.0	17.3 6.9	1.51 2.92	204.3 272.7	4.23 6.56	317.2 492.1
LRGG-20-101	San Juan including	120.8 146.5	154.5 151.5	33.8 5.0	0.54 2.00	115.9 466.9	2.08 8.22	156.0 616.6
LRGG-20-102	Main	0.0	10.7	10.7	1.05	156.2	3.13	234.8
LRGG-20-103	Main	0.0	17.0	17.0	0.28	93.1	1.53	114.4
LRGG-20-104	Main	0.0	20.0	20.0	0.44	88.3	1.61	120.9
LRGG-20-105	Main including	2.2 15.4	24.6 21.8	22.4 6.4	0.39 0.81	75.8 134.8	1.40 2.60	105.3 195.3
LRGG-20-106	San Juan including	101.1 101.1	122.0 110.6	21.0 9.5	1.35 2.83	117.9 217.0	2.92 5.73	219.4 429.5
LRGG-20-107	Main	6.0	34.0	28.0	0.20	40.6	0.75	55.9
LRGG-20-108	Main stope	20.9 33.8	33.8 38.0	12.9 4.2	0.79	96.9	2.08	155.8
LRGG-20-109	Main including and	5.2 9.0 27.0	21.0 12.0 29.6	15.8 3.0 2.6	0.69 2.61 0.39	79.5 225.0 92.5	1.75 5.61 1.63	131.4 420.6 122.0
LRGG-20-110	Main including	0.0 0.0	22.0 6.0	22.0 6.0	0.38 0.62	102.0 191.6	1.74 3.17	130.3 238.0
LRGG-20-111	Main	226.0	232.9	6.9	0.31	49.5	0.97	72.6
LRGG-20-112	San Juan and	130.9 144.1	136.3 153.8	5.3 9.8	0.19 0.33	39.9 52.7	0.73 1.03	54.5 77.4
LRGG-20-113	Main	4.0	21.3	17.3	0.47	54.7	1.20	90.1
LRGG-20-114	Main	Abandoned in Hanging Wall above Los Ricos Vein						
LRGG-20-115	Main including	4.5 4.5	24.0 14.1	19.5 9.6	0.61 1.17	152.8 281.3	2.65 4.93	198.7 369.5
LRGG-20-116	San Juan	26.0	36.6	10.6	0.37	52.6	1.07	80.2
LRGG-20-117	Main	3.0	21.8	18.8	1.68	128.5	3.39	254.5
LRGG-20-118	San Juan including	97.0 107.6	116.8 110.3	19.8 2.7	0.38 1.66	58.2 142.1	1.16 3.56	86.9 266.7
LRGG-20-119	Main including	0.0 8.4	26.4 21.0	26.4 12.6	0.91 1.60	135.0 196.0	2.71 4.21	203.2 315.7
LRGG-20-120	Main	10.5	15.0	4.5	0.11	37.6	0.61	46.0
LRGG-20-121	San Juan including	152.6 158.1	186.0 163.0	33.5 4.9	0.32 1.58	52.5 211.2	1.02 4.40	76.2 329.9
LRGG-20-122	Main including	37.4 41.2	51.0 47.9	13.6 6.7	0.25 0.41	74.0 114.7	1.24 1.94	92.8 145.5
LRGG-20-123	San Juan²⁷ including	39.0 41.5	65.4 45.0	22.1 3.5	0.31 0.67	41.8 71.4	0.87 1.62	65.0 121.7

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ³ (g/t)
LRGG-20-124	Main	260.4	266.0	5.6	1.41	181.4	3.83	287.1
LRGG-20-125	Main	12.0	39.6	27.6	0.31	63.0	1.15	86.0
	including	27.0	32.2	5.2	0.84	125.4	2.51	188.2
LRGG-20-126	San Juan	73.0	98.7	25.7	0.48	56.5	1.23	92.2
	including	74.6	80.8	6.2	0.98	97.0	2.27	170.5
LRGG-20-127	San Juan	228.5	239.0	10.6	1.42	264.0	4.94	370.6
	including	229.5	233.6	4.2	3.54	614.9	11.74	880.2
LRGG-20-128	Main	68.0	99.8	31.8	0.11	36.0	0.59	44.6
LRGG-20-129	Main ²⁸	15.0	51.0	33.0	1.20	193.4	3.78	283.3
	including	33.0	44.6	11.6	2.76	402.7	8.13	609.6
LRGG-20-130	Main	Abandoned in hanging wall above Los Ricos Vein due to fault						
LRGG-20-131	Main	Abandoned due to excessive hole deviation						
LRGG-20-132	Main	321.9	371.2	49.4	0.41	80.3	1.48	111.0
	including	340.4	343.4	3.0	5.42	864.8	16.95	1,270.9
LRGG-20-133	Main ²⁹	230.6	270.0	36.4	0.36	81.6	1.45	108.7
	including	240.0	247.5	7.5	1.15	202.5	3.85	288.4
LRGG-20-134	San Juan	0.0	14.5	14.5	0.30	51.2	0.99	73.9
LRGG-20-135	Main ³⁰	0.0	25.6	22.6	1.06	132.6	2.82	211.8
	including	12.0	23.3	11.3	1.29	200.1	3.96	296.6
LRGG-20-136	Main	162.6	173.8	11.2	3.56	358.4	8.34	625.2
LRGG-20-137	Main	34.25	48.15	13.9	0.91	185.2	3.38	253.6
LRGG-20-138	Main ³¹	211.9	223.9	9.0	0.13	67.8	1.03	77.5
LRGG-20-139	Main ³²	13.5	36.1	21.6	0.20	82.0	1.29	96.9
LRGG-20-140	Main	176.9	198.4	21.5	0.12	25.0	0.45	34.0
LRGG-20-141	Main	222.5	231.0	8.5	0.34	58.9	1.12	84.1
LRGG-20-142	Main ³³	136.3	161.4	20.1	0.33	99.8	1.67	124.9
	including	136.3	142.3	6.0	0.97	257.2	4.40	330.1
LRGG-20-143	San Juan	12.5	35.7	23.2	0.68	112.6	2.18	163.4
	including	19.7	31.3	11.7	1.00	149.9	2.99	224.5
LRGG-20-144	Main	47.7	74.3	26.6	0.29	47.5	0.92	69.3
	including	48.8	53.5	4.7	1.24	128.7	2.95	221.4
LRGG-20-145	San Juan	3.8	26.1	22.3	1.01	52.4	1.71	128.2
	including	3.8	13.8	10.0	1.79	63.9	2.64	198.0
LRGG-20-146	Main	249.4	253.5	4.2	2.87	343.8	7.45	558.7
LRGG-20-147	Main	9.0	24.4	15.4	0.79	91.1	2.00	150.0
	including	9.0	14.3	5.3	1.54	135.2	3.35	250.9
LRGG-20-148	Main Deep	507.8	527.0	19.2	0.16	9.1	0.28	21.1
	and	534.0	538.4	4.4	0.26	20.8	0.54	40.5
	and	545.0	549.5	4.5	0.16	31.7	0.59	44.0
	and	562.0	567.0	5.0	0.04	33.8	0.49	36.4
LRGG-20-149	San Juan	194.2	219.7	25.5	0.07	14.4	0.26	19.2

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ³ (g/t)
LRGG-20-150	Las Lamas	Abandoned in HW above Los Ricos Vein due to fault						
LRGG-20-151	San Juan	Abandoned in HW above Los Ricos Vein due to fault						
LRGG-20-152	San Juan	15.0	29.6	14.6	1.64	136.5	3.46	259.6
	including	18.0	27.0	9.0	2.53	194.4	5.13	384.5
LRGG-20-153	Las Lamas	27.0	42.7	15.7	0.52	22.5	0.82	61.7
	including	40.6	42.7	2.2	3.48	82.3	4.58	343.6
LRGG-20-154	San Juan³⁴	0.0	21.0	18.0	0.65	85.4	1.53	134.0
	Including	6.4	12.0	5.6	1.52	151.4	3.54	265.5
LRGG-20-155	Main³⁵	223.7	276.0	19.0	0.89	207.8	3.66	274.8
	Including ³⁵	243.5	258.5	5.4	2.28	559.2	9.74	730.5
	Including ³⁵	247.5	256.5	3.2	3.13	858.5	14.58	1,093.6
LRGG-20-156	Main	No Significant Mineralization						
LRGG-20-157	San Juan	154.0	170.0	16.1	0.18	40.9	0.72	54.3
	including	160.0	168.0	8.0	0.29	55.4	1.03	77.1
LRGG-20-158	Las Lamas	6.3	11.3	5.1	0.68	58.0	1.46	109.2
LRGG-20-159	San Juan	71.8	84.5	12.7	0.20	36.0	0.68	51.0
LRGG-20-160	Las Lamas	74.4	77.0	2.7	1.25	13.4	1.43	107.1
LRGG-20-161	San Juan	100.0	111.5	11.5	0.86	60.6	1.66	124.8
	including	108.0	111.5	3.5	2.58	130.3	4.32	323.7
LRGG-20-162	Main	153.0	181.5	28.5	0.09	20.9	0.37	27.4
LRGG-20-163	San Juan	175.3	177.3	2.0	0.79	7.4	0.89	66.6
LRGG-20-164	Las Lamas	37.0	46.1	9.1	0.34	13.9	0.52	39.3
LRGG-20-165	Las Lamas	No Significant Mineralization						
LRGG-20-166	San Juan	288.0	315.0	27.0	0.09	27.57	0.46	34.1
		292.0	296.0	4.0	0.45	89.45	1.65	123.5
LRGG-20-167		Assays Pending						
LRGG-20-168	Main	147.5	172.9	25.4	0.13	33.6	0.58	43.5
	including	166.5	172.9	6.3	0.22	72.2	1.18	88.6
LRGG-20-169	San Juan	245.9	250.0	4.1	3.18	187.7	5.68	426.2
LRGG-20-170	Main	174.0	199.5	25.5	0.09	27.8	0.46	34.4
LRGG-20-171	San Juan	154.4	168.0	13.7	0.40	40.8	0.94	70.4
LRGG-20-172	San Juan	280.0	291.3	11.3	0.22	33.7	0.66	49.9
LRGG-20-173	Main	213.4	235.5	22.2	0.15	63.8	1.00	75.4
	including	230.6	235.5	4.9	0.44	177.7	2.81	210.9
LRGG-20-174	Main	214.5	229.5	15.0	2.56	172.7	4.86	364.8
	including	225.1	229.5	4.4	8.33	496.0	14.94	1,120.4
LRGG-20-175	Rascadero	96.9	104.9	8.1	0.15	36.5	0.63	47.5
LRGG-20-176	San Juan	160.0	168.8	8.8	0.23	43.6	0.81	61.1
LRGG-20-177	Rascadero	104.0	143.0	39.0	0.45	116.9	2.01	151.0
	including	118.0	129.0	11.0	1.40	319.1	5.66	424.4
LRGG-20-178	East Vein	118.0	122.4	4.4	1.09	97.0	2.38	178.4

Hole ID	Area	From (m)	To (m)	Length ¹ (m)	Au (g/t)	Ag (g/t)	AuEq ² (g/t)	AgEq ³ (g/t)
	including	119.0	121.0	2.0	1.88	171.3	4.17	312.4
LRGG-20-179	East Vein	178.7	181.9	3.2	0.15	25.0	0.48	36.1
LRGG-20-180	Rascadero	116.5	157.5	41.0	1.36	167.8	3.60	269.8
	including	134.5	141.4	6.9	7.19	822.6	18.16	1,361.8
	including	134.5	138.5	4.0	11.85	1294.9	29.12	2,184.0
LRGG-20-181	East Vein	50.0	51.0	1.0	0.13	7.9	0.24	17.7
LRGG-20-182	East Vein	72.6	75.6	3.0	0.33	40.3	0.87	65.1
LRGG-20-183	Rascadero³⁶	70.5	92.5	18.4	5.18	500.2	11.85	889.1
	including	86.3	89.5	3.2	26.18	2,371.8	57.80	4,335.2
LRGG-20-184	East Vein	170.5	176.5	6.1	0.26	36.1	0.74	55.6
LRGG-20-185	Rascadero	57.9	70.5	12.6	0.70	111.2	2.18	163.3
LRGG-20-186	Rascadero	55.4	72.5	17.1	0.21	39.3	0.74	55.2
LRGG-20-190	Rascadero	46.5	54.5	8.0	0.25	59.1	1.04	77.7
LRGG-20-192	Rascadero³⁷	43.7	63.7	16.7	1.32	268.2	4.90	367.5
	including	52.2	57.5	5.4	3.33	672.9	12.30	922.5
LRGG-20-193	San Juan	322.5	344.0	21.5	0.21	26.5	0.57	42.5
	including	335.0	339.0	4.0	0.62	32.4	1.05	78.5
LRGG-20-194	Las Lamas	41.3	44.0	2.7	0.33	18.6	0.58	43.6
	and	58.0	61.9	3.9	0.38	24.3	0.70	52.8
	and	78.9	86.5	7.7	0.45	65.3	1.32	99.2
LRGG-20-195	Las Lamas	94.4	100.5	6.1	0.12	23.1	0.43	31.9
LRGG-20-196	San Juan	305.1	314.0	8.9	0.80	31.4	1.22	91.3
LRGG-20-199	East Vein	157.7	162.0	4.3	0.74	70.3	1.68	125.8
	including	158.5	160.5	2.1	1.27	130.1	3.00	225.2
LRGG-20-200	East Vein	244.5	247.1	2.6	0.09	50.3	0.76	57.2
LRGG-20-201	Rascadero	47.7	51.5	3.8	0.15	40.0	0.69	51.4
LRGG-20-202	Rascadero	85.5	106.0	20.5	2.86	149.7	4.85	364.0
	including	90.0	101.5	11.5	4.95	242.3	8.18	613.4
LRGC-19-001	Cerro Colorado	23.3	27.2	3.9	1.59	177.3	3.95	296.3
LRGC-19-002	Cerro Colorado	0	3.5	3.5	3.27	90.4	4.47	335.3
LRGC-19-003	Cerro Colorado	2	8.5	6.5	1.38	39	1.9	142.5
LRGC-19-004	Cerro Colorado	6.5	18	11.5	1.28	107.2	2.71	203.3
	including	7.3	11	3.7	3.36	294.6	7.29	546.8
LRGC-19-005	Cerro Colorado	30	37	7	0.18	11.5	0.33	24.8
	and	43.5	56.5	13	0.12	16.4	0.34	25.5
LRGC-19-006	Cerro Colorado	0	11.5	11.5	0.56	10.3	0.7	52.5
LRGC-19-007	Cerro Colorado	53.8	56	2.2	0.28	27.3	0.64	48.0
	and	68.5	77	8.5	0.06	15.7	0.27	20.3

1. Not true width
2. AuEq converted using a silver to gold ratio of 75:1
3. AgEq converted using a gold to silver ratio of 75:1
4. Voids from historical underground workings, no sample

5. Excludes 2.0m of open stopes from historical underground workings
6. Excludes 5.4m of open stopes from historical underground workings
7. Excludes 2.4m of open stopes from historical underground workings
8. Excludes 4.3m of open stopes from historical underground workings

9. Excludes 4.1m of open stopes from historical underground workings
10. Excludes 5.2m of open stopes from historical underground workings
11. Excludes 1.4m of open stopes from historical underground workings
12. Excludes 2.0m of open stopes from historical underground workings
13. Excludes 1.5m of open stopes from historical underground workings
14. Excludes 3.0m of open stopes from historical underground workings
15. Excludes 3.0m of open stopes from historical underground workings
16. Excludes 3.1m of open stopes from historical underground workings
17. Excludes 1.8m of open stopes from historical underground workings
18. Excludes 6.8m of open stopes from historical underground workings
19. Excludes 1.9m of open stopes from historical underground workings
20. Excludes 5.3m of open stopes from historical underground workings
21. Excludes 3.3m of open stopes from historical underground workings
22. Excludes 3.5m of open stopes from historical underground workings
23. Excludes 3.0m of open stopes from historical underground workings
24. Excludes 3.4m of open stopes from historical underground workings
25. Hanging portion of vein above a 7.5m wide mined void
26. Excludes 1.9m of open stopes from historical underground workings
27. Excluding 4.3m of open stopes from historical underground workings.
28. Excluding 3.0m of open stopes from historical underground workings
29. Excluding 3.0m of open stopes from historical underground workings.
30. Excluding 3.0m of open stopes from historical underground workings.
31. Excluding 3.0m of open stopes from historical underground workings.
32. Excluding 1.0m of open stopes from historical underground workings.
33. Excluding 5.0m of open stopes from historical underground workings.
34. Excluding 3.0m of open stopes from historical underground workings.
35. Estimated true widths are shown
36. Excluding 4.1m of open stopes from historical underground workings.
37. Excluding 3.3m of open stopes from historical underground workings.

Locations:

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGG-19-001	610679	2327607	1448	50	-78	195.50
LRGG-19-002	610824	2327502	1435	50	-50	150.00
LRGG-19-003	610595	2327525	1421.9	50	-50	177.00
LRGG-19-004	610786	2327429	1392.9	50	-60	160.50
LRGG-19-005	610730	2327445	1402.9	50	-60	180.00
LRGG-19-006	610707	2327493	1419.9	50	-50	201.00
LRGG-19-007	610624	2327483	1411.9	50	-50	210.00
LRGG-19-008	610527	2327666	1461.9	50	-45	172.50
LRGG-19-009	610835	2327486	1433.6	50	-50	81.00
LRGG-19-010	610485	2327764	1473.9	50	-50	160.50
LRGG-19-011	610393	2327553	1429.0	50	-50	312.0
LRGG-19-012	610463	2327543	1483.0	50	-50	273.0
LRGG-19-013	610509	2327581	1445.0	50	-50	211.5
LRGG-19-014	610506	2527514	1428.0	50	-50	267.0
LRGG-19-015	610811	2327508	1450.0	50	-50	72.0
LRGG-19-016	610672	2327555	1436	50	-50	150.00
LRGG-19-017	610706	2327519	1427	50	-60	130.50
LRGG-19-018	610424	2327510	1422	50	-50	321.0
LRGG-19-019	610846	2327506	1440	50	-45	63.0
LRGG-19-020	610809	2327472	1423	50	-45	90.0
LRGG-19-021	610828	2327523	1438	50	-45	66.0
LRGG-19-022	610446	2327659	1462	50	-50	145.4
LRGG-19-023	610792	2327525	1436	50	-45	76.5
LRGG-19-024	610814	2327544	1432	50	-45	60.0

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGG-19-025	610770	2327540	1434	50	-45	81.0
LRGG-19-026	610786	5357567	1432	50	-45	51.0
LRGG-19-027	610748	2327553	1432	50	-45	90.0
LRGG-19-028	610729	2327570	1436	50	-45	90.0
LRGG-19-029	610715	2327591	1439	50	-45	70.5
LRGG-19-030	610196	2327906	1434	50	-45	222.0
LRGG-19-031	610697	2327608	1445	50	-45	76.5
LRGG-19-032	610674	2327622	1449	50	-45	70.5
LRGG-19-033	610657	2327641	1449	50	-45	60.0
LRGG-19-034	610604	2327596	1451	50	-45	130.5
LRGG-19-035	610440	2327419	1467	50	-45	156.0
LRGG-19-036	610611	2327635	1456	50	-45	123.0
LRGG-19-037	610466	2327807	1475	50	-45	119.0
LRGG-19-038	610622	2327578	1449	50	-45	165.0
LRGG-19-040	610636	2327655	1457	50	-45	81.0
LRGG-19-041	610572	2327634	1454	50	-45	132.0
LRGG-19-042	610636	2327688	1466	50	-45	70.5
LRGG-19-044	610340	2327962	1471	50	-45	201.0
LRGG-19-045	610442	2327852	1477	50	-45	102.0
LRGG-19-046	610287	2327889	1429	50	-45	168.0
LRGG-19-047	610241	2327994	1435	50	-45	250.5
LRGG-19-048	610266	2327933	1450	50	-45	147.0
LRGG-19-049	610506	2327840	1492	50	-45	81.0
LRGG-19-050	610426	2327903	1481	50	-45	84.0
LRGG-19-051	610367	2327919	1471	50	-45	99.0
LRGG-19-052	610383	2327867	1464	50	-45	130.5
LRGG-19-053	610228	2328138	1534	50	-45	183.0
LRGG-19-054	610285	2328082	1510	50	-45	191.5
LRGG-19-055	610366	2327592	1423	50	-45	351.0
LRGG-19-056	610392	2327556	1432	50	-65	340.0
LRGG-19-057	610407	2327627	1447	50	-65	270.0
LRGG-19-058	610278	2328234	1537	50	-45	75.0
LRGG-19-059	610275	2328274	1535	50	-45	46.5
LRGG-19-060	610256	2328304	1520	50	-45	52.5
LRGG-19-061	610447	2327464	1413	50	-65	375.0
LRGG-19-062	610396	2327813	1463	50	-45	129.0
LRGG-19-063	610422	2327770	1458	50	-45	171.0
LRGG-19-064	610422	2327770	1458	50	-65	163.5

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGG-19-066	610360	2327783	1447	50	-65	180.0
LRGG-19-065	610499	2327508	1425	50	-65	335.0
LRGG-19-067	610367	2327854	1463	50	-65	127.5
LRGG-19-068	310718	2327398	1401	50	-65	199.0
LRGG-19-069	610337	2327829	1453	50	-65	160.5
LRGG-19-070	610765	2327437	1410	50	-65	180.0
LRGG-19-071	610310	2327871	1453	50	-65	144.0
LRGG-19-072	610737	2327479	1414	50	-65	150.0
LRGG-19-073	610318	2327943	1464	50	-65	132.0
LRGG-19-074	610361	2327522	1408	50	-65	417.0
LRGG-19-075	610701	2327449	1409	50	-65	180.0
LRGG-19-076	610284	2327915	1451	50	-65	175.5
LRGG-19-077	610256	2327889	1438	50	-65	190.5
LRGG-19-078	610580	2327511	1429	50	-65	238.2
LRGG-19-079	610441	2327719	1451	50	-65	172.5
LRGG-19-080	610320	2327618	1429	50	-65	375.0
LRGG-19-081	610405	2327690	1410	50	-65	241.5
LRGG-19-082	610623	2327481	1421	50	-65	245.0
LRGG-19-083	610371	2327662	1440	50	-65	183.0
LRGG-19-084	610587	2327454	1220.5	50	-65	280.4
LRGG-19-085	610323	2327556	1229	50	-65	402.0
LRGG-19-086	610076	2328075	1303.9	50	-65	275.6
LRGG-19-087	610346	2327704	1250.1	50	-65	283.5
LRGG-19-088	610296	2327729	1421	50	-65	260.6
LRGG-19-089	610377	2327735	1262.8	50	-65	240.0
LRGG-19-090	610273	2327775	1427	50	-65	254.4
LRGG-19-091	610326	2327754	1434	50	-65	231.0
LRGG-19-092	610304	2327801	1440	50	-65	201.0
LRGG-20-093	610459	2327873	1304	50	-45	57.0
LRGG-20-094	610515	2327784	1297	50	-45	120.0
LRGG-20-095	610537	2327806	1312	50	-45	90.0
LRGG-20-096	610592	2327724	1281	50	-45	70.5
LRGG-20-097	610585	2327678	1283	50	-45	115.5
LRGG-20-098	610554	2327717	1294	50	-45	120.0
LRGG-20-099	610301	2327962	1281	50	-45	99.0
LRGG-20-100	610695	2327640	1267	50	-20	57.0
LRGG-20-101	610271	2327937	1276	50	-75	190.5
LRGG-20-102	610663	2327678	1276	50	-20	60.0

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGG-20-103	610716	2327624	1266	50	-20	42.0
LRGG-20-104	610736	2327608	1265	50	-20	51.0
LRGG-20-105	610792	2327558	1252	50	-20	54.0
LRGG-20-106	610271	2327937	1276	50	-60	150.0
LRGG-20-107	610815	2327544	1252	50	-20	60.0
LRGG-20-108	610845	2327505	1263	50	-20	38.8
LRGG-20-109	610643	2327694	1283	50	-20	51.0
LRGG-20-110	610623	2327709	1278	50	-20	27.0
LRGG-20-111	610216	2327695	1224	50	-65	351.0
LRGG-20-112	610210	2327887	1248	50	-65	183.0
LRGG-20-113	610866	2327502	1278	50	-20	42.0
LRGG-20-114	610828	2327523	1259	50	-20	15.0
LRGG-20-115	610828	2327523	1259	50	-20	40.5
LRGG-20-116	610333	2327989	1290	50	-45	63.0
LRGG-20-117	610598	2327754	1290	50	-20	49.5
LRGG-20-118	610322	2327882	1273	50	-45	130.5
LRGG-20-119	610582	2327773	1303	50	-20	60.0
LRGG-20-120	610563	2327790	1307	50	-20	21.0
LRGG-20-121	610247	2327818	1251	50	-65	243.0
LRGG-20-122	610497	2327833	1305	50	-20	67.5
LRGG-20-123	610353	2327940	1290	50	-45	84.0
LRGG-20-124	610216	2327695	1224	50	-45	299.0
LRGG-20-125	610443	2327885	1303	50	-20	64.5
LRGG-20-126	610318	2327911	1286	50	-45	120.0
LRGG-20-127	610189	2327770	1227	50	-65	277.7
LRGG-20-128	610429	2327873	1295	50	-45	161.0
LRGG-20-129	610432	2327908	1309	50	-20	51.0
LRGG-20-130	610235	2327646	1226	50	-65	249.0
LRGG-20-131	610699	2327950	1478	230	-41	217.5
LRGG-20-132	610216	2327695	1224	50	-75	391.0
LRGG-20-133	610699	2327937	1478	230	-45	270.0
LRGG-20-134	610361	2328012	1302	50	-20	30.0
LRGG-20-135	610540	2327804	1311	50	-20	72.0
LRGG-20-136	610471	2327615	1278	50	-50	230.3
LRGG-20-137	610519	2327818	1309	50	-20	67.5
LRGG-20-138	610378	2327688	1260	50	-70	260.4
LRGG-20-139	610384	2327966	1303	50	-20	42.0
LRGG-20-140	610660	2327480	1241	50	-65	202.9

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGG-20-141	610675	2327950	1474	230	-45	235.5
LRGG-20-142	610627	2327517	1244	50	-65	211.4
LRGG-20-143	610398	2327945	1304	50	-20	51.0
LRGG-20-144	610558	2327753	1301	50	-45	102.0
LRGG-20-145	610362	2327980	1298	50	-20	54.0
LRGG-20-146	610644	2327956	1465	230	-45	261.0
LRGG-20-147	610417	2327929	1311	50	-20	42.0
LRGG-20-148	610077	2327545	1260	50	-65	499.0
LRGG-20-149	610163	2327846	1256	50	-65	242.4
LRGG-20-150	611075	2327143	1135	50	-50	162.0
LRGG-20-151	610077	2327741	1269	50	-65	410.8
LRGG-20-152	610329	2328018	1297	50	-20	57.0
LRGG-20-153	611414	2326873	1123	50	-50	117.0
LRGG-20-154	610321	2328050	1304	50	-20	30.0
LRGG-20-155	610595	2327980	1443	230	-60	276.0
LRGG-20-156	610871	2327722	1412	230	-40	211.5
LRGG-20-157	610215	2327923	1253	50	-65	198.0
LRGG-20-158	611515	2326777	1128	50	-45	141.0
LRGG-20-159	610269	2327968	1267	50	-45	134.0
LRGG-20-160	611371	2326836	1123	50	-45	171.0
LRGG-20-161	610238	2327942	1261	50	-45	138.0
LRGG-20-162	610828	2327752	1423	230	-40	190.5
LRGG-20-163	610172	2327886	1262	50	-65	210.0
LRGG-20-164	611477	2326746	1109	50	-45	75.0
LRGG-20-165	610961	2327334	1197	50	-45	192.0
LRGG-20-166	610080	2327869	1299	50	-65	360.0
LRGG-20-168	610801	2327757	1425	230	-40	175.5
LRGG-20-169	610158	2327824	1257	50	-65	304.0
LRGG-20-170	610855	2327741	1418	230	-40	199.5
LRGG-20-171	610168	2328144	1341	50	-45	210.0
LRGG-20-172	610062	2327989	1323	50	-65	328.0
LRGG-20-173	610809	2327801	1442	230	-43	235.5
LRGG-20-174	610703	2327908	1471	230	-45	235.5
LRGG-20-175	610219	2328186	1354	50	-45	153.0
LRGG-20-176	610153	2328066	1310	50	-65	280.2
LRGG-20-177	610243	2328239	1344	0	-90	177.0
LRGG-20-178	611070	2327824	1419	50	-45	166.5
LRGG-20-179	611070	2327852	1419	50	-70	201.0

Hole ID	Easting	Northing	Elev	Azimuth	Dip	Length
LRGG-20-180	610229	2328260	1334	0	-90	194.5
LRGG-20-181	610150	2327793	1394	50	-45	120.0
LRGG-20-182	611150	2327793	1394	50	-70	130.5
LRGG-20-183	610267	2328129	1340	50	-45	139.5
LRGG-20-184	610959	2327927	1468	50	-45	201.0
LRGG-20-185	610229	2328260	1334	50	-45	95.0
LRGG-20-186	610243	2328239	1344	50	-45	110.0
LRGG-20-190	610059	2327560	1269	50	-65	596.0
LRGG-20-192	610310	2328165	1351	50	-45	76.5
LRGG-20-193	610339	2328124	1339	50	-45	89.0
LRGG-20-194	610012	2327948	1323	50	-65	386.0
LRGG-20-195	611638	2326538	1059	50	-50	150.0
LRGG-20-196	611638	2326538	1059	50	-75	118.5
LRGG-20-199	610929	2327967	1437	50	-45	175.5
LRGG-20-200	610929	2327967	1473	50	-70	298.5
LRGG-20-201	610196	2328298	1317	50	-45	75.0
LRGG-20-202	610196	2328298	1317	0	-90	195.0
<i>Cerro Colorado:</i>						
LRGC-19-001	611799	2326380	1298	53	-50	75.0
LRGC-19-002	612055	2326190	1240	29	-45	30.0
LRGC-19-003	612051	2326191	1240	39	-50	42.0
LRGC-19-004	611828	2326394	1299	48	-45	61.5
LRGC-19-005	611684	2326494	1259	30	-45	79.5
LRGC-19-006	612032	2326174	1235	50	-50	91.5
LRGC-19-007	611665	2326480	1261	50	-50	97.5